

Contents

| | |
|--|-----------|
| Preface | xv |
| I Formal Logic: Form, Meaning, and Consequences | 1 |
| 1 Preliminary notions | 3 |
| 1.1 Formal languages: Alphabets and grammars | 3 |
| 1.2 Logical languages: Form and meaning | 5 |
| 1.2.1 Object languages and metalanguages | 5 |
| 1.2.2 Logical sentences: From categorical propositions to set-theoretical expressions | 6 |
| 1.3 Logic and metalogic: Proofs and metaproofs | 9 |
| 1.3.1 Induction, mathematical and structural | 10 |
| 1.3.2 Proof by contradiction | 12 |
| 2 Logical form | 19 |
| 2.1 Logical languages and well-formed formulas | 19 |
| 2.1.1 Alphabets, expressions, and formulas logical | 19 |
| 2.1.2 Orders | 21 |
| 2.2 Formalizing natural language | 26 |
| 2.3 Argument form | 32 |
| 2.4 Normal forms and substitutions for L1 | 38 |
| 2.4.1 Literals and clauses | 38 |
| 2.4.2 Negation normal form | 39 |
| 2.4.3 Prenex normal form | 40 |
| 2.4.4 Skolem normal form | 40 |
| 2.4.5 Conjunctive and disjunctive normal forms | 43 |
| 2.4.6 Substitutions and unification for L1 | 48 |
| 3 Logical meaning | 63 |
| 3.1 Truth: Values, tables, and functions | 63 |
| 3.2 The Boolean foundations of logical bivalence | 65 |
| 3.3 Compositionality and truth-functionality | 69 |
| 3.4 Classical interpretations and valuations | 74 |
| 3.5 Meaning and form | 79 |

Contents

| | |
|---|------------|
| 4 Logical consequences | 85 |
| 4.1 Logical consequence: A central notion | 85 |
| 4.1.1 Consequences and systems logical, inferential, and deductive | 85 |
| 4.1.2 Syntactical consequence and proof theory | 91 |
| 4.1.3 Semantical consequence and model theory | 97 |
| 4.1.4 Adequateness of a deductive system | 102 |
| 4.2 Logical theories and decidability | 106 |
| 4.2.1 Theories, subtheories, and extensions | 107 |
| 4.2.2 FOL theories and decidability | 109 |
| 4.2.2.1 Finite satisfiability and ground extensions | 112 |
| 4.2.2.2 Finite models and prefix classes | 118 |
| 4.2.2.3 Appendix to Section 4.2.2: Turing machines, decidability and tractability | 120 |
| II The System CL and the Logic CL | 135 |
| 5 The language of classical logic | 137 |
| 5.1 Some preliminary remarks | 137 |
| 5.2 L1 and classical subsets/extensions thereof | 140 |
| 5.2.1 The classical connectives | 140 |
| 5.2.2 The quantifiers of CFOL | 144 |
| 5.3 Applications of L1 | 144 |
| 5.3.1 Arguments: Categorical syllogisms | 144 |
| 5.3.1.1 Evaluating arguments with Euler diagrams | 146 |
| 5.3.1.2 Evaluating arguments with Venn diagrams | 147 |
| 5.3.2 Logic programming (I) | 149 |
| 5.3.2.1 The language (of) Prolog | 151 |
| 5.3.2.2 Increased expressiveness and ambivalent syntax | 154 |
| 5.3.2.3 Programs and substitutions | 155 |
| 5.3.3 Logic design: Logic circuits | 158 |
| 6 Classical logical consequence | 171 |
| 6.1 Classical \heartsuit -consequences | 171 |
| 6.1.1 Classical syntactical \heartsuit -consequences | 172 |
| 6.1.2 Classical semantical \heartsuit -consequences | 174 |
| 6.2 Classical \blacklozenge -consequences | 176 |
| 7 CL and extensions | 179 |
| 7.1 The logic CL | 179 |

Contents

| | | |
|---|--|------------|
| 7.2 | The extension $\text{CL}^=$: CL with equality | 182 |
| 8 Classical FO theories and the adequateness of CFOL | | 189 |
| III Classical Models | | 197 |
| 9 Three formal semantics for classical logic | | 199 |
| 9.1 | Tarskian semantics | 200 |
| 9.2 | Herbrand semantics | 202 |
| 9.3 | Algebraic semantics: Boolean algebras | 208 |
| IV Classical Proofs I: Direct Proofs | | 217 |
| 10 The validity problem, or <i>VAL</i> | | 219 |
| 10.1 | The <i>Entscheidungsproblem</i> and Turing's negative answer . | 219 |
| 10.2 | The <i>VAL</i> and direct proofs | 223 |
| 10.3 | The complexity of <i>VAL</i> | 227 |
| 11 Hilbert-style systems | | 233 |
| 11.1 | The axiom system \mathcal{L} | 234 |
| 11.1.1 | The propositional system \mathcal{L} | 234 |
| 11.1.2 | The FO system \mathcal{L} | 241 |
| 11.2 | Further Hilbert-style systems | 242 |
| 11.2.1 | The class \mathcal{H} | 242 |
| 11.2.2 | Other systems | 243 |
| 12 Gentzen systems | | 249 |
| 12.1 | The natural deduction calculus \mathcal{NK} | 249 |
| 12.1.1 | The propositional calculus \mathcal{NK} | 250 |
| 12.1.2 | The FO predicate calculus \mathcal{NK} | 261 |
| 12.1.3 | The extension $\mathcal{NK}^=$ for $\text{CL}^=$ | 266 |
| 12.2 | The sequent calculus \mathcal{LK} | 267 |
| V Classical Proofs II: Indirect Proofs | | 281 |
| 13 The satisfiability problem, or <i>SAT</i> | | 283 |
| 13.1 | The <i>SAT</i> and refutation proofs | 284 |
| 13.1.1 | The different forms of <i>SAT</i> | 284 |
| 13.1.2 | Indirect proofs | 288 |
| 13.2 | The complexity of <i>SAT</i> | 291 |

Contents

| | |
|--|------------|
| 13.3 Herbrand's Theorem and the SAT | 296 |
| 14 Resolution | 307 |
| 14.1 The resolution principle | 309 |
| 14.1.1 The resolution principle for propositional logic . . | 309 |
| 14.1.2 The resolution principle for FOL | 313 |
| 14.2 Resolution refinements | 320 |
| 14.2.1 Semantic resolution | 321 |
| 14.2.2 Linear resolution: Logic programming (II) | 328 |
| 14.3 Paramodulation | 342 |
| 15 Analytic tableaux | 361 |
| 15.1 Analytic tableaux as a propositional calculus | 363 |
| 15.2 Analytic tableaux as a FO predicate calculus | 372 |
| 15.2.1 FOL tableaux without unification | 374 |
| 15.2.2 FOL tableaux with unification | 376 |
| Bibliography | 381 |
| Bibliographical references | 383 |
| Index | 391 |

List of Figures

| | | |
|-------|--|-----|
| 1.2.1 | Relations of inclusion and exclusion in diagrammatic representation. Source: Venn (1881). (Work in the public domain.) | 7 |
| 2.2.1 | Formalizations for English by means of the language of classical propositional logic. | 31 |
| 2.2.2 | Formalizations for English by means of the language of classical FO logic. | 33 |
| 2.3.1 | Some classical formally correct arguments. | 37 |
| 2.3.2 | Two invalid argument forms. | 38 |
| 2.4.1 | Tseitin transformations for the connectives of L | 47 |
| 2.4.2 | Unifying the pair $\langle P(a, x, h(g(z))), P(z, h(y), h(y)) \rangle$. . | 53 |
| 3.3.1 | A truth table with $2^3 = 8$ rows. | 70 |
| 3.3.2 | Truth tables for the connective \rightarrow in the 3-valued logics L_3 , K_3^W , and Rn_3 | 73 |
| 3.5.1 | The properties of a Boolean algebra. | 81 |
| 4.1.1 | The complete lattice $S = (2^A, \subseteq)$ for $A = \{a, b, c\}$ | 89 |
| 4.1.2 | Adequateness of a deductive system $L = (L, \Vdash)$ | 105 |
| 4.2.1 | Computer model of a Turing machine. | 121 |
| 4.2.2 | A Turing machine that computes the function $f(n, m) = n + m$ for $n, m \in \mathbb{N}^+$ | 123 |
| 4.2.3 | The hierarchy of complexity classes with corresponding tractability status. | 125 |
| 4.2.4 | The encodings $\langle M_T \rangle$ and $\langle M_T, z \rangle$ | 128 |
| 4.2.5 | State diagram of a Turing machine. | 133 |
| 5.1.1 | Venn diagram of the set A | 139 |
| 5.2.1 | Diagrammatic representations of the connectives of O_L . . . | 141 |
| 5.2.2 | Diagrammatic representations of the logical connectives $O_G = \{\uparrow^2, \downarrow^2, \leftrightarrow^2\}$ | 143 |
| 5.2.3 | Euler diagrams for the classical quantifiers. | 145 |
| 5.3.1 | Euler diagrams of an invalid (1) and a valid (2) argument. . | 148 |
| 5.3.2 | Venn diagram with eight minterms. | 149 |
| 5.3.3 | A Venn-diagram representation of argument A1. | 150 |

List of Figures

| | | |
|---------|--|-----|
| 5.3.4 | A Venn-diagram representation of argument A2. | 150 |
| 5.3.5 | From a binary switch (i) to a series-parallel connection (v). | 160 |
| 5.3.6 | Logic gates and their graphical representations. | 161 |
| 5.3.7 | A logic circuit for the function $f(x_1, x_2, x_3) = (x_1 \wedge x_2) \vee (x_1 \wedge x_3)$ | 162 |
| 5.3.8 | A logic circuit for $f(x_1, x_2, x_3) = x_1 \wedge (x_2 \vee x_3)$ | 162 |
| 5.3.11 | Properties of \oplus | 163 |
| 5.3.9 | Two functionally equivalent logic circuits. | 164 |
| 5.3.10 | The De Morgan's laws and the NAND and NOR gates. | 165 |
| 5.3.12 | Logic circuits. | 170 |
| 11.1.1 | Proof of $\vdash_{\mathcal{L}} \phi \rightarrow \phi$ | 235 |
| 11.1.2 | Proof of an argument in $\mathcal{L}p$ | 237 |
| 11.1.3 | Proof in $\mathcal{L}q$ of a valid syllogism. | 241 |
| 12.1.1 | A proof of a propositional derivation in \mathcal{NK} | 252 |
| 12.1.2 | A proof in \mathcal{NK} of the distributivity property for \wedge | 255 |
| 12.1.3 | Proof of $\vdash_{\mathcal{NK}} ((P \rightarrow Q) \wedge (P \rightarrow R)) \rightarrow (P \rightarrow (Q \wedge R))$ | 256 |
| 12.1.4 | Proof of an argument in (extended) \mathcal{NK} | 257 |
| 12.1.5 | Proof of $\vdash_{\mathcal{NK}} \phi \leftrightarrow \neg\neg\phi$ | 259 |
| 12.1.6 | A proof with universal generalization. | 262 |
| 12.1.7 | An example of universal instantiation. | 263 |
| 12.1.8 | An example of existential generalization. | 263 |
| 12.1.9 | An example of existential instantiation. | 264 |
| 12.1.10 | A FO \mathcal{NK} proof. | 265 |
| 12.1.11 | A proof in $\mathcal{NK}^=$ | 267 |
| 12.2.1 | Proof in \mathcal{LK} of axiom $\mathcal{L}2$ of the axiom system \mathcal{L} | 272 |
| 12.2.2 | Proof in \mathcal{LK} of a FO validity. | 273 |
| 13.2.1 | A tableau for the Turing machine M | 294 |
| 13.3.1 | Closed semantic tree of $C = \{\mathcal{C}_1, \mathcal{C}_2, \mathcal{C}_3, \mathcal{C}_4, \mathcal{C}_5\}$ in Example 13.31. | 299 |
| 13.3.2 | A closed semantic tree. | 300 |
| 14.1.1 | A refutation tree. | 311 |
| 14.1.2 | A propositional argument as input in Prover9/Mace4. | 312 |
| 14.1.3 | Output by Prover9: A valid propositional argument. | 312 |
| 14.1.4 | Output by Prover 9: A valid formula. | 314 |
| 14.1.5 | Output by Mace4: A counter-model. | 314 |
| 14.1.6 | A resolution refutation-failure tree. | 316 |
| 14.1.7 | Input in Prover9/Mace4: A FO theory. | 316 |
| 14.1.8 | Output by Prover9. | 317 |
| 14.1.9 | Output of Prover9: A valid FO argument. | 318 |

List of Figures

| | | |
|---------|--|-----|
| 14.2.1 | A PI-resolution tree. | 324 |
| 14.2.2 | Hyper-resolution of $\Xi = (\mathcal{C}_3; \mathcal{C}_1, \mathcal{C}_2)$ | 327 |
| 14.2.3 | A hyper-resolution deduction tree. | 327 |
| 14.2.4 | Theory of distributive lattices and commutativity of meet: Input in Prover9/ Mace4. | 328 |
| 14.2.5 | Proof by Prover9 of the commutativity of meet in a dis- tributive lattice. | 329 |
| 14.2.6 | A linear-resolution refutation tree. | 330 |
| 14.2.7 | Trace by SWI-Prolog. | 334 |
| 14.2.8 | A failed proof tree. | 336 |
| 14.2.9 | A reduction proof on a Prolog program. | 338 |
| 14.2.10 | A LI-resolution proof tree. | 339 |
| 14.2.11 | A SLD-resolution proof. | 342 |
| 14.2.12 | A complete proof tree. | 343 |
| 14.2.13 | SWI-Prolog answering a query and outputting traces for some “true” instantiations. | 344 |
| 14.2.14 | SWI-Prolog traces of a “true” and a “false” instantiation. . | 345 |
| 14.3.1 | Theory of commutative groups: Input in Prover9/Mace4. . | 349 |
| 14.3.2 | Output by Prover9. | 350 |
| 15.1.1 | Analytic tableaux expansion rules: $\alpha\beta$ -classification. . . | 365 |
| 15.1.2 | A propositional tableau proof. | 369 |
| 15.2.1 | Analytic tableaux expansion rules: $\gamma\delta$ -classification. . . | 373 |
| 15.2.2 | A FO tableau proof without unification. | 375 |
| 15.2.3 | A FO tableau with unification. | 378 |

List of Algorithms

| | | |
|------|---------------------------------|-----|
| 2.1 | PNF transformation. | 41 |
| 2.2 | Skolemization. | 42 |
| 2.3 | Tseitin transformation. | 46 |
| 2.4 | The Robinson algorithm. | 51 |
| 14.1 | Binary resolution. | 308 |
| 14.2 | Reduction. | 336 |
| 15.1 | Analytic tableaux. | 362 |