

## Studies in Logic

Volume 67

# Many-Valued Logics A Mathematical and Computational Introduction

Volume 56

**Dualities for Structures of Applied Logics** 

Ewa Orłowska, Anna Maria Radzikowska and Ingrid Rewitzky

Volume 57

**Proof-theoretic Semantics** 

Nissim Francez

Volume 58

Handbook of Mathematical Fuzzy Logic, Volume 3 Petr Cintula, Petr Hajek and Carles Noguera, eds.

Volume 59

The Psychology of Argument. Cognitive Approaches to Argumentation and Persuasion

Fabio Paglieri, Laura Bonelli and Silvia Felletti, eds

Volume 60

Absract Algebraic Logic. An Introductory Textbook

Josep Maria Font

Volume 61

Philosophical Applications of Modal Logic

Lloyd Humberstone

Volume 62

Argumentation and Reasoned Action. Proceedings of the 1<sup>st</sup> European Conference on Argumentation, Lisbon 2015. Volume I

Dima Mohammed and Marcin Lewiński, eds

Volume 63

Argumentation and Reasoned Action. Proceedings of the 1<sup>st</sup> European Conference on Argumentation, Lisbon 2015. Volume II Dima Mohammed and Marcin Lewiński, eds

Volume 64

Logic of Questions in the Wild. Inferential Erotetic Logic in Information Seeking Dialogue Modelling

Paweł Łupkowski

Volume 65

Elementary Logic with Applications. A Procedural Perspective for Computer Scientists

D. M. Gabbay and O. T. Rodrigues

Volume 66

Logical Consequences. Theory and Applications: An Introduction.

Luis M. Augusto

Volume 67

Many-Valued Logics: A Mathematical and Computational Introduction

Luis M. Augusto

Studies in Logic Series Editor Dov Gabbay

dov.gabbay@kcl.ac.uk

# Many-Valued Logics A Mathematical and Computational Introduction

Luis M. Augusto

© Individual author and College Publications 2017 All rights reserved.

ISBN 978-1-84890-250-3

College Publications Scientific Director: Dov Gabbay Managing Director: Jane Spurr

http://www.collegepublications.co.uk

Printed by Lightning Source, Milton Keynes, UK

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form, or by any means, electronic, mechanical, photocopying, recording or otherwise without prior permission, in writing, from the publisher.

### Contents

| Pr              | Preface xi             |  |    |
|-----------------|------------------------|--|----|
| 1. Introduction |                        |  |    |
|                 | 1.1.                   | Logics, classical and non-classical, among which the many- |    |
|                 |                        | valued   | 1  |
|                 | 1.2.                   | Logic and mathematics                                      | 3  |
|                 | 1.3.                   | Logic and computation                                      | 5  |
| I.              | $\mathbf{T}\mathbf{F}$ | HINGS LOGICAL  | 9  |
| 2.              | $\operatorname{Log}$   | ical languages   | 11 |
|                 | 2.1.                   | Formal languages and logical languages                     | 11 |
|                 | 2.2.                   | Propositional and first-order languages                    | 13 |
|                 | 2.3.                   | The language of classical logic                            | 17 |
|                 | 2.4.                   | Clausal and normal forms                                   | 18 |
|                 |                        | 2.4.1. Literals and clauses                                | 18 |
|                 |                        | 2.4.2. Negation normal form                                | 19 |
|                 |                        | 2.4.3. Prenex normal form                                  | 19 |
|                 |                        | 2.4.4. Skolem normal form                                  | 21 |
|                 |                        | 2.4.5. Conjunctive and disjunctive normal forms            | 22 |
|                 | 2.5.                   | Signed logic and signed clause logic                       | 26 |
|                 |                        | 2.5.1. Signed logic  | 26 |
|                 |                        | 2.5.2. Signed clause logic                                 | 28 |
|                 | 2.6.                   | Substitutions and unification for FOL                      | 29 |
|                 | Exe                    | cises  | 34 |
| 3.              | $\operatorname{Log}$   | ical systems   | 39 |
|                 | 3.1.                   | 8 1  | 39 |
|                 | 3.2.                   | $\mathcal{J}$  | 42 |
|                 |                        | 3.2.1. Truth-functionality and truth-functional complete-  |    |
|                 |                        | ness   | 43 |
|                 |                        | 3.2.2. Semantics and deduction                             | 46 |
|                 |                        | 3.2.3. Matrix semantics                                    | 50 |
|                 | 3.3.                   | Syntax and proof theory                                    | 53 |
|                 |                        | 3.3.1. Inference rules and proof systems                   | 54 |

#### Contents

|     | 3.4.<br>3.5.<br>Exer | Adequateness of a deductive system   | 56<br>58<br>52<br>54 |
|-----|----------------------|--|----------------------|
| 4.  | Log                  | ical decisions 6   | 7                    |
|     | 4.1.                 |  | 7                    |
|     |                      | •  | 8                    |
|     |                      | 4.1.2. Refutation proof procedures 6   | 9                    |
|     | 4.2.                 | Some historical notes on automated theorem proving 7   | 0                    |
|     | 4.3.                 | Herbrand semantics   | 2                    |
|     | 4.4.                 | Proving validity and satisfiability  | 8                    |
|     |                      | 4.4.1. Truth tables  | 9                    |
|     |                      | 4.4.2. Axiom systems   | 9                    |
|     |                      |  | 80                   |
|     |                      | 1  | 3                    |
|     |                      | 1  | 37                   |
|     | 4.5.                 | v  | 1                    |
|     |                      |  | )1                   |
|     |                      | J I  | 9                    |
|     |                      | 4.5.2.1. FOL tableaux without unification 10   |                      |
|     | 1 C                  | 4.5.2.2. FOL tableaux with unification 10  |                      |
|     | 4.6.                 | Refutation II: Resolution  |                      |
|     |                      | 4.6.1. The resolution principle for propositional logic 10 4.6.2. The resolution principle for FOL |                      |
|     |                      | 4.6.3. Completeness of the resolution principle  |                      |
|     |                      | 4.6.4. Resolution refinements  |                      |
|     |                      | 4.6.4.1. A-ordering  |                      |
|     |                      | 4.6.4.2. Hyper-resolution and semantic resolution 11   |                      |
|     |                      | 4.6.5. Implementation of resolution in Prover9-Mace4 11  |                      |
|     | Exer                 | rcises   |                      |
|     |                      |  |                      |
| II. | $\mathbf{M}_{2}$     | ANY-VALUED LOGICS 13   | 31                   |
| 5.  | Mar                  | ny-valued logics 13  | 3                    |
|     | 5.1.                 | Some historical notes  | 3                    |
|     | 5.2.                 | Many-valuedness and interpretation   |                      |
|     |                      | 5.2.1. Suszko's Thesis   | 4                    |
|     |                      | 5.2.2. Non-trivial many-valuedness   | 6                    |
|     |                      | 5.2.3. Classical generalizations to the many-valued logics 13                                      |                      |
|     | 5.3.                 | Structural properties of many-valued logics  | .1                   |

|    | 5.4.         | The Ł   | ukasiewicz propositional logics  | 142 |
|----|--------------|---------|--|-----|
|    |              | 5.4.1.  | Łukasiewicz's 3-valued propositional logic $L_3 \ldots$  | 142 |
|    |              | 5.4.2.  | Tautologousness, contradictoriness, and entailment   |     |
|    |              |         | in $L_3$   |     |
|    |              | 5.4.3.  | $n$ -valued generalizations of $L_3 \ldots \ldots \ldots$  | 149 |
|    | 5.5.         | Finite  | ly many-valued propositional logics  |     |
|    |              | 5.5.1.  | Bochvar's 3-valued system  |     |
|    |              | 5.5.2.  | Kleene's 3-valued logics   |     |
|    |              | 5.5.3.  | Finn's 3-valued logic  | 157 |
|    |              | 5.5.4.  | Logics of nonsense: the 3-valued logics of Halldén,  |     |
|    |              |         | Aqvist, Segerberg, and Piróg-Rzepecka  |     |
|    |              | 5.5.5.  | Heyting's 3-valued logic   |     |
|    |              | 5.5.6.  | Reichenbach's 3-valued logic   |     |
|    |              | 5.5.7.  | Belnap's 4-valued logic  |     |
|    |              | 5.5.8.  | The finitely $n$ -valued logics of Post and Gödel  |     |
|    |              |         | 5.5.8.1. Post logics   |     |
|    | - 0          | Б       | 5.5.8.2. Gödel logics  |     |
|    |              | _       | logics   |     |
|    | 5.7.         | •       | ification in many-valued logics  |     |
|    |              |         | Quantification in finitely many-valued logics  |     |
|    | E            |         | Quantification in fuzzy logics   |     |
|    | Exer         | cises   |  | 187 |
|    |              |         |  |     |
| Ш  | . RF         | EFUT    | ATION CALCULI FOR MANY-VALUED  |     |
|    |              | GICS    |  | 195 |
|    |              |         |  |     |
| 6. | The          | signe   | d SAT for many-valued logics   | 197 |
|    | 6.1.         | From    | the MV-SAT to the signed SAT   | 197 |
|    | 6.2.         |         | many-valued formulae to signed formulae  |     |
|    |              | 6.2.1.  | General notions and definitions  | 200 |
|    |              | 6.2.2.  | o a constant of the constant o |     |
|    |              | 6.2.3.  | Transformation rules for many-valued quantifiers .   |     |
|    |              | 6.2.4.  | Transformation rules and preservation of structure   |     |
|    |              | 6.2.5.  | Translation to clausal form  |     |
|    | Exer         | cises   |  | 217 |
| 7  | C: and       | d + . l | alcour for the MN SAT  | 219 |
| 1. | 51gr<br>7.1. |         | oleaux for the MV-SAT uctory remarks   |     |
|    | 7.1.         |         | l analytic tableaux for classical formulae   |     |
|    |              |         |  |     |
|    |              |         |  |     |
|    | 7.3.         | Surma   | s's algorithm  | 224 |

#### Contents

|    | 7.4.  | Signed tableaux for finitely many-valued logics     | 229 |
|----|-------|---|-----|
|    |       | 7.4.1. Propositional signed tableaux                | 231 |
|    |       | 7.4.2. FO signed tableaux                           | 240 |
|    | 7.5.  | Signed tableaux for infinitely many-valued logics   | 248 |
|    | Exer  | rcises  |     |
| 8. | Sign  | ned resolution for the MV-SAT                       | 259 |
|    | 8.1.  | Introductory remarks                                | 259 |
|    | 8.2.  |   |     |
|    |       | 8.2.1. Signed resolution proof procedures           |     |
|    |       | 8.2.1.1. Main rules                                 |     |
|    |       | 8.2.1.2. Refinements of signed resolution           | 264 |
|    |       | 8.2.2. The main theorem of signed resolution        | 265 |
|    | 8.3.  | Signed resolution for infinitely many-valued logics | 271 |
|    | Exer  | rcises  |     |
|    |       |   |     |
| IV | . AF  | PPENDIX   | 287 |
| 9. | Mat   | thematical notions                                  | 289 |
|    | 9.1.  | Sets  | 289 |
|    | 9.2.  | Functions, operations, and relations                | 290 |
|    | 9.3.  | Algebras and algebraic structures                   | 294 |
|    | 9.4.  | Lattices  | 297 |
|    | 9.5.  | Graphs and trees                                    | 303 |
| Bi | bliog | graphy  | 305 |
| In | dex   |   | 319 |

## List of Figures

| 1.1.1. Some main non-classical logics  |
|--|
| 2.4.1. Tseitin transformations for the connectives of L  |
| 3.4.1.<br>Adequateness of a deductive system $L=(L, \Vdash).$ 61   |
| 4.3.1.Closed semantic tree of $C = \{C_1, C_2, C_3, C_4, C_5\}$ in Example 4.3.3   |
| 4.3.2.A closed semantic tree   |
| 4.4.1.Proof of $\vdash \phi \rightarrow \phi$ in $\mathscr{L}$   |
| $4.4.2.\phi, \forall x (\phi) \rightarrow \chi \vdash \forall x (\chi)$ : Proof in the axiom system $\mathcal{L}^*$ 80   |
| $4.4.2.\phi$ , $\forall x \ (\phi) \rightarrow \chi + \forall x \ (\chi)$ . I fool in the axiom system $\mathcal{L}$ 80 $4.4.3.\mathcal{NK}$ proof of $((A \rightarrow B) \land (A \rightarrow C)) \rightarrow (A \rightarrow (B \land C))$ 83 |
| 4.4.4.Proof in $\mathcal{LK}$ of a FO validity   |
| 4.4.5. Proof in $\mathcal{LK}$ of axiom $\mathscr{L}2$ of the axiom system $\mathscr{L}$ 88  |
| 4.4.6.A DPLL proof procedure   |
| 4.5.1. Analytic tableaux expansion rules: $\alpha\beta$ -classification 94   |
| 4.5.2.A propositional tableau proof  |
| 4.5.3. Analytic tableaux expansion rules: $\gamma \delta$ -classification 100  |
| 4.5.4.A FO tableau proof without unification   |
| 4.5.5.A FO tableau with unification  |
| 4.6.1.A refutation tree  |
| 4.6.2.A refutation failure tree  |
| 4.6.3. Hyper-resolution of $\Xi = (C_3; C_1, C_2)$   |
| 4.6.4.Input in Prover9-Mace4   |
| 4.6.5.Output by Prover9-Mace4  |
| 4.6.6.<br>Output by Prover9-Mace<br>4  |
| 4.6.7. Schubert's steamroller in natural language 122  |
| 4.6.8. Schubert's steamroller in FOL   |
| 4.6.9. Proof of Schubert's steamroller by Prover9-Mace4 124  |
| 5.2.1.<br>The homomorphic interpretation $h \in Hom\left(\mathfrak{L},\mathfrak{A}\right)$ and the   |
| valuation $val_h: F \longrightarrow W_2$   |
| 5.4.1.Proof of $\vdash_{L3} \neg P \to (P \to Q)$ in $\mathscr{L}_3$   |
| $5.4.2.$ Proof of $\vdash_{LN} P \to ((P \to Q) \to Q)$ in $\mathscr{L}_{\aleph}$ 151  |

#### List of Figures

| 5.5.1.The lattices $\mathcal{A}4$ (1.) and $\mathcal{L}4$ (2.)  |
|---|
| 5.7.1.Proof of $\vdash_{\mathbf{L}_{3}^{*}} (\forall x) P(x) \to (\exists x) P(x) \text{ in } \mathscr{L}_{3}^{*}. \dots 178$ |
| 5.7.2.A fuzzy binary relation   |
| $6.2.1.cnfs$ for the connective $\rightarrow_{L3}$  |
| 6.2.2. Transformation rules for signed formulae of $L_n$  |
| 6.2.3.Clause transformation process of a signed FO many-valued  |
| formula   |
| 7.1.1.General tableau rule schema for finite tableaux 219   |
| 7.2.1. Signed tableaux extension rules: $\alpha\beta$ -classification 222   |
| 7.2.2. Signed tableaux extension rules: $\gamma \delta$ -classification 222   |
| 7.2.3.A signed tableau proof of a CPL formula   |
| 7.4.1. Signed tableau rules for some connectives of $L_3$ 236   |
| 7.4.2.A signed tableau proof in $L_3$ of the classical tautology  |
| modus ponens  |
| 7.4.3.Signed tableau rules for the logical system MK 241  |
| 7.4.4.FO tableau rules for filters and ideals   |
| 7.4.5.Signed tableau rules for quantified formulae in MK $248$  |
| 7.5.1.Signed fuzzy tableaux   |
| 8.2.1.A signed resolution procedure   |
| 9.2.1.A partially ordered set   |
| 9.4.1. Join table of $2^A$  |
| 9.4.2.Meet table of $2^A$   |
| 9.4.3. The lattice $(\mathcal{S}, \cup, \cap)$  |
| 9.4.4.The non-distributive lattices $\mathcal{L}_1$ and $\mathcal{L}_2$ 301   |

### **Preface**

Although the title of this book indicates two main components, to wit, mathematical and computational, we wish to emphasize that this is first and foremost a book on many-valued logics. As such, the reader who might just be interested in the various many-valued logics will find abundant material in that which is the central part of this book, to wit, Part II. In this, the several main many-valued logics are presented from the viewpoints of their semantical properties, and their semantics are characterized mostly by means of truth tables and logical matrices. From the proof-theoretical viewpoint, for many of these logics partial or full axiomatizations are provided.

This Part II is, mainly for the objective of self-containment, preceded by an extensive introduction to "things" logical, i.e. logical languages, systems, and decisions. In this Part I, important notions such as logical consequence, adequateness of a logical system, and matrix semantics, among others, are rigorously defined. Further notions regarding decision procedures in classical logic are introduced, namely the satisfiability and validity problems (abbreviated as SAT and VAL, respectively), and they are put into relation with the several proof systems available. In Part III, we chose to approach the many-valued satisfiability problem (MV-SAT) via refutation, i.e. by proving unsatisfiability of a set of formulae (a theory), because of the many advantages, computational and other, that this proof procedure presents for the many-valued logics. explains our extensive discussion of the analytic tableaux and resolution calculi for classical logic in this Part I. However, we wanted the reader to acquire a good grasp also of validity- and satisfiability-testing methods, and we thus provide sufficient material on this topic.

Part III deals with well-studied computational, or potentially computerizable, approaches to the many-valued logics, namely as far as automated deduction is concerned. Here, signed (clause) logic has a central place (Chapter 6). In effect, both signed tableaux and signed resolution are automatizable proof calculi that can very naturally be applied to many-valued logics, reason why we chose to elaborate on them at length. This elaboration constitutes Chapters 7 and 8, for signed tableaux and signed resolution, respectively.

We did not wish to emphasize the mathematical component, as this

could scare away many a potential reader. Nevertheless, we believe that logic is a branch of mathematics, and as such it is both mathematically motivated and justified. (Incidentally, we do not think that logic is a foundation for mathematics—the reverse is true, in our opinion.) Given these two somehow conflicting views, we decided that the best thing to do would be to provide the mathematically literate, or just simply interested, readers with an Appendix in which the mathematical bases of our approach are expounded to the required extent. This is Part IV.

Logic is a subject that requires (many) years before one grasps satisfactorily what it is actually all about. This stage will arguably not be reachable without hands-on practice, much in the same way, perhaps, that many other fields require extensive, often arduous, practice. In this belief, we provide the readers with a large selection of exercises.<sup>1</sup>

In effect, this book is conceived for the reader who wishes to do something with many-valued logics, especially—but by no means only—in a computational context. With this we associate fields as diverse as cognitive modeling and switching theory. The literature on many-valued logics is abundant, but the "standard" monographs (Bolc & Borowik, 1992; Malinowski, 1993; Rescher, 1969; Rosser & Torquette, 1952), while not being obsolete, are now of mainly theoretical and historical interest. Some more recent work claiming to have practical applications in mind (e.g., Bolc & Borowik, 2003) follows to a great extent in the footsteps of these earlier monographs. On the other hand, recent work both in mathematical logic (e.g., Gottwald, 2001; Hähnle, 2001) and in philosophical logic / the philosophy of logic (e.g., Bergman, 2008) provides little or no material for the practical applications mentioned.

Surprisingly—or just plainly intriguingly—, the last comprehensive discussion of modern applications of many-valued logics dates from 1977 (Dunn & Epstein). The fact is that many-valued logics are today in more demand than ever before, due to the realization that inconsistency in information (and knowledge bases are frequently inconsistent) "is respectable and is most welcome" (Gabbay, 2014). We now know and accept that it is often the case that theories have truth-value gaps (some propositions appear to be neither true nor false), truth-value gluts (some propositions appear to be both true and false), vague concepts (e.g., cold, young, tall, sufficient), indefinite functions, lacunae, etc. Moreover, theories are in constant updating processes, and human and artificial reasoners require formal means to keep pace with these often fast and/or unpredictable processes, namely in order to review beliefs: what

<sup>&</sup>lt;sup>1</sup>For reasons of timing, solutions to the exercises are not provided in this edition. In due time, there will be an Appendix with these solutions, which may actually be (also) posted online.

yesterday was a true/false proposition may today be neither true nor false, or both; what yesterday was clear-cut is now vague or indeterminate. The many-valued logics provide us with a powerful formalism to tackle these cases in terms of reasoning. In fact, this scenario calls for not only a practical-based approach to the many-valued logics per se, but also for hybridizations of these with other formal systems, as well as with more quantitative (-like) cognitive approaches (e.g., D'Avila Garcez, Lamb, & Gabbay, 2009). Importantly, the practical applications of many-valued logics have now gone beyond the mere industrial applications (e.g., fuzzy logics in washing machines), and promise to be of import for "higher," cognitive modeling. This new logic entails, in particular, a reappraisal of both "psychologism" and "formalism"-if not also of "logicism"-, especially because it proposes a reappraisal of what a cognitive, or reasoning, agent is (see, e.g. Gabbay & Woods, 2001). In order for this emerging work (Gabbay & Woods, 2003; 2005) to be further carried out and to incorporate the many-valued logics, we need a solid mathematical-computational grasp of these logics.

We hope the present book will provide the motivation for a new comprehensive treatment of the modern applications of many-valued logics that will include the *new-logic* factor as a central aspect of modern logic and its applications. Thus, a book like this on many-valued logics is now very timely, for *the times*, *they are a'changing*.

I wish to thank Dov M. Gabbay for including this book in the excellent Studies in Logic series of College Publications. My thanks go also to Jane Spurr for a smooth publication process.

Madrid, Summer 2017

Luis M. Augusto