

Copredication in homotopy type theory

Hamidreza Bahramian¹, Narges Nematollahi², and Amr Sabry³

- 1 Department of Computer Science, Indiana University, Bloomington, USA
`habahram@indiana.edu`
- 2 Department of Linguistics, Indiana University, Bloomington, USA `nnematol@indiana.edu`
- 3 Department of Computer Science, Indiana University, Bloomington, USA
`sabry@indiana.edu`

April 28, 2018

Abstract

This paper applies homotopy type theory to formal semantics of natural languages and proposes a new model for the linguistic phenomenon of copredication. Copredication refers to sentences where two predicates which assume different requirements for their arguments are asserted for one single entity, e.g., “the lunch was delicious but took forever”. This paper is particularly concerned with copredication sentences with quantification, i.e., cases where the two predicates impose distinct criteria of quantification and individuation, e.g., “Fred picked up and mastered three books.” In our solution developed in homotopy type theory and using the rule of existential closure following Heim analysis of indefinites, common nouns are modeled as identifications of their aspects using HoTT identity types, e.g., the common noun *book* is modeled as identifications of its physical and informational aspects. We show that HoTT provides a different view of tackling the puzzling phenomena of copredication.

1 Introduction

In formal linguistics the organization of grammar is viewed as involving a number of (relatively) independent subsystems, including phonology, which deals with the sounds of the language, morphology, which studies the smallest units of meaning in the language, syntax, which focuses on how the units combine to make a grammatical sentence, and semantics, which is the focus of this paper and studies the meaning of a grammatical sentence based on the meaning of its constituents. In theories of formal semantics, the assumption is that the meaning of the sentence is related to the meanings of its parts in a systematic way. This assumption which is usually attributed to the 19th century German logician, Gottlob Frege, is called the *Principle of Compositionality*, and can be formulated as follows:

Principle of Compositionality: The meaning of a compound expression is a function of the meanings of its parts and of the way they are syntactically combined [35].

Considering the Principle of Compositionality, the task of theories of formal semantics is twofold: 1) defining the lexicon by providing the semantic denotations for the constituents, and 2) setting some rules which combine the constituents as defined in the lexicon and return the truth conditions of the sentences. In the framework of formal semantics, the semantic

denotation of a linguistic expression is represented by $\llbracket \cdot \rrbracket$ which is called the *Interpretation Function* and which maps linguistic expressions to their semantic denotations. For example, if α is a linguistic expression, $\llbracket \alpha \rrbracket$ is the semantic denotation of α .

As a brief review of the systems of formal semantics that have been developed so far, the pioneering work of Montague¹[31] as well as all the later works in the Montague tradition use Church’s simple type theory [10]. More recent works (e.g., [37, 29]) employ dependent type theories like Martin-Löf’s type theory [33] and the Unifying Theory of dependent Types [26].

The copredication phenomenon has been recently the topic of many discussions in the field of formal semantics (e.g., [2, 3, 17, 8, 5, 38]). Copredication sentences are those where two predicates with different requirements on their arguments are asserted for one single entity. For example, sentence (1c) below represents a copredication sentence:

- (1) a. The lunch was delicious.
 b. The lunch took forever.
 c. The lunch was delicious and took forever.

Delicious is a predicate which is normally used of food but not events, while *took forever* is a predicate which normally holds of events and not of food. As Cooper [13] points out, if we were only dealing with sentences like (1a) or (1b), we could present them as instances of polysemy by saying that *lunch* is ambiguous between a food interpretation and an event interpretation, or in terms of types, we could say that *lunch* in some cases is of type *Food*, and in some others of type *Event*. However, cases like (1c) where one occurrence of the word simultaneously has both interpretations gives rise to the question as what type should we assume for *lunch*.

For the purpose of this paper, we distinguish between three kind of lexical ambiguity: homophony, underspecified² and metaphor³: homophony refers to cases where two semantically different words happen to have the same phonological form (e.g., *bank* as office or as land), underspecified refers to the phenomenon that one and the same word is being considered through its different aspects (e.g., *book* as its physical aspect or as its informational aspect), and metaphor refers to cases where a word is used in place of another word by virtue of some semantic relation between the two (e.g., *newspaper* as the institution publishing newspapers). What we are considering in this work is the case of underspecified as it seems it is where felicitous copredications are possible.

In what follows, first we will look at the treatment of the problem of copredication in Montague’s system (Sec. 2), in a modified [20] version of Montague system (Sec 3), and in formal semantics based on modern type theories (Sec 4). After pointing out the shortcomings of each solution, we will then propose a model based on homotopical interpretation of identity types in pure intensional type theory, and show that it can adequately address the complexity of copredication sentences.

¹ The Montagovian setting uses a logic for meaning assembly (simply typed lambda calculus) and a logic for semantic representation (higher-order predicate logic)[32].

² We borrow this term from [42], where one of the tests to distinguish between underspecified and polysemous (which constitutes homophony and metaphor) is the felicity of relevant copredications.

³ What we call here metaphor includes both metaphor and metonymy as they are defined in [23]: Metonymy is “The part taken for the whole”, whereas metaphor is “One word for another”.

2 Copredication in Montague semantics

In Montague’s system there are only two basic types: the type e which represents entities, and the type t which represents truth values. D_e refers to the set of all entities, and D_t is the set of all truth values, consisting of 0 for false sentences and 1 for true sentences. All linguistic items are taken as functions of these two basic types. Following the established notation, the type of functions from D_e to D_t is $\langle e, t \rangle$. Thus, in the case of sentence (1), *delicious* and *took forever* are taken as predicates of type $\langle e, t \rangle$, and the connective *and* is defined as a function of type $\langle \langle e, t \rangle, \langle \langle e, t \rangle, \langle e, t \rangle \rangle$. For the sake of simplicity and since it has no direct bearing on our discussion, we do not include tense in our analysis, and treat *took forever* as an atomic predicate rather than the past tense form of *take* plus the temporal adverb *forever*. The copula (*was*), on the other hand, is taken as semantically vacuous, so *delicious* and *was delicious* have the same semantic values. Therefore, the lexicon of sentence (1) is defined as follows⁴:

[[was delicious]]	=	$\lambda x \in D_e. x$ was delicious
[[took forever]]	=	$\lambda x \in D_e. x$ took forever
[[and]]	=	$[\lambda f \in D_{\langle e, t \rangle}. [\lambda g \in D_{\langle e, t \rangle}. [\lambda x \in D_e. f(x) = g(x) = 1]]]$
[[lunch]]	=	$\lambda x \in D_e. x$ is a lunch
[[the]]	=	$\lambda f \in D_{\langle e, t \rangle} \& (\exists! x \in D_e [f(x) = 1]). !y [(f(y) = 1)]$, where $\exists! x [\phi]$ abbreviates “there is exactly one x such that ϕ ” and $!y [\phi]$ returns “that unique y such that ϕ ”.

Regarding the rules which combine the constituents of the lexicon, the only rule that we need for sentence (1) is *Functional Application* which is formulated as follows:

- (2) Functional Application (FA) [20]: if α is a branching node with β and γ as its daughters, then α is in the domain of $[[\cdot]]$ if both β and γ are, and if $[[\gamma]]$ is in the domain of $[[\beta]]$. In this case, $[[\alpha]] = [[\beta]]([[\gamma]])$.

Applying Functional Application⁵ to the lexicon defined above, we will have the following denotations for the upper nodes: (a) calculates the semantic value of *was delicious and took forever* where *and* takes the two predicates *was delicious* and *took forever* as its two arguments and returns a function of type $\langle e, t \rangle$. (b) calculates the semantic value of *the lunch* where *the* takes *lunch* as its argument and returns the unique lunch the details of which are shared by participants of the conversation. Finally (c) calculates the semantic value of the whole sentence, returning 1 iff the lunch was delicious and took forever.


- (3) a. $\lambda x \in D_e. \text{was delicious}(x) = \text{took forever}(x) = 1$
- ```

graph TD
 A["was delicious(x) = took forever(x) = 1"] --- B["was delicious"]
 A --- C["and took forever"]

```

<sup>4</sup> In the definition of  $[[\text{the}]]$ , what the condition  $\exists! x \in D_e [f(x) = 1]$  wants to express is the partiality of the function. We want to return an object only if there is only one such object otherwise, the function should fail to return.

<sup>5</sup> We can apply FA to a node if one of its children is an argument to the other. Based on the definition of FA, it does not matter whether the argument is the left child or the right one.



The previous example suggests that the Montague semantics can handle the copredication sentence in (1c) without difficulty. However, a more precise analysis reveals that Montague semantics makes too many identifications. More precisely, all individuals are assigned type  $e$ , and consequently predicates always take arguments of type  $e$ ; *the lunch* for example is assigned type  $e$  no matter if it is used in its food or event sense and *delicious* takes an argument of type  $e$  even though we know that *delicious* does not make sense with the event aspect of *lunch*. As a consequence, while Montague semantics avoids some possible problems in copredication sentences such as (1c), it is unable to provide the correct semantics in examples including quantification where the two predicates impose distinct criteria of individuation [17]:

- (4) a. Fred picked up three books.  
 b. Fred mastered three books.  
 c. Fred picked up and mastered three books.



The predicate *picked up* deals with the physical aspect of books, whereas *mastered* is concerned with the informational aspect of books. We observe that the two predicates impose distinct criteria of individuation on their arguments: on one hand, sentence (4a) is true iff Fred picked up three books that are physically distinct, even if they are for example three copies of the same book, i.e., being informationally the same. On the other hand, sentence (4b) is true iff Fred mastered three books that are informationally distinct even if all three are contained in a trilogy, which is counted as one physical object. Combining the two predications, sentence (4c) is therefore true iff Fred picked up and mastered three books which are both physically and informationally distinct. In order to see if Montague semantics can handle sentences like (4), we first define the lexicon:

$$\begin{aligned} \llbracket \text{Fred} \rrbracket &= \textit{Fred} \\ \llbracket \text{picked up} \rrbracket &= \lambda x \in D_e. \lambda y \in D_e. 1 \text{ iff } y \text{ picked up } x \\ \llbracket \text{mastered} \rrbracket &= \lambda x \in D_e. \lambda y \in D_e. 1 \text{ iff } y \text{ mastered } x \\ \llbracket \text{book} \rrbracket &= \lambda x \in D_e. 1 \text{ iff } x \text{ is a book} \\ \llbracket \text{three} \rrbracket &= \lambda f \in D_{(e,t)}. \lambda g \in D_{(e,t)}. \exists x_1, x_2, x_3 \in D_e \text{ such that } x, y, z \text{ are distinct and} \\ &\quad [f(x_i) = g(x_i) = 1 \text{ for } i=1, 2, 3] \end{aligned}$$

The syntactic tree for (4b), shown in (6d) exhibits the accepted practice of quantifier raising in the case of quantified objects [20], where the quantified object is raised to a higher node, and leaves behind a trace ( $t_i$ ) of type  $e$ . Then, in order to relate the trace with the raised object, we add a branch to the tree which has only a numerical index, co-indexed with the

trace, right below the raised object. So in the case of our example, in (6d), first we raise the object *three books* to a higher node, and call its trace  $t_1$ . We note that  $t_1$  is of type  $e$ , and composes with its neighbors just like any other element of type  $e$ . Then, in order to relate the raised object to its trace, we add a branch with the numerical index 1, co-indexed with the trace, right below the raised object. Now we calculate the semantic value of the tree step by step. (a) and (b) apply Functional Application and calculate, respectively, the semantic value of *mastered*  $t_1$  and *Fred mastered*  $t_1$ . But to calculate (c), we need a new compositional rule, called *Predicate Abstraction* (PA) shown in (5). This rule essentially says that in calculating the semantic value of a certain point of a tree, if we encounter a branch with a numerical index (like branch 1 in (6d)), which reflects that we have a raising operation, then we need to replace in the semantic value of that point of the tree the trace of the same index (i.e.,  $t_1$  in (6d)) with the variable  $x$ . By so doing, we make the semantic value into a function that can take the raised object as its argument and thereby, replace the trace with the raised object. So in the final step, shown in (d) the raised object *three books* is composed with the lower node, which is now a function expecting an argument of type  $e$ , through Functional Application.

- (5) Predicate Abstraction (PA) [20]: Let  $\alpha$  be a branching node with  $\beta$  and  $\gamma$  as its daughters, where  $\beta$  dominates only a numerical index  $i$ . Then for any variable assignment  $g$ ,  $\llbracket \alpha \rrbracket^g = \lambda x \in D_e. \llbracket \gamma \rrbracket^{g[i \rightarrow x]}$ .



As (6d) shows, in Montague semantics (4b) is true iff there exist three books  $x_1, x_2, x_3$  which Fred mastered. There is no explicit restriction to establish how the three books are

individuated, i.e., physically, informationally or both. Consequently, it is unclear how the system responds to scenarios where Fred mastered a trilogy contained in one single volume. The same unclear situation arises in response to sentence (4a), which requires three physically distinct books, and the copredicated sentence in sentence (4c) which needs three physically and informationally distinct books.

### 3 Copredication in modified Montague semantics

In the semantic framework of Heim and Kratzer [20], which is based on Montague semantics, the requirements imposed by predicates on their arguments is modeled by taking the predicates as partial functions. So, *delicious* in (1) is no longer a total function from the set of individuals (of type  $e$ ) to truth-values (of type  $t$ ); rather, it is a partial function defined only for a subset of individuals, i.e. only for things with a food property so that *delicious* can be applied to them. Similarly, *took forever* is a partial function defined only for the subset of individuals with an event property. One of the main motivations for taking the predicates as partial functions in this framework is to be able to rule out sentences like *the chair laughed*, because the predicate *laugh* in this framework is undefined for inanimate entities. In the case of our examples, for the compositions in (1a) and (1b) to go through, *the lunch* in (1a) must be an entity belonging to the domain of *delicious* and in (1b) to the domain of *took forever*. Heim and Kratzer do not go into details about the possible operators between partial functions, but we can deduce that for the composition of (1c) to proceed, *the lunch* needs to be in the intersection of the two domains, so it needs to be both an entity of food property and that of event property, which is indeed the case.

In (4b) *mastered* is taken as a partial function defined for entities with an informational property and undefined otherwise. Therefore, (4b) is true iff there exist 1) three distinct entities (i.e. three distinct elements of type  $e$ ) such that 2) each one is a book (i.e. the predicate  $(\lambda x.x \text{ is book})$  returns true for each one of the entities) and 3) each one is informational (so that for each one the predicate *mastered* can be defined). These three conditions confirm that there are three distinct books, but do not guarantee that the three books are informationally distinct. The problem here, just like in Montague semantics, is that distinction is attributed to elements of type  $e$ , the only type for individuals that we have in simple type theory, and it is not clear how to define the criteria of distinction for elements of type  $e$ . While “three distinct informational entities” or “three distinct physical entities” can be clearly defined, when it comes to nouns with more than one aspect, like the common noun “book”, the term “three distinct books” is ambiguous. What does it mean for three books to be different from each other? Does it mean that they are physically distinct or informationally distinct? This shows that taking predicates as partial functions cannot help with the problem of criteria for quantification; Heim and Kratzer’s semantics has the same problem as Montague semantics in that it cannot produce the correct truth condition for a sentence which involves quantification, in simple and copredicated sentences.

To sum up our discussion so far, we saw that the main problem is to define the criteria of quantification for nouns that have more than one aspect. So in the case of the common noun “book” characterized by two aspects, physical and informational, we can either say that three books are distinct when they are distinct in just one of the aspects or when they are distinct in both aspects. In the former case, if we say that they are distinct when they are physically different, then the system wrongly returns true for “Fred mastered three books” even if the books are informationally similar. On the other hand, if we say that books are distinct when they are different in both physical and informational aspects, the system wrongly returns

false for “Fred mastered three books” if they are contained in one single volume of a trilogy. We observe that what is needed is to develop a dynamic criterion of quantification which is defined based on the predicate.

## 4 Copredication in extended type theories

In theories of formal semantics which employ multiple-sorted type theories, sortal requirements that are imposed by predicates on their arguments are encoded in the type system [37, 28]. Consequently, these systems are characterized by a richer inventory of types than in Montague semantics, since for example, instead of type  $e$ , we have various types *Physical*, *Animate*, *Inanimate*, etc., which represent respectively physical, animate and inanimate entities. Furthermore, common nouns are also defined as types, and not functions of type  $\langle e, t \rangle$  as in Montague semantics<sup>6</sup>. So for example, *book* denotes the type *Book*. Extending the inventory of types, however, brings about some type mismatch problems which require additional tools/extensions to type theory to resolve.

As a simple example, in a sentence like (7), *John* could be of type *Man*, but *shout* as a predicate would take an argument of type *Human*, and thus the semantic system encounters a type mismatch and wrongly predicts that the sentence is uninterpretable.

(7) John shouts.

In order to avoid such problems, Luo [27] uses the notion of *coercive subtyping*, symbolized by  $<_c$  as follows: for two types A and B,  $A <_c B$  indicates that there is a unique implicit coercion from type A to type B in the sense that an object of type A can be used in any context requiring an object of type B. In sentence (7), *Man* is a subtype of type *Human*, and therefore, the coercive subtyping rule tells us that *John* of type *Man* can be composed with *shout* which requires an object of type *Human*.

A related extension to type theory is the notion of *dot types*, which is introduced by Pustejovsky [36] in his treatment of copredication sentences, and is defined as follows: dot types are compositions of two types which nevertheless allow the two individual types to be recovered. Luo [29] then includes his notion of coercive subtyping into dot types and asserts the following statement about dot types:

A.B is only well-formed if A and B do not share common components, and both projections, one from A.B to A and the other from A.B to B, are coercions in the coercive subtyping framework.

Sentences in (1), for example, involve a type defined as *Food.Event*, for which the following statements hold:

- (8) a.  $Food.Event <_c Food$   
 b.  $Food.Event <_c Event$

According to the definition of coercive subtyping, if we include the type *Lunch*, we will have:

---

<sup>6</sup> As it is discussed in detail in [6] and [9], using types to model nouns prevents their predication. For example, the sentence “Iliad is a book”, is then a type assertion, *Iliad* : *Book*, not a proposition. In [9], a theory for predicational forms of judgmental interpretations is introduced and it is argued to be able to deal with the issue appropriately. We would however suggest a simpler solution: The semantic denotation of the sentence “Iliad is a book” can be considered to be the following type: *there exists an element b : Book such that (b = i)*, where *i* is the semantic denotation of *Iliad*. Similarly the semantic denotation of the sentence “The horse is not a book” would be the following: *there is no element b : Book such that (b = h)*, where *h* is the semantic denotation for *the horse*.

- a.  $Lunch <_c Food.Event <_c Food$
- b.  $Lunch <_c Food.Event <_c Event$

Then, by means of contravariance for function types, we derive the following relationships from rules in (8):

- (9) a.  $(Food \rightarrow Prop) <_c (Food.Event \rightarrow Prop) <_c (Lunch \rightarrow Prop)$
- b.  $(Event \rightarrow Prop) <_c (Food.Event \rightarrow Prop) <_c (Lunch \rightarrow Prop)$

Considering the subtyping relationships shown in (9), we can now analyze sentences (1a-1c): in (1a), *was delicious*, defined as  $\llbracket \text{was delicious} \rrbracket = \lambda A:Food.A$  was delicious, needs an object of type *Food*, but *the lunch* is an object of type *Lunch*. The subtyping relationship in (8a), however, says that an object of type *Lunch* can be used in any context which requires an object of type *Food*, and thus the composition can proceed. The same thing applies to (1b). As for the copredication sentence in (1c), *delicious* and *take forever* are identified as instances of “conjoinable types” [7], i.e., they can be coerced to the common type  $Food.Event \rightarrow Prop$ . Therefore, as shown in (10), *was delicious and took forever* is a predicate which needs an object of type *Food.Event*, which is satisfied in (1c) because *the lunch* is of type *Lunch*, which is a subtype of *Food.Event*.

- (10) a.  $\lambda x:Food.Event. \text{was delicious}(x) \ \& \ \text{took forever}(x)$
- 

So far it seems that the notion of dot types along with the theory of coercive subtyping has been able to provide a solution for the case of copredication. Now, we will examine this approach for copredication sentences such as (4c) which includes quantification with distinct criteria of individuation. In (4c) *picked up* takes an argument of type *Physical*, whereas *mastered* needs an argument of type *Informational*. Assuming quantifier raising just as we did in the previous section, the analysis for (4c) proceeds as follows:

- (11) a.  $\lambda B:Book \rightarrow Prop. \exists x, y, z:Book [B(x) \wedge B(y) \wedge B(z)]$
- 

- b.  $\lambda z:Phys.Info. \lambda x:Human. (\text{picked up}(x,z) \ \& \ \text{mastered}(x,z))$
-





not entail  $x \neq_Y y$  unless  $c$  is injective. Applying this general rule to (14) then, having three distinct objects of type *Book*, i.e.,  $x, y, z$  does not entail that the corresponding coerced objects in *Physical*, i.e.,  $c_1(x), c_1(y)$  and  $c_1(z)$  are also distinct. Chatzikyriakidis et al. therefore, state that they axiomatically assume so for the atomic types like *Book* and *Physical*. While this assumption drives the desired meaning for (14), it creates some other problems: If  $c_2$  is injective, then there cannot be two distinct books whose content is the same. Let  $x, y$  be two copies of the same book. So since  $c_2(x) = c_2(y)$  and  $c_2$  is injective, we will have  $x = y$ . Since  $c_1$  is also injective, we will have  $c_1(x) = c_1(y)$  and therefore the books are physically the same which is a contradiction.

A similar approach can be found in [5] where a subtype relation is represented as an injection sending an element of a type to itself which is then regarded as an element of its supertype. For polysemous common noun it is assumed that a number of aspect functions exist such that each one send an object of a common noun to one of its aspects:

$$\begin{aligned} asp_I &: Book \rightarrow Info \\ asp_P &: Book \rightarrow PhyObj \end{aligned}$$

Aspect functions are different from injections of subtype relations. When encountering a type mismatch, the type of the functions is being shift, instead of the type of nouns (which are arguments to the functions). Aspects are used to shift the type functions when it is needed: *pickup* is the term  $\lambda y \lambda x. pickup(x, y)$  of type *Physical*  $\rightarrow$  *Animate*  $\rightarrow$  *Prop* which by the CCG-style functional composition with the aspect function  $asp_P$  shifts to the term  $\lambda y \lambda x. pickup(x, asp_P(y))$  of type *Book*  $\rightarrow$  *Animate*  $\rightarrow$  *Prop*. As a result, the denotation of the sentence *Fred picked up and mastered a book* will be the term  $\exists y^7 (book(y) pickup(Fred, asp_P(y)) master(Fred, asp_I(y)))$ . [5] does not mention how it might handle the individuation problem. If the denotation for *three* is similar to that of *a*, then we will probably end up having something like (15):

$$(15) \quad \exists x, y, z \\ [book(x) \wedge pickup(Fred, asp_P(x)) \wedge mastered(Fred, asp_I(x)) \\ book(y) \wedge pickup(Fred, asp_P(y)) \wedge mastered(Fred, asp_I(y)) \\ book(z) \wedge pickup(Fred, asp_P(z)) \wedge mastered(Fred, asp_I(z))]$$

The result however has the same inadequacy as (14). Here we assert that there are three distinct objects of type *book* such that Fred picked up their physical aspects and mastered their content. But whether their physical aspects are distinct or their content are distinct is remained unspecified resulting problems we alluded to before.

## 5 Copredication in the Montagovian generative lexicon

[38] uses many-sorted higher order predicate calculus for semantic representation where the sorts are the base types. Meaning assembly is done using second order  $\lambda$ -calculus (Girard system F) as opposed to Luo's use of type theory with coercive subtyping. A word in the lexicon is associated with a finite set of  $\lambda$ -terms, one of them called the principal  $\lambda$ -term, the other ones are called optional. Words and constituents compose using the functional application rule. Semantic incompatibility is modeled by type mismatch as before. To allow an a priori type mismatch where it is legitimate, the optional  $\lambda$ -terms are used. The optional

---

<sup>7</sup> [5] do not specify the type of the existential variable  $y$  here. Our guess is that the type of this variable is the type *Entity* which is a supertype of *Book*.

terms, change the type of the function or the argument under composition to resolve the type mismatch. To allow or block felicitous and infelicitous copredications, optional  $\lambda$ -terms are tagged as rigid or flexible. Flexible terms can be used without any restriction. Rigid terms cannot be used in copredication sentences.

Consider the following example:

- (16) a. Liverpool is spread out.  
 b. Liverpool voted.  
 c. Liverpool won.  
 d. Liverpool is spread and voted last Sunday.  
 e. # Liverpool voted and won last Sunday.

Assuming the base types are defined as follows:

$$F : \text{football team} \quad T : \text{town} \quad P : \text{people} \quad Pl : \text{place}$$

Assume the principal term for *Liverpool* is a term of type  $T$  and its optional  $\lambda$ -terms defined as:

$$\begin{aligned} t_1 : T \rightarrow F & \quad \text{rigid} \\ t_2 : T \rightarrow P & \quad \text{flexible} \\ t_3 : T \rightarrow Pl & \quad \text{flexible} \end{aligned}$$

Now  $t_3$  is used to resolve the type mismatch in (16a),  $t_2$  for (16b), etc. The flexibility of both  $t_2$  and  $t_3$  give an account for the felicity of (16d) and the rigidity of  $t_1$  handles the infelicitous copredication in (16e).

[38] does not elaborate on the individuation problem in copredication sentences, so it is unclear to us if the setting, outlined in [38], has an account for handling individuation or not.

## 6 A mereological approach to copredication

In [15] Gotham distinguishes between three approaches to copredication: 1) mereological accounts (e.g., [12]). 2) Type Composition Logic (e.g., [3]). 3) Pragmatic accounts involving lexical ambiguity (e.g., [34]). According to him

Existing attempts to devise theories that predict ontologically respectable paraphrases as the natural language interpretations of copredication sentences all face problems of greater or lesser severity when it comes to extending those theories to cases where the copredication sentences involve numeric quantification. The general issue is that copredication presents us with divergent criteria for identifying objects falling under the denotation of the noun, and hence potentially divergent criteria for individuating and counting those objects. Native speaker judgements about copredication sentences involving numeric quantification do not perfectly reflect the counting and individuation criteria that the existing accounts predict.

Gotham proposes a compositional system for criteria of individuation that improves predictions regarding the truth conditions of quantified copredication sentences ([16]). In this framework the denotation of a transitive verb, *tverb*, is defined as

$$(17) \quad \llbracket tverb \rrbracket = \lambda x \lambda y \langle tverb(x, y), \text{a mechanism specifying the individuation criteria of } x \text{ and } y \rangle.$$

The denotation of a common noun, *cnoun*, is defined as

$$(18) \quad \llbracket \text{cnoun} \rrbracket = \lambda x \langle \text{cnoun}(x), \text{a mechanism specifying the individuation criteria of } x \rangle.$$

The variables in (17) and (18) are of type  $e$ , but this type is understood as what (??) proposes. The domain of type  $e$  contains both singular objects and proper pluralities. A single object can be a composite object made up of parts. To indicate that a single object is a composite objects, it is written as the sum of its parts. For example  $a + b$  indicates a single object whose parts are  $a$  and  $b$ .  $a \oplus b$  indicates the plurality made up of  $a$  and  $b$ . So, for example,  $a + b \oplus c + d$  indicates a plurality made up of two single objects each of which being itself a composite object.

The mechanism that specifies the relevant individuation criteria in (17) and (18) is defined as a partial order between relations: Let *PHYS* be a binary relation such that  $(a, b) \in \text{PHYS}$  if and only if  $a$  and  $b$  are physically equivalent. The binary relation *INFO* is defined similarly. Then the lexical entry for the verb *pick up* is defined as

$$(19) \quad \llbracket \text{pick up} \rrbracket = \lambda x \lambda y \langle \text{pick up}(x, y), \lambda f. f(x) \in \text{PHYS} \wedge f(y) \in \text{ANI} \rangle.$$

where *ANI* is the relation of animate equivalence and the partial order  $\sqsubseteq$  is defined by the following recursive definition:

$$(20) \quad \begin{array}{l} \text{a. If } X : t \text{ and } Y : t, \text{ then } X \sqsubseteq Y \stackrel{\text{def}}{=} X \rightarrow Y. \\ \text{b. If } X : a \rightarrow b \text{ and } Y : a \rightarrow b, \text{ then } X \sqsubseteq Y \stackrel{\text{def}}{=} \forall v (X(v) \sqsubseteq Y(v)). \end{array}$$

[16] argues that the above implementation for the individuation criteria mechanism allows different individuation criteria to combine monotonically. For example, if  $f(x) \in \text{PHYS}$  and  $f(x) \in \text{INFO}$ , then we will have  $f(x) \in (\text{PHYS} \sqcap \text{INFO})$ , where the meet operation,  $\sqcap$ , means that  $(a, b) \in (\text{PHYS} \sqcap \text{INFO})$  if and only if  $a$  and  $b$  are physically equivalent and  $a$  and  $b$  are informationally equivalent. The criteria for individuation for the predicate *heavy*, is based on the physical aspect of the thing it describes. The criteria of individuation for *books* is based on both aspects of books; that is, two books are equivalent if they are physically and informationally equivalent. Now the individuation criteria for *heavy books* is calculated as to be based on the physical aspect, as desired. Now the numerical determiners are defined such that they have access to the individuation information and can exploit that information.

By associating lexical entries with a criteria of individuation (or additional information relevant to individuation) and providing a mechanism so that individuation criteria can compose with each other, Gotham provides a framework that delivers all the criteria of individuation that are necessary for copredication and non-copredication sentences. A result which is however achieved, as [25]<sup>8</sup> mentions, at the expense of an enormous amount of ingenuity and complication.

---

<sup>8</sup> The paper [25] argues that the noun “book” does not apply to a kind of object that is individuated both informationally and physically. The sentence that they use to present their argument is the sentence “Three informative books are heavy”. Now their argument is not applicable to the sentence “Fred picked up and mastered three books”. In fact, almost all the examples that they use are those whose verb is either “is” or “are”. We do not agree with how Gotham analyses the sentence “Three informative books are heavy”. We think the verb “are” here is not vacuous. It has a semantic function just like any other verb has. According to our theory, “three informative books” can be any of the followings: 1) Three physically distinct, but informationally the same, informative books 2) Three informationally distinct, but physically the same, informative books and 3) Three informative books that are both physically and informationally distinct. Now the predicate “are heavy” restricts the possible meanings to the readings 1 and 3.

## 7 Copredication in homotopy type theory

The relation between the concept of *book* and the concepts of *physical things* and *informational things* is puzzling. One option is to say that this relation is an “is a” relation: a book *is a* physical thing and a book *is an* informational thing. In section 4 an implementation of this option was presented and its shortcomings were discussed. Another option is to say that this relation is a “has a” relation. That is, to maintain that the relation between *book* and its aspects is the relation between a whole and its parts. According to this option, there are four possibilities for the criteria of individuation of books: 1) Books are distinct if they are distinct physically. 2) Books are distinct if they are distinct content-wise. 3) Books are distinct if at least one of their parts are distinct. 4) Books are distinct just in case they are distinct in all their parts. However in the following scenario none of these possibilities work.

Consider the following sentence:

(21) Fred has five books on the shelf in his study room.

The following four cases can be considered:

1. If distinct books are those that are physically distinct (that is, if the criteria of individuation of books is based on their physical aspect) then (21) means that there are five physically distinct books on the shelf. Now assume the situation where we have the following books on the shelf: two copies of Euclid’s Elements, Divine Comedy, Iliad and Odyssey. Note that this list of books is compatible with (21) and the criteria of individuation under consideration. Assume that Fred read and mastered all the books on the shelf. Now consider the following sentence:

(22) Fred mastered five books.

So this case would judge (22) true because there *are* five books on the shelf. But intuitively (22) is true if and only if there are five informationally distinct books on the shelf. This indicates that the assumption that books are individualized physically is a wrong analysis.

2. For the case where the criteria of individuation of books is based on their informational aspect consider the following scenario: Euclid’s Elements, Divine Comedy and The Goldsworthy Trilogy<sup>9</sup> (informationally three books but physically only one). The trilogy counts as three books because in this case the criteria of individuation is based on informational aspect of books. Now consider the following sentence:

(23) Fred picked up five books.

So this case would judge (23) true which intuitively is not the case.

3. Suppose distinct books are those that are either informationally distinct or physically distinct. This case also would judge (23) true for the scenario of the previous case.
4. Suppose distinct books are those that are both informationally distinct and physically distinct (in other words, books are distinct whenever all of their parts are distinct). Now consider the situation where we have the following books on the shelf: Euclid’s Elements, Divine Comedy, Iliad and two copies of Odyssey. This case would judge (23) false because according to analysis under consideration in this case, there *are not* five books on the shelf.

---

<sup>9</sup> a collection of three books in one book

In this section, we first give an informal and intuitive account of our proposal. Then there comes a brief introduction to homotopy type theory in which we implement the proposal. The introduction to homotopy type theory is focussed on the aspects of the theory that we are directly using in our implementation, namely the observation that identity type equips each type with the structure of a (weak)  $\omega$ -groupoid, as studied in higher category theory. While this fact about the identity types is compatible with pure intensional type theory, we use homotopy type theory because the intuition behind our model comes from the homotopical interpretation of identity types, without which it is hard to express or justify the intuition. After the introductory section, we introduce our model and discuss how it deals with the copredication phenomenon.

## 7.1 A brief informal account of our proposal

Quantified multidimensional count nouns, semantically speaking, contain all possible semantic possibilities. When a quantified count noun passes as an argument to a predicate, its semantic value becomes crystalized by shrinking to a subset<sup>10</sup> of its possibilities (potentialities). It stays crystalized in the remaining context unless it is passed as an argument to another predicate where it will undergo further crystallization (that is, it shrinks to a yet (possibly) smaller subset of its possibilities).

When I hear “three books”, what comes into my mind is a range of possibilities: It can be three informationally and physically distinct books, two copy of the same book and a third informationally distinct book, a trilogy, . . . . Then if I hear “. . . picked up three books”, the range of the possibilities shrink to those in which there are three physically distinct books. Moreover if I hear “. . . picked up and mastered three books”, the collection of possibilities shrink more to those in which there are three physically and informationally distinct books. Similarly if I hear “three easy to understand books” or “three heavy books” the collection of possibilities shrink. But if I hear “. . . bought three books”, the set of possibilities remains the same.

## 7.2 Identity type in homotopy type theory

In intensional Martin-Lof type theory, if  $a$  and  $b$  are objects of type  $A$  then the identity type  $Id(a, b)$  (or equivalently  $a = b$ ) is a proposition, namely, the proposition that  $a$  and  $b$  are identical. [30]. Whether any two elements of an identity type are necessarily equal is a property called UIP (Uniqueness of Identity Proofs). [14] and [1] showed that UIP is derivable in a type theory augmented with pattern matching but [21] proved that UIP is not derivable in pure type theory<sup>11</sup>. They refute the principle of UIP by providing a counter model interpreting types as groupoids<sup>12</sup> where an element of a type is an object of a groupoid and the proof of an equality between two elements is a morphism in the groupoid. Groupoid model shows that we can have multiple different proofs of the same identity. Whether the proofs of equality between proofs can also be multiple is a question which groupoid model even fails to express because in the groupoid structure the notion of morphisms between morphisms is absent. Homotopy type theory ([4] ; [41]) is based on this observation that not only we can have the proof relevant notion of equality between elements but also the

---

<sup>10</sup> Depending on the predicate this subset can be a proper subset or it can be equal to the original set of possibilities.

<sup>11</sup> Independently, [24] observed that type theory can be considered as an internal language of the category of groupoids.

<sup>12</sup> A groupoid is a category in which every morphism is an isomorphism.

proof relevant notion of equality between proofs of equality and we can continue this proof relevancy of equalities up to infinity <sup>13</sup>.

A type with exactly one element (up to equality<sup>14</sup>) is called contractible. We say that a type is a proposition if it has at most one inhabitant<sup>15</sup>. A type whose equalities are propositions is called a set. It is known that any type with a decidable equality is a set [18]. We say a type is a groupoid if all its equalities are sets. To continue with this hierarchy we say contractible types are of dimension (also called truncation level) <sup>16</sup> -2, propositions are of dimension -1, sets are of dimension 0 and groupoids are of dimension 1. A type has dimension  $n + 1$  if its equalities are of dimension  $n$ . That is, a type  $A$  has dimension  $n + 1$  if for all  $x, y$  in  $A$ , the type  $x = y$  has dimension  $n$ . We say a type  $A$  is a  $n$ -type if  $A$  has dimension  $n$ . It is known that we can construct types which are not  $n$ -type for any natural number  $n$  [22].

### 7.3 The model

We call a type that is not  $n$ -type for any  $n$ , an *ideal* type. We postulate the existence of a universe,  $U_3$ <sup>17</sup> that is itself ideal and all of its elements are also ideal and that the following holds: for any equality type (of any order) in  $U_3$ , the equality is either empty or ideal.

The semantic denotation of a count noun is an identity type in  $U_3$ . The semantic denotation of an object (instance) of a count noun is a *nontrivial*<sup>18</sup> element of its corresponding type. For a count noun and each of its aspects there are types in  $U_3$  which we call their prototypes. The semantic denotation of a count noun, then, is the equality between the prototype of the count noun and the prototypes of its aspects. For example, consider the common noun *book*. If we envisage that it has two aspects, namely physical and informational, then the semantic denotation of the common noun book,  $\llbracket \text{Book} \rrbracket$ , is defined as

$$\begin{aligned} (\text{BookPrototype} = \text{PhysicalPrototype}) &= \\ (\text{BookPrototype} = \text{InformationalPrototype}) & \end{aligned}$$

where the types  $\text{BookPrototype}$ ,  $\text{PhysicalPrototype}$  and  $\text{InformationalPrototype}$  are in  $U_3$ . The semantic denotation of a book object is defined to be a *non trivial* element of  $\llbracket \text{Book} \rrbracket$ . So for example,  $\llbracket \text{Iliad} \rrbracket$  is a *non trivial* element of  $\llbracket \text{Book} \rrbracket$ . Note that this definition has an interesting consequence: The existence of a particular book object, for example the book *Iliad*, entails that  $\llbracket \text{Book} \rrbracket$  is ideal<sup>19</sup>. One may argue that this definition of the common noun book is strange or unreasonable because the type of book cannot be equated to the type of physical for the simple reason that books and physical things are not the same. To reply we refer to a popular example in topology: a coffee mug and a donut are the same as far as their topology is concerned. That is, there exists a homeomorphism between the surfaces of

---

<sup>13</sup>Such a structure is called a  $\omega$ -groupoid which in homotopy theory has a model called Kan complex. The model, however, is using the axiom of choice. A constructive alternative model based on cubical sets was proposed in [11]

<sup>14</sup>That is, a type  $A$  is contractible if it has an element  $a$  such that for all  $x$  in  $A$  we have  $x = a$ .

<sup>15</sup>An element of a type has many names: point, element, proof, token, witness or inhabitant.

<sup>16</sup>To be compatible with equivalent notions in homotopy theory we start counting with -2.

<sup>17</sup>We choose the index three because number three is associated with the meaning of multiplicity and it is this universe that contains and provides semantic meanings for lexical items.

<sup>18</sup>This consideration plays an important role in the consistency of our model. We elaborate on this later in this section.

<sup>19</sup>That is, the existence of the book *Iliad* affirms the existence of other books which are different from *Iliad*. Or if we consider *geometry* as a whole to be a type, then the existence of euclidean geometry affirms the existence of non-euclidean ones.

a donut and a coffee mug (with one handle). In other words, two spaces are homeomorphic if one can be deformed into the other by a continuous deformation without using cutting or glueing. If two spaces are homeomorphic, their topological properties will be identical, and therefore they are considered topologically the same. Now we cannot eat coffee mug nor we can drink tea using a donut instead of a mug. Likewise the type of *BookPrototype* can be continuously deformed into the type of *PhysicalPrototype*. We interpret “continuously”, to mean without stopping being essentially what it was. On the one hand, when a book is considered as its physical aspect, this consideration is total, in the sense that we treat the word as if it is a different word with no other aspect or sense. On the other hand, we do not exclude the fact that the physical thing under consideration is a book and indeed at any moment it can be turned into a book again<sup>20</sup>. The continuity of the deformation can be interpreted to reflect the latter consideration.

The semantic denotation of the physicality,  $[[\text{Physical}]]$ , is defined as

$$(\text{PhysicalPrototype} = \text{PhysicalPrototype})$$

The semantic denotation of a physical object is a *non trivial* element of  $[[\text{Physical}]]$ . The non triviality assumption is mathematically crucial as we demonstrate later in this section. But one may ask what is the semantic significance of this assumption. We interpret the non triviality requirement as the following: a physical object is a particular deformation of the type *PhysicalPrototype* into itself. Now a physical object is temporary, that is, it has a start and an end. Its start coincides with the start of the deformation and its end with the end of deformation. In a trivial deformation the start and the end is the same and therefore a physical object corresponding to this deformation has no temporal existence which is contradictory to the nature of physical things.

Similar to the denotation of the physicality, we define the semantic of the informational,  $[[\text{Informational}]]$ , as

$$(\text{InformationalPrototype} = \text{InformationalPrototype})$$

Considering the definition of  $[[\text{Book}]]$ , one may object that as soon as you have an object  $b$  of type *Book*, you will have its inverse  $b^{-1}$ . Now what is the semantic interpretation of  $b^{-1}$ ? We reply that  $b$  and  $b^{-1}$  refer to the same book but the accentuation is different. Consider the following sentences:

- (24) a. Iliad is heavy<sup>21</sup> but easy to understand.  
 b. Iliad is easy to understand but heavy.

If  $b$  is the meaning of Iliad in the first sentence then  $b^{-1}$  would be its meaning in the second sentence. What happens in mind when constructing  $b$ , is first a deformation of *BookPrototype* to *PhysicalPrototype* and then adding its informational component. Whereas for  $b^{-1}$  it is the morphing of *BookPrototype* into *InformationalPrototype* that is happening first.

Now we need to show that if we have a book object, we will have a physical object and an informational object such that the physical object can turn into a book object at any moment it is required to do so. Likewise for the informational object. Furthermore we need to

---

<sup>20</sup> For example in the sentence “I picked up Iliad and read it”, the book Iliad is a physical thing under the predicate “pick up”, but it will turn again into a book to become an informational object when it is under the predicate “read”.

<sup>21</sup> Here heavy is intended to mean physically heavy and not metaphorically heavy which would be contradictory to the latter part of the sentence.



show that the proposed definition of  $\llbracket \text{Book} \rrbracket$  affords the fluidity that our hypothesis requires. That is when we say “three books”, the semantic denotation should afford all the possible meanings of this utterance<sup>22</sup>. Consider there is a book object with its semantic denotation denoted by  $b$ . By definition  $b$  is a nontrivial element of  $\llbracket \text{Book} \rrbracket$ <sup>23</sup>. The non-triviality of  $b$  entails that none of the types  $\text{BookPrototype} = \text{PhysicalPrototype}$  and  $\text{BookPrototype} = \text{InformationalPrototype}$  is empty. Now an equality in  $U_3$  is either empty or ideal, therefore both equality types are ideal. The element  $b$  induces an equivalence function, namely  $f$ , from  $\text{BookPrototype} = \text{PhysicalPrototype}$  to  $\text{BookPrototype} = \text{InformationalPrototype}$  ([40] Lemma 2.10.1). For the element  $b$  we postulates the existence of two elements  $b_p : (\text{BookPrototype} = \text{PhysicalPrototype})$  and  $b_i : (\text{BookPrototype} = \text{InformationalPrototype})$ . We define the physical object corresponding to the book object  $b$ , calling it  $b$  *qua physical*, as the following:

$$(25) \quad b \text{ qua physical} = b_p^{-1} \circ f(b_p) \circ b_i^{-1} \circ f^{-1}(b_i).$$

So  $b$  *qua physical* is a concatenation of four paths:<sup>24</sup> The element  $b_p$  is a path from  $\text{BookPrototype}$  to  $\text{PhysicalPrototype}$  so its inverse is a path from  $\text{PhysicalPrototype}$  to  $\text{BookPrototype}$ . The element  $f(b_p)$  is a path from  $\text{BookPrototype}$  to  $\text{InformationalPrototype}$ . The element  $b_i^{-1}$  is a path from  $\text{InformationalPrototype}$  to  $\text{BookPrototype}$  and finally the element  $f^{-1}(b_i)$  is a path from  $\text{BookPrototype}$  to  $\text{PhysicalPrototype}$ . So by concatenating these four paths we construct a path from  $\text{PhysicalPrototype}$  to itself and therefore we construct  $b$  *qua physical* which is an element of  $\llbracket \text{physical} \rrbracket$ . We believe this definition is determined enough to tie  $b$  *qua physical* to  $b$  meaningfully and fluid enough to give freedom to  $b$  *qua physical* to be equal to some other  $c$  *qua physical* for a book object  $c$ .

Similarly we define the informational object corresponding to the book object  $b$ , calling it  $b$  *qua informational*, as the following:

$$(26) \quad b \text{ qua Informational} = b_i^{-1} \circ f^{-1}(b_i) \circ b_p^{-1} \circ f(b_p).$$

We define a sentence to be *interpretable* if and only if it has a type. The semantic denotation of an interpretable sentence is defined to be its type. Note that according to this definition the semantic value of a sentence is a proof relevant concept. That is, we believe natural language sentences, semantically speaking, are not mere propositions which are either true or false. Rather the meaning of a sentence is a witness, a proof or an evidence (all terms refer to the same thing), or a collection of evidence that the sentence is true. A sentence is meaningless if there is no evidence, no intuition, no proof or nothing that asserts its truth. The things that asserts the truth of a sentence are its denotational meaning. Whether it is one evidence or several ones, proving the truth of the sentence, is the same as far as the truth of the sentence is concerned. Nevertheless as far as the meaning of the sentence is concerned, all those evidence count toward the meaning of the sentence. If I say “Fred is 30 years old”, the meaning of this sentence is all the evidence that assert the truth of Fred being of this age. I may have only one of those evidence, which is enough for me to believe that the sentence is true but the meaning of the sentence is all the evidence attesting to its truth.

Consider the following sentences:

$$(27) \quad \text{a. Fred picked up Iliad.}$$

---

<sup>22</sup> This utterance may mean three physically distinct books or a trilogy or three copies of the same book etc.

<sup>23</sup> This very fact asserts that  $\llbracket \text{Book} \rrbracket$  is ideal.

<sup>24</sup> Inspired by the homotopical interpretation of types, elements of an equality type are sometimes called paths. So here by concatenating four paths we are constructing an element of  $\llbracket \text{Physical} \rrbracket$ .

- b. Fred mastered Iliad.
- c. Fred picked up and mastered Iliad.

We define the denotation of the predicate<sup>25</sup> in (27a) as

$$\llbracket \text{pick up} \rrbracket = \lambda x : \llbracket \text{Human} \rrbracket \lambda y : \llbracket \text{Physical} \rrbracket . \text{type of all the evidence}^{26} \text{ that } x \text{ picked up } y.$$

We use the notation  $\text{PICKUP}(x, y)$  to mean the type of all the evidence that  $x$  picked up  $y$ . We insist on repeating the redundant phrase “all of the evidence” to accentuate the fact that the type under consideration is not a proposal, nor the sentence describing the type is a truth condition. Similarly we use the notation  $\text{MASTER}(x, y)$  to mean the type of all the evidence that  $x$  mastered  $y$ .

Now assuming  $\llbracket \text{Fred} \rrbracket = h : \llbracket \text{Human} \rrbracket$  and  $\llbracket \text{Iliad} \rrbracket = b : \llbracket \text{Book} \rrbracket$ , the semantic value of (27a) is computed as

$$\llbracket (27a) \rrbracket = \llbracket \text{pick up} \rrbracket (h)(b \text{ qua } \textit{physical}) = \text{PICKUP}(h, b \text{ qua } \textit{physical})$$

Likewise the denotation of the predicate in (27b) is defined as

$$\llbracket \text{master} \rrbracket = x : \llbracket \text{Human} \rrbracket \lambda y : \llbracket \text{Informational} \rrbracket . \text{MASTER}(x, y).$$

So the semantic value of (27b) is computed as

$$\llbracket (27b) \rrbracket = \llbracket \text{master} \rrbracket (h)(b \text{ qua } \textit{informational}) = \text{MASTER}(h, b \text{ qua } \textit{informational})$$

As for (27c), we first define the semantic denotation of *and* as

$$\llbracket \text{and} \rrbracket = \lambda A B . \Sigma A B.$$

Where  $A$  and  $B$  are types. Note that  $\Sigma XY$  is true if and only if there exists an element  $x$  in  $X$  for which  $Y(x)$  is inhabited. If  $Y$  is not dependent on type  $X$ , then  $Y(x)$  simply means  $Y$ . So in a case where  $Y$  is not dependent on  $X$ , the type  $\Sigma XY$  is inhabited only if both types  $X, Y$  are inhabited. The semantic value of (27c) is computed as

$$\begin{aligned} \llbracket (27c) \rrbracket &= \Sigma(\llbracket \text{pick up} \rrbracket (h)(b \text{ qua } \textit{physical})) (\llbracket \text{master} \rrbracket (h)(b \text{ qua } \textit{informational})) \\ &= \Sigma \text{PICKUP}(h, b \text{ qua } \textit{physical}) \text{MASTER}(h, b \text{ qua } \textit{informational}) \end{aligned}$$

Now consider the following sentences:

- (28) a. Fred picked up three books.
- b. Fred mastered three books.
- c. Fred picked up and mastered three books.

The semantic value of (28a) is computed as

$$\llbracket (28a) \rrbracket = \text{The type of all the evidence that there exist } x, y, z \text{ in } \llbracket \text{Book} \rrbracket \text{ such that (the type of all of the evidence that } x \text{ qua } \textit{physical} \text{ and } y \text{ qua } \textit{physical} \text{ and } z \text{ qua } \textit{physical} \text{ are distinct and } \Sigma(\text{PICKUP}(h, x \text{ qua } \textit{physical})) (\Sigma(\text{PICKUP}(h, y \text{ qua } \textit{physical})) (\text{PICKUP}(h, z \text{ qua } \textit{physical}))))))^{27}$$

Likewise for (28b) we have the following

<sup>25</sup> We disregard the tense of the verb as it is orthogonal to our analysis.

<sup>27</sup> When we say “... such that (the type of all of the evidence that ...)”, we mean to express the condition that “... such that (the type (of all of the evidence that ...) is not empty.)”.


[[28b]] = The type of all the evidence that there exist  $x, y, z$  in [[Book]] such that (the type of all the evidence that  $x$  *qua informational* and  $y$  *qua informational* and  $z$  *qua informational* are distinct and  $\Sigma(\text{MASTER}(h, x \text{ qua informational})) (\Sigma(\text{MASTER}(h, y \text{ qua informational})) (\text{MASTER}(h, z \text{ qua informational}))))$

And finally the semantic value of (28c) is computed as

[[28c]] = The type of all the evidence that there exist  $x, y, z$  in [[Book]] such that  $\Sigma$  (the type of all of the evidence that  $x$  *qua physical* and  $y$  *qua physical* and  $z$  *qua physical* are distinct and  $\Sigma(\text{PICKUP}(h, x \text{ qua physical})) (\Sigma(\text{PICKUP}(h, y \text{ qua physical})) (\text{PICKUP}(h, z \text{ qua physical}))))$  (the type of all the evidence that  $x$  *qua informational* and  $y$  *qua informational* and  $z$  *qua informational* are distinct and  $\Sigma(\text{MASTER}(h, x \text{ qua informational})) (\Sigma(\text{MASTER}(h, y \text{ qua informational})) (\text{MASTER}(h, z \text{ qua informational}))))$

## 7.4 Computation details

In her analysis of indefinites (e.g., *a book*), [19] takes indefinites as variables and assumes a covert existential quantifier which scopes over the entire sentence and unselectively binds the indefinites in an un-embedded sentence (through the rule of *Existential Closure*). For example, for the sentence *A cat arrived*, she assumes the structure shown in (29) as the logical form: first *a cat* is moved out of its phrase through the rule of NP Prefixing, leaving behind  $e_1$ . Then  $\exists_1$  adjoins to the top node, and binds the indefinite *a cat*:



We extend this analysis to numbered NPs (e.g., *three books*) in the following way: in the syntactic tree of the sentence *Fred picked up three books*, for example, we assume that *three books* is moved out of its phrase, adjoining to the S node as *three<sub>d</sub> books* (d for definite). But in addition to *three<sub>d</sub> books*, we assume that there is also *three<sub>i</sub> books* (i for indefinite) adjoining to the top node with a similar function as that of the covert existential quantifier in [19]’s analysis<sup>28</sup>.

The semantic denotation of *three<sub>i</sub>* is therefore defined as

[[three<sub>i</sub>]] =  $\lambda A:U_3 \lambda D$ . The type of all the evidence that there exist  $x, y, z$  in  $A$  such that  $D$ , where  $D$  is a type containing  $x, y$  and  $z$  as free variables of type  $A$ .

the semantic denotation of *three<sub>d</sub>* is defined as below:

<sup>28</sup> As to why there are two “threes” here, apart from the assumption that there is a covert existential quantifier, we can observe the following: when I say “I read three books” what the sentence says in a more detailed way is that “There are three books such that I read the three books”. Therefore there are in fact two “three books” in the sentence, one indefinite and the other definite.

$\llbracket \text{three}_d \rrbracket = \lambda A.U_3 \lambda B.C \rightarrow U_3$ . The type of all the evidence that that  $x$  *qua*  $C$  and  $y$  *qua*  $C$  and  $z$  *qua*  $C$  are distinct and  $\llbracket \text{and} \rrbracket (B(x \text{ qua } C))(\llbracket \text{and} \rrbracket (B(y \text{ qua } C))(B(z \text{ qua } C)))$ , where  $x, y$  and  $z$  are free variables of type  $A$ .

1. Computation of  $\llbracket (28a) \rrbracket$

The semantic value of *Fred picked up*  $t_1$  is computed as follows:

$\llbracket \text{Fred picked up } t_1 \rrbracket = \lambda x : \llbracket \text{Physical} \rrbracket . \text{PICKUP}(h, x)$ .

Then, we calculate the denotation of *three<sub>d</sub> books*.

$\llbracket \text{three}_d \text{ books} \rrbracket = \lambda B.C \rightarrow U_3$ . The type of all the evidence that  $x$  *qua*  $C$  and  $y$  *qua*  $C$  and  $z$  *qua*  $C$  are distinct and  $\llbracket \text{and} \rrbracket (B(x))(\llbracket \text{and} \rrbracket (B(y))(B(z)))$ , where  $x, y$  and  $z$  are free variables of type  $\llbracket \text{book} \rrbracket$ .

Passing the denotation of *Fred picked up*  $t_1$  to the denotation of *three<sub>d</sub> books*, we get the following:

$\llbracket \llbracket \text{three}_d \text{ books} \rrbracket [\llbracket \text{Fred [picked up } t_1] \rrbracket] \rrbracket =$  The type of all the evidence that  $x$  *qua* *physical* and  $y$  *qua* *physical* and  $z$  *qua* *physical* are distinct and  $\llbracket \text{and} \rrbracket (\text{PICKUP}(h, x \text{ qua } \text{physical}))(\llbracket \text{and} \rrbracket (\text{PICKUP}(h, y \text{ qua } \text{physical}))(\text{PICKUP}(h, z \text{ qua } \text{physical})))$ , where  $x, y$  and  $z$  are free variables of type  $\llbracket \text{book} \rrbracket$ .

For future reference, we use  $P[x, y, z]$  to refer to  $\llbracket \llbracket \text{three}_d \text{ books} \rrbracket [\llbracket \text{Fred [picked up } t_1] \rrbracket] \rrbracket$ .

Finally we have:

$\llbracket (28a) \rrbracket =$  The type of all the evidence that there exist  $x, y, z$  in  $\llbracket \text{Book} \rrbracket$  such that (the type of all of the evidence that  $x$  *qua* *physical* and  $y$  *qua* *physical* and  $z$  *qua* *physical* are distinct and  $\Sigma(\text{PICKUP}(h, x \text{ qua } \text{physical}))(\Sigma(\text{PICKUP}(h, y \text{ qua } \text{physical}))(\text{PICKUP}(h, z \text{ qua } \text{physical}))))$ .

2. Similarly for (28b) we have:


$\llbracket \llbracket \text{three}_d \text{ books} \rrbracket [\llbracket \text{Fred [mastered } t_1] \rrbracket] \rrbracket =$  The type of all the evidence that  $x$  *qua* *informational* and  $y$  *qua* *informational* and  $z$  *qua* *informational* are distinct and  $\llbracket \text{and} \rrbracket (\text{MASTER}(h, x \text{ qua } \text{informational}))(\llbracket \text{and} \rrbracket (\text{MASTER}(h, y \text{ qua } \text{informational}))(\text{MASTER}(h, z \text{ qua } \text{informational})))$ , where  $x, y$  and  $z$  are free variables of type  $\llbracket \text{book} \rrbracket$ .

For future reference, we refer to  $\llbracket \llbracket \text{three}_d \text{ books} \rrbracket [\llbracket \text{Fred [mastered } t_1] \rrbracket] \rrbracket$  as  $M[x, y, z]$ .


$\llbracket (28b) \rrbracket =$  The type of all the evidence that there exist  $x, y, z$  in  $\llbracket \text{Book} \rrbracket$  such that (the type of all of the evidence that  $x$  *qua* *informational* and  $y$  *qua* *informational* and  $z$  *qua* *informational* are distinct and  $\Sigma(\text{MASTER}(h, x \text{ qua } \text{informational}))(\Sigma(\text{MASTER}(h, y \text{ qua } \text{informational}))(\text{MASTER}(h, z \text{ qua } \text{informational}))))$ .

3. Computation of  $\llbracket (28c) \rrbracket$

The syntactic structure of (28c) is as follows:



Note that the traces in the subtrees are the same. That is why they both have the same name  $t_1$ . In contrast, the syntactic structure of the sentence “Fred picked up three books and Fred mastered three books” is as follows<sup>29</sup>:



Now we can compute the semantic value of (28c) as follows:

To make the following computations more readable, we call the subtree to the right of *and* in (30),  $tree_a$  and the one on the left,  $tree_b$ .

$$\llbracket tree_b \text{ and } tree_a \rrbracket = \Sigma \llbracket tree_a \rrbracket \llbracket tree_b \rrbracket = \Sigma(P[x, y, z]) (M[x, y, z])$$

$$\begin{aligned} \llbracket (28c) \rrbracket &= \llbracket three_i \text{ books} \rrbracket (\llbracket tree_b \text{ and } tree_a \rrbracket) = \text{The type of all the evidence that there exist } x, y, z \text{ in } \llbracket \text{Book} \rrbracket \text{ such that } (\llbracket tree_b \text{ and } tree_a \rrbracket) \\ &= \text{The type of all the evidence that there exist } x, y, z \text{ in } \llbracket \text{Book} \rrbracket \text{ such that } (\Sigma(P[x, y, z])(M[x, y, z])) \\ &= \text{The type of all the evidence that there exist } x, y, z \text{ in } \llbracket \text{Book} \rrbracket \text{ such that } \Sigma (\text{the type of all of the evidence that } x \text{ qua physical and } y \text{ qua physical and } z \text{ qua physical are distinct and } \Sigma(\text{ PICKUP}(h, x \text{ qua physical})) (\Sigma(\text{ PICKUP}(h, y \text{ qua physical})) (\text{ PICKUP}(h, z \text{ qua physical})))) (\text{the type of all the evidence that } x \text{ qua informational and } y \text{ qua informational and } z \text{ qua informational are distinct and } \Sigma(\text{ MASTER}(h, x \text{ qua informational})) (\Sigma(\text{ MASTER}(h, y \text{ qua informational})) (\text{ MASTER}(h, z \text{ qua informational})))) \end{aligned}$$

## 7.5 Comparison

The inadequacy of approaches in [8] and [5] can be resolved if they use the rule of existential closure as it is used in the analysis we just gave. That is, for copredication sentences, if the same syntactic structure as in section (7.4) is used, then in terms of adequacy there is no difference between [8], [5] and our approach. The advantage, however can be best described by the following remark in [39]:

... Intuitively, there is another problem with the notion of complex argument as a product from which the simple constituent types can be retrieved via projections. Take for example the word *book*: the theories coercing  $book^{P,I}$  into either  $book^P$  or  $book^I$  lose an important aspect of the meaning of book, which becomes either a bare “physical object” or a bare “information”. In order to talk about meaning of book, both components have to be present. We can manipulate with books

<sup>29</sup> The semantic value of the sentence shown in (31) is as follow:  $\llbracket (31) \rrbracket = \Sigma \llbracket (28a) \rrbracket \llbracket (28b) \rrbracket$ ; note that the variables in  $\llbracket (28b) \rrbracket$  are not bound by  $\llbracket (28a) \rrbracket$

the same way as we do with some general physical object, we can for example carry, drop or throw them by the virtue of them being subtypes of “physical object” and we can formalize this neatly in logic or a type theory. But where does the rest of the meaning of book go? Objects can be manipulated by casting their type into an appropriate type or, as we want to argue here, by virtue of types that constitute that object. In other words, we need a notion of structured meaning. Objects can be “transformed” or viewed from different perspective without loosing any of their meaning components. We are arguing against casting more complex types into simpler ones and losing information in the process.

To illustrate the point that the above quotation wants to accentuate, consider the following minimal example<sup>30</sup>; Assume that the type *Book* is a subtype of the types *Physical* and *Informational* (as it is the case in [8]):

```
1 class Physical {
2 public float Weight;
3 }
4 class Informational {
5 public String Author;
6 }
7
8 class Book extends Physical, Informational {
9
10 }
```

We define the book *Iliad* as the following:

```
1 Book Iliad = new Book();
2 Iliad.Author = "Homer";
3 Iliad.Weight = 2;
```

Now assume we have a function that receives as an input an object of type *Physical* and another one that requires its input to be an informational object:

```
1 void somefunction(Physical physical)
2 {
3 ...
4 }
5 void someotherfunction(Informational informational)
6 {
7 ...
8 }
```

We pass the book *Iliad*, defined above, to the function *somefunction* as the following:

```
1 Physical Iliadphysical = (Physical) Iliad;
2 somefunction(Iliadphysical);
```

Now if we want to access informational properties of *Iliad* within the function *somefunction* we need to first map the *Iliadphysical* back to *Iliad* and then we need to map the *Iliad* to an object of *Informational*:

```
1 void somefunction(Physical physical)
2 {
3 ...
4 if (thisisabook(physical))
5 {
```

---

<sup>30</sup>The syntax of the code is that of Java except for the fact that Java does not support multiple inheritance in the sense that we are using it in the example.

```

6 Book book = (Book) physical;
7 Informational informational = (Informational) book;
8 someotherfunction(informational);
9 }
10 ...
11 }

```

Therefore when we have the object *Iliadphysical*, the informational properties of the book have been lost. We have to do two mappings, one from *Physical* to *Book* and the other from *Book* to *Informational*, to get to the informational properties.

In contrast, in the identity type model, the information is never lost when going from an object to its aspects. As it is discussed in section (7.3), an object  $b$  of type `book` can be viewed from different perspectives as:

$$(32) \quad \begin{aligned} \text{a. } b \text{ qua } physical &= b_p^{-1} \circ f(b_p) \circ b_i^{-1} \circ f^{-1}(b_i). \\ \text{b. } b \text{ qua } Informational &= b_i^{-1} \circ f^{-1}(b_i) \circ b_p^{-1} \circ f(b_p). \end{aligned}$$

Therefore  $b \text{ qua } physical$  and  $b \text{ qua } Informational$  do not lose any of the meaning components of  $b$ . The difference between the two “transformations” is precisely the difference between the perspectives, reflected here in the order of the components in (30). For convenience, we call the four components in *qua physical* the followings respectively:  $p, q, r$  and  $s$ . Now, to access informational properties within the function *somefunction* we can do the following:

```

1 void somefunction(Physical physical)
2 {
3 ...
4 if(thisisabook(physical))
5 {
6 Physical pqr$s = physical;
7 someotherfunction(rsp$q);
8 }
9 ...
10 }

```

Another option, a less efficient but implementaion-wise simpler one, would be to cast the physical object directly to an informational object:

```

1 void somefunction(Physical physical)
2 {
3 ...
4 if(thisisabook(physical))
5 {
6 Informational informational = (Informational) physical;
7 someotherfunction(informational);
8 }
9 ...
10 }

```

Note that the physical object could not be transformed to an informational object if it was the physical aspect of something that did not have an information aspect as well.

## 8 Conclusion

In pure intensional type theory, identity types need not be subject to UIP. This fact together with a homotopical interpretation of identity types in homotopy type theory provides a justification for modeling common nouns as identifications of their aspects. We showed that this model, while being simple, is able to successfully handle a semantically complex phenomenon, namely copredication when it involves individuation. Our solution relies on

an analysis of numerical quantifiers which is inspired by Heim’s treatment of indefinites, and an approach to meaning in formal semantics, which establishes that the denotation of a semantically interpretable sentence is a type, and the sentence is true iff its type is not empty. The type of a sentence is then envisaged as the collection of all the proofs, witnesses or evidence that the sentence is true. We showed that in this framework, copredication can be modeled with no need to subtypes and the complexities they bring about.

## Acknowledgments

This material is based upon work supported by the National Science Foundation under Grant No. 1217454. For useful comments and insightful criticism, we are grateful to Thomas Grano, the audience at the 4th workshop on Natural Language and Computer Science at Columbia University and the anonymous reviewers of TYPES post-proceedings.

## References

- 1 Thorsten Altenkirch, Veronica Gaspes, Bengt Nordström, and Björn von Sydow. A user’s guide to *alf*. *Chalmers University of Technology, Sweden*, 1994.
- 2 Nicholas Asher. A type driven theory of predication with complex types. *Fundamenta Informaticae*, 84(2):151–183, 2008.
- 3 Nicholas Asher. *Lexical meaning in context: A web of words*. Cambridge University Press, 2011.
- 4 Steve Awodey and Michael A Warren. Homotopy theoretic models of identity types. In *Mathematical Proceedings of the Cambridge Philosophical Society*, volume 146, pages 45–55. Cambridge University Press, 2009.
- 5 Daisuke Bekki and Nicholas Asher. Logical polysemy and subtyping. In *JSAI International Symposium on Artificial Intelligence*, pages 17–24. Springer, 2012.
- 6 Daisuke Bekki and Koji Mineshima. Context-passing and underspecification in dependent type semantics. In *Modern Perspectives in Type-Theoretical Semantics*, pages 11–41. Springer, 2017.
- 7 Stergios Chatzikyriakidis and Zhaohui Luo. An account of natural language coordination in type theory with coercive subtyping. In *Constraint Solving and Language Processing*, pages 31–51. Springer, 2013.
- 8 Stergios Chatzikyriakidis and Zhaohui Luo. Individuation criteria, dot-types and copredication: A view from modern type theories. In *ACL anthology*, 2015.
- 9 Stergios Chatzikyriakidis and Zhaohui Luo. On the interpretation of common nouns: Types versus predicates. In *Modern Perspectives in Type-Theoretical Semantics*, pages 43–70. Springer, 2017.
- 10 Alonzo Church. A formulation of the simple theory of types. *The journal of symbolic logic*, 5(02):56–68, 1940.
- 11 Cyril Cohen, Thierry Coquand, Simon Huber, and Anders Mörtberg. Cubical type theory: a constructive interpretation of the univalence axiom. *arXiv preprint arXiv:1611.02108*, 2016.
- 12 Robin Cooper. Copredication, dynamic generalized quantification and lexical innovation by coercion. In *Fourth International Workshop on Generative Approaches to the Lexicon*, 2007.
- 13 Robin Cooper. Copredication, quantification and frames. In *Logical aspects of computational linguistics*, pages 64–79. Springer, 2011.



- 14 Thierry Coquand. Pattern matching with dependent types. In *Proceedings of the Workshop on Types for Proofs and Programs*, pages 71–83, 1992.
- 15 Matthew Gotham. Numeric quantification in copredication. *UCL Working Papers in Linguistics*, 24:1–20, 2012.
- 16 Matthew Gotham. Composing criteria of individuation in copredication. *Journal of Semantics*, 34(2):333–371, 2016.
- 17 Matthew Graham Haigh Gotham. *Copredication, quantification and individuation*. PhD thesis, UCL (University College London), 2014.
- 18 Michael Hedberg. A coherence theorem for martin-löf’s type theory. *Journal of Functional Programming*, 8(4):413–436, 1998.
- 19 Irene Heim. The semantics of definite and indefinite noun phrases. 1982.
- 20 Irene Heim and Angelika Kratzer. *Semantics in generative grammar*. Blackwell textbooks in linguistics. Blackwell publishers, Cambridge (Mass.), Oxford, 1998. URL: <http://opac.inria.fr/record=b1080204>.
- 21 Martin Hofmann and Thomas Streicher. The groupoid interpretation of type theory. *Twenty-five years of constructive type theory (Venice, 1995)*, 36:83–111, 1998.
- 22 Nicolai Kraus. The general universal property of the propositional truncation. *arXiv preprint arXiv:1411.2682*, 2014.
- 23 Jacques Lacan. The agency of the letter in the unconscious or reason since freud, in *écrits: A selection*, trans. A. Sheridan. London: Tavistock, 1977.
- 24 François Lamarche. A proposal about foundations i, 1991.
- 25 David Liebesman and Ofra Magidor. Copredication and property inheritance. *Philosophical Issues*, 27(1):131–166, 2017.
- 26 Zhaohui Luo. *Computation and reasoning: a type theory for computer science*. Oxford University Press, Inc., 1994.
- 27 Zhaohui Luo. Coercive subtyping. *Journal of Logic and Computation*, 9(1):105–130, 1999.
- 28 Zhaohui Luo. Common nouns as types. In *Logical aspects of computational linguistics*, pages 173–185. Springer, 2012.
- 29 Zhaohui Luo. Formal semantics in modern type theories with coercive subtyping. *Linguistics and Philosophy*, 35(6):491–513, 2012.
- 30 Per Martin-Löf. An intuitionistic theory of types. *Twenty-five years of constructive type theory*, 36:127–172, 1998.
- 31 Richard Montague. *Formal Philosophy: Selected Papers of Richard Montague*. Ed. and with an Introd. by Richmond H. Thomason. Yale University Press, 1974.
- 32 Richard Moot and Christian Retoré. *The logic of categorial grammars: a deductive account of natural language syntax and semantics*, volume 6850 of LNCS. Springer, 2012. URL: <http://www.springer.com/computer/theoretical+computer+science/book/978-3-642-31554-1>.
- 33 Bengt Nordström, Kent Petersson, and Jan M Smith. *Programming in Martin-Löf’s type theory*, volume 200. Oxford University Press Oxford, 1990.
- 34 Geoffrey Nunberg. The pragmatics of deferred interpretation. *The handbook of pragmatics*, pages 344–364, 2004.
- 35 Barbara Partee. Compositionality. *Varieties of formal semantics*, 3:281–311, 1984.
- 36 James Pustejovsky. The generative lexicon. *Computational linguistics*, 17(4):409–441, 1991.
- 37 Aarne Ranta. Type-theoretical grammar. 1994.

- 38 Christian Retoré. The montagovian generative lexicon lambda tyn: a type theoretical framework for natural language semantics. In *19th International Conference on Types for Proofs and Programs (TYPES 2013)*, volume 26, pages 202–229, 2014.
- 39 Petr Šimon and Chu-Ren Huang. Cross-sortal predication and polysemy. In *Proceedings of the 24th Pacific Asia Conference on Language, Information and Computation (PACLIC 2010)*, pages 853–861, 2010.
- 40 Univalent Foundations Program. *Homotopy Type Theory: Univalent Foundations of Mathematics*. <http://homotopytypetheory.org/book>, Institute for Advanced Study, 2013.
- 41 Vladimir Voevodsky. Univalent foundations of mathematics. In *International Workshop on Logic, Language, Information, and Computation*, pages 4–4. Springer, 2011.
- 42 Arnold Zwicky and Jerrold Sadock. Ambiguity tests and how to fail them. *Syntax and semantics*, 4(1):1–36, 1975.