

Temporal Logics with Reference Pointers and Computation Tree Logics

Valentin Goranko

*Department of Mathematics, Rand Afrikaans University
PO Box 524, Auckland Park 2006, Johannesburg, South Africa
e-mail: goranko@raua.rau.ac.za*

Abstract.

A complete axiomatic system CTL_{rp} is introduced for a temporal logic for finitely branching ω^+ -trees in a language extended with so called reference pointers. Syntactic and semantic interpretations are constructed for the branching time computation tree logic CTL^* into CTL_{rp} . In particular, that yields a complete axiomatization for the translations of all valid CTL^* -formulae. Thus, the temporal logic with reference pointers is brought forward as a simpler (with no path quantifiers), but in a way more expressive medium for reasoning about branching time.

Key words: Computation tree logics, temporal logics, reference pointers, interpretations, axiomatic system, completeness

1. Introduction

The article deals with branching time temporal logics for computation trees of non-deterministic or concurrent programs. This area of research in theoretical computer science has been vigorously developing in the past twenty years, particularly since the seminal paper of (Pnueli, 1977) which discusses the usefulness of temporal logics for formal specification, analysis and verification of programs, in particular for reasoning about non-deterministic, concurrent and reactive programs. Since then, a number of linear and branching time temporal logical systems have been put forward with this purpose, some of the most popular ones of the latter type being UB, CTL, CTL^* and variations of them (see (Emerson and Srinivasan, 1989; Emerson, 1990), (Penczek, 1995), and (Stirling, 1992) for surveys on these). Since CTL^* subsumes the others, it will be the one in the focus of this paper, though the results will accordingly apply to the others as well. Besides the computational interpretation, branching time logics have important philosophical and purely logical aspects, in particular those related to decidability and decision procedures generated by automata-theoretic methods, complexity, model checking and axiomatizations. For some important results and further discussion on these the reader is referred to (Gurevich and Shelah, 1985; Thomas, 1988; Wolper, 1995; Zanardo & Carmo, 1993; Zanardo, 1996) in addition to the above mentioned surveys. Of course, (Prior, 1967) should be added as a classical reference to philosophical aspects of time.

Here we propose syntactic and semantic interpretations of CTL^* into the temporal logic with reference pointers (TL_{rp}) introduced in (Goranko, 1994) and

(Goranko, 1996), where expressiveness and (un)decidability are discussed and a complete axiomatic system is constructed. The language of TL_{rp} is a kind of *hybrid language*, see (Blackburn and Seligman, 1995), combining features of both propositional modal and classical first-order languages. It has a great expressive power, in particular admitting translation of CTL^* therein, after an appropriate modification of its semantics into *extended computation trees*. Moreover, TL_{rp} enables formalization of properties beyond the expressiveness of CTL^* , like talking about the past and expressing various looping and non-looping conditions.

The main result in the paper is the construction of a complete axiomatic system (though involving an infinitary rule) CTL_{rp} for extended computation trees, which is furthermore decidable, due to the general result in (Gurevich and Shelah, 1985). In particular we have obtained a complete axiomatization of the translations of all valid CTL^* -formulae.

The paper begins with a preliminary section 2 which briefly describes the syntax and semantics of temporal logics with reference pointers and of the computation tree logic CTL^* . In section 3 we introduce syntactic and semantic interpretations of CTL^* into the temporal logic with reference pointers for extended computation trees. Section 4 presents a complete axiomatic system and completeness theorem for the temporal logics with reference pointers for extended trees CTL_{rp} . Finally, we discuss some open problems and directions for further research.

The reader is assumed to have some background in propositional temporal logics (syntax, semantics, deductive systems and completeness theorem) within either of (van Benthem, 1991), (Burgess1984), (Goldblatt, 1987).

2. Preliminaries

2.1. TEMPORAL LOGIC WITH REFERENCE POINTERS.

We consider a propositional temporal language with basic operators **A** (*always*) with dual **E** (*sometime*), **G** (*always in the future*) with dual **F** (*eventually*), and **X** (*at all immediate time-successors*). As we shall see further, the other traditional temporal operators **U** (*until*), **H** (*always in the past*), and its dual **P** (*sometime in the past*) are definable in terms of **A** and **G** using *reference pointers*. The operator **X** is definable, too, but we shall retain it in the language in order to preserve the notion of a CTL^* -model.

The idea of reference pointers (see (Goranko, 1994) or (Goranko, 1996)) in brief is as follows. One or more pairs of new symbols $(\downarrow_k, \uparrow_k)$ are added to the temporal language; the *point of reference* \downarrow_k is a unary connective, and the *reference pointer* \uparrow_k is an atomic symbol like a propositional variable. In a sense, these reference pairs play a rôle of variables on states (instants, possible worlds, etc.) and quantifiers over these variables. It is therefore natural that some first-order style notions have their natural analogues in the language with reference pointers, viz.:

- The first occurrence of \downarrow_i in the formula $\downarrow_i \varphi$ has a *scope* φ .
- An occurrence of \uparrow_i in a formula φ is *bound* if it is in the scope of an occurrence of \downarrow_i ; otherwise it is *free*.
- If φ and ψ are formulae, $\varphi(\psi/\uparrow_i)$ denotes the result of simultaneous substitution of all free occurrences of \uparrow_i in φ by ψ .
- A formula φ is *closed* if there are no free occurrences of \uparrow 's in φ .

Here is the intuitive semantics of the new symbols: when a formula $\downarrow\varphi$ is being evaluated in a model, \downarrow marks the state of evaluation s , and all (free) occurrences of \uparrow in φ are rendered true at and only at the state s , thus enabling references to that state throughout φ .

The formal semantics follows below.

Let $\mathcal{L}_{\downarrow_t}^k$ be a temporal language as above, extended with k pairs of reference pointers. The models of $\mathcal{L}_{\downarrow_t}^k$ are the same as the models for the classical temporal logic: $\langle T, R, <, V \rangle$, where T is a temporal structure, R is a binary relation connecting every state to its immediate successors (if any), $<$ is a binary relation connecting every state to all future states, and V is a valuation of the atomic propositions in T . In order to define truth of a formula from $\mathcal{L}_{\downarrow_t}^k$ at a point of a model we extend the well-known standard translation ST (see (van Benthem, 1991)) as follows. Let L_1 be the first-order language containing binary predicates R and $<$, and a countable set of unary predicates $\{P_1, P_2, \dots\}$. For technical convenience we split the set of individual variables of L_1 into two disjoint subsets: $W = \{x, w_1, \dots, w_k\}$ and $Y = \{y_0, y_1, y_2, \dots\}$, where each of x and w 's will play special rôles, viz.:

x will represent the actual point in time (the current "now"), and w_i will represent the point of reference for the pointer \uparrow_i ("then _{i} ") for $i = 1, \dots, k$.

We now define the standard translation ST of $\mathcal{L}_{\downarrow_t}^k$ into L_1 recursively as follows:

1. $ST(p_i) = P_i x$,
2. $ST(\uparrow_i) = (x = w_i)$,
3. $ST(\neg\varphi) = \neg ST(\varphi)$,
4. $ST(\varphi \wedge \psi) = ST(\varphi) \wedge ST(\psi)$,
5. $ST(\mathbf{X}\varphi) = \forall y(xRy \rightarrow ST(\varphi)(y/x))$,
6. $ST(\mathbf{G}\varphi) = \forall y(x < y \rightarrow ST(\varphi)(y/x))$,
7. $ST(\mathbf{A}\varphi) = \forall y(ST(\varphi)(y/x))$,

$$8. ST(\downarrow_i \varphi) = ST(\varphi)(x/w_i).$$

In 5, 6, and 7 above y is the first variable from Y , not occurring in $ST(\varphi)$; u/v means uniform substitution of u for all free occurrences of v .

Note that if φ is in $\mathcal{L}\uparrow_t^k$ then x and w_1, \dots, w_k can only have free occurrences in $ST(\varphi)$, where they are the only possibly free variables. Furthermore, φ is closed if and only if no w_i occurs in $ST(\varphi)$.

The model $\mathcal{M} = \langle T, R, <, V \rangle$ can be regarded as an L_1 -model where R is interpreted by R , $<$ by $<$, and P_i by $V(p_i)$, $i = 0, 1, 2, \dots$. In order to distinguish validity in \mathcal{M} as an L_1 -model from validity in \mathcal{M} as a temporal model we shall use the symbol \vdash for the former and \models for the latter. Now, we define truth at a point for any *closed* formula φ :

$$\mathcal{M} \models \varphi[s] \text{ if } \mathcal{M} \vdash ST(\varphi)(s/x),$$

and then validity in a model:

$$\mathcal{M} \models \varphi \text{ if } \mathcal{M} \models \varphi[t] \text{ for every } t \in T-, \text{ i.e. if } \mathcal{M} \vdash \forall x ST(\varphi).$$

Finally, φ is *valid in a temporal structure* if it is valid in every model on the structure, and φ is (*universally*) *valid* if it is valid in every temporal structure.

Here we have only defined validity for closed formulae since only these formulae have a determined meaning, and we shall not be interested in non-closed formulae on their own.

The reference pointers considerably increase the expressiveness of the language, as numerous examples in (Goranko, 1996) testify. The *temporal logic with reference pointers* outlined here was introduced and axiomatized in (Goranko, 1994).

2.2. COMPUTATION TREE LOGICS

The full branching time computation tree logic CTL* was introduced in (Emerson and Halpern, 1983). Here we offer a very brief summary of the syntax and semantics of CTL*, referring the reader to (Emerson and Srinivasan, 1989), (Emerson, 1990), or (Penczek, 1995) for more detail.

2.2.1. Syntax

The language of CTL* is a propositional language with a set of atomic propositions (propositional variables) AP, temporal operators **X** (*nexttime*) and **U** (*until*), and path quantifiers, \forall meaning "for all paths", and its dual \exists , meaning "for some path", which will be regarded as an abbreviation of $\neg\forall\neg$.

Two types of formulae are traditionally introduced for CTL*, *state formulae* and *path formulae*. This distinction is essential for some of its restricted versions like CTL, but is also convenient for the truth definition: the former are evaluated at states and the latter at paths in the model. Here is the joint recursive definition of state and path formulae:

- every atomic proposition is a state formula;
- if ϕ, ψ are state formulae then so are $\neg\phi$ and $\phi \wedge \psi$;
- if ϕ is a path formula then $\forall\phi$ is a state formula;
- every state formula is a path formula;
- if ϕ, ψ are path formulae then so are $\neg\phi$, $\phi \rightarrow \psi$, $\mathbf{X}\phi$ and $\phi\mathbf{U}\psi$;

These definitions can be combined into a uniform definition of a *formula of CTL**, the Backus-Naur form (BNF) of which is:

$$\phi := p \mid \neg\phi \mid \phi_1 \rightarrow \phi_2 \mid \mathbf{X}\phi \mid \phi_1\mathbf{U}\phi_2 \mid \forall\phi,$$

where p is an atomic proposition.

Two of the most popular predecessors of CTL* are:

- UB (introduced in (Ben-Ari, Manna, and Pnueli, 1981)), the language of which contains the temporal operators \mathbf{X} , \mathbf{G} (*always in the future*), with dual \mathbf{F} (*eventually*) but not \mathbf{U} . The BNF definition of formulae of UB is:

$$\phi := p \mid \neg\phi \mid \phi_1 \rightarrow \phi_2 \mid \exists\mathbf{X}\phi \mid \exists\mathbf{G}\phi \mid \forall\mathbf{G}\phi;$$

- CTL (introduced in (Clarke and Emerson, 1981)), with the same language as CTL* and BNF definition of formulae:

$$\phi := p \mid \neg\phi \mid \phi_1 \rightarrow \phi_2 \mid \exists\mathbf{X}\phi \mid \exists(\phi_1\mathbf{U}\phi_2) \mid \forall(\phi_1\mathbf{U}\phi_2).$$

These will not be discussed further but, being subsystems of CTL*, the interpretations of CTL* introduced here will apply for them, too.

2.2.2. Semantics of CTL*

Intuitively, models for CTL* are *computation trees* generated by executions of non-deterministic or concurrent programs. They consist of all possible computation paths of such a program (i.e. sequences of consecutive states in an execution of the program).

Remark: In fact, computation paths may loop or meet, hence a typical model for CTL* should rather be a directed graph. Every such a model, however, is indistinguishable in the language of CTL* from a rooted tree-like model obtained from the former by *unwinding* (see (Emerson, 1990)). Therefore the class of rooted tree-like models \mathcal{T} is adequate for CTL* and we shall restrict our attention to that class.

The models from \mathcal{T} are formalized as triples $\langle S, R, V \rangle$, where S is a nonempty set of *states*, R is the *immediate successor relation* in S , and $V: AP \rightarrow \mathcal{P}(S)$ is a *valuation* assigning to each atomic proposition the set of states at which it is true. We shall impose the additional assumption (which is quite natural in view of the interpretation of the models as computation trees) that every R -path (i.e. maximal linearly ordered set of states) is isomorphic to ω . Trees satisfying this condition will be called ω -trees.

The basic semantic notion for CTL* is *truth at a state s of a model \mathcal{M}* defined by simultaneous induction on state and path formulae as follows:

- (S1) $\mathcal{M} \models_s p$ if $s \in V(p)$;
- (S2) $\mathcal{M} \models_s \neg\phi$ if not $\mathcal{M} \models_s \phi$;
- (S3) $\mathcal{M} \models_s \phi \rightarrow \psi$ if $\mathcal{M} \models_s \phi$ implies $\mathcal{M} \models_s \psi$;
- (S4) $\mathcal{M} \models_s \forall\phi$, where ϕ is a path formula, if for every path \mathbf{p} beginning from s , $\mathcal{M} \models_{\mathbf{p}} \phi$ holds.

In the following clauses \mathbf{p} is a path $\{\mathbf{p}_0, \mathbf{p}_1, \dots\}$, and \mathbf{p}^i is the suffix path $\{\mathbf{p}_i, \mathbf{p}_{i+1}, \dots\}$

- (P1) $\mathcal{M} \models_{\mathbf{p}} \phi$, where ϕ is a state formula, if $\mathcal{M} \models_{\mathbf{p}_0} \phi$;
- (P2) $\mathcal{M} \models_{\mathbf{p}} \neg\phi$ if not $\mathcal{M} \models_{\mathbf{p}} \phi$;
- (P3) $\mathcal{M} \models_{\mathbf{p}} \phi \rightarrow \psi$ if $\mathcal{M} \models_{\mathbf{p}} \phi$ implies $\mathcal{M} \models_{\mathbf{p}} \psi$;
- (P4) $\mathcal{M} \models_{\mathbf{p}} \mathbf{X}\phi$, if $\mathcal{M} \models_{\mathbf{p}^1} \phi$;
- (P5) $\mathcal{M} \models_{\mathbf{p}} \phi\mathbf{U}\psi$, if there is $i \geq 0$ such that $\mathcal{M} \models_{\mathbf{p}^i} \psi$ and for every j , such that $0 \leq j < i$, $\mathcal{M} \models_{\mathbf{p}^j} \phi$ holds.

A state formula ϕ is *valid in a model \mathcal{M}* , denoted $\mathcal{M} \models \phi$, if ϕ is true at every state of \mathcal{M} . A state formula ϕ is *CTL*-valid* if it is valid in every CTL*-model.

According to my knowledge, no finite complete axiomatization for CTL* with respect of the class of standard models has been found yet (but some completeness results for more general semantics are presented in (Stirling, 1992)).

The validity in CTL* was proved decidable in deterministic double exponential time in (Emerson and Sistla, 1984).

3. Interpretation of CTL* into the Temporal Logic with Reference Pointers

3.1. EXTENDED COMPUTATION TREES FOR CTL*-MODELS.

In this section we transform the CTL*-models from \mathcal{T} into a form suitable for the language with reference pointers.

For any model $T = \langle S, R, V \rangle$ from \mathcal{T} we define an *extended computation tree* of T : $T^e = \langle S^e, R^e, <, V^e \rangle$ as follows:

Let $\hat{T} = (\hat{S}, \hat{R}, \hat{V})$ be the tree structure obtained from T by unwinding (see (Emerson, 1990)) and

$$\mathcal{F} = \{s_x : x \text{ is a maximal path in } \hat{S}\}$$

be a set disjoint from \hat{S} . Then we put:

$$S^e = \hat{S} \cup \mathcal{F}; \quad R^e = \hat{R};$$

$$< = \hat{R}^+ \cup \{(t, s_x) : t \in \hat{S} \text{ and } x \text{ is a maximal path in } \hat{S} \text{ containing } t\},$$

where \hat{R}^+ is the transitive closure of \hat{R} ;

Finally, V^e coincides with \hat{V} over \hat{S} and is arbitrarily extended over all states from \mathcal{F} .

Intuitively, T^e extends \hat{T} by adding a "frontier" \mathcal{F} of transfinite "dead ends" for all maximal paths, each dead end $<$ -seen from all states of the corresponding path and only from them. Thus, every maximal path in an extended ω -tree will be of ordinal type ω^+ , so we shall refer to such trees as ω^+ -trees.

The class of extended computation trees for CTL*-models will be denoted by \mathcal{ECT} .

A (extended) computation tree is called *finitely branching* if every node has finitely many immediate successors. The class of finitely branching extended computation trees will be denoted by \mathcal{FECT} .

Let us note that every formula from $\mathcal{L}_{\downarrow_t}^k$ can be translated into a Π_1^1 formula of the monadic second-order language L_2 obtained from L_1 by treating the unary predicates as variables. The following result, proved in (Goranko, 1998), implies that every such a formula is valid in \mathcal{ECT} iff it is valid in \mathcal{FECT} , and therefore \mathcal{ECT} and \mathcal{FECT} provide equivalent semantics for any temporal logic with reference pointers.

THEOREM 1. *If a Π_1^1 formula of L_2 is falsifiable in an ω^+ -tree then it is falsifiable in a finitely branching ω^+ -tree.*

3.2. SYNTACTIC TRANSLATION OF CTL* INTO THE TEMPORAL LOGIC WITH REFERENCE POINTERS.

We define a translation τ of the formulae of CTL* into the temporal logic with reference pointers inductively as follows. (Note that the states without successors (the dead ends) in an extended computation tree are precisely the added states s_x ; the pointer \downarrow_1 will be used to indicate the current state of evaluation, while \downarrow_2 indicates the dead end of the path on which the evaluation is being done.)

- $\tau(p) = p$;
- $\tau(\neg\phi) = \neg\tau(\phi)$;

- $\tau(\phi \rightarrow \psi) = \tau(\phi) \rightarrow \tau(\psi)$;
- $\tau(\forall\phi) = \downarrow_1 \mathbf{G} \downarrow_2 (\mathbf{G} \perp \rightarrow A(\uparrow_1 \rightarrow \tau(\phi)))$;
- $\tau(\mathbf{X}\phi) = \mathbf{X}(\mathbf{F} \uparrow_2 \rightarrow \downarrow_1 \tau(\phi))$;
- $\tau(\phi \mathbf{U} \psi) = \downarrow_1 \tau(\psi) \vee \mathbf{F}(\mathbf{F} \uparrow_2 \wedge \tau(\psi) \wedge \mathbf{H}(\mathbf{P} \uparrow_1 \rightarrow \downarrow_1 \tau(\phi)))$.

The translation τ is faithful in the following sense:

THEOREM 2. *For any state formula ϕ in the language of CTL* the following are equivalent:*

- (i) ϕ is CTL*-valid;
- (ii) $(\mathbf{F}\top \rightarrow \tau(\phi))$ is valid in the class \mathcal{ECT} ;
- (iii) $(\mathbf{F}\top \rightarrow \tau(\phi))$ is valid in the class \mathcal{FECT} ;

Proof.

(ii) \Leftrightarrow (iii) follows from the fact (see (Wolper, 1995), Lemma 3.5) that every satisfiable CTL*-formula is satisfiable in a finitely branching tree.

(i) \Leftrightarrow (ii):

Recall that every CTL*-formula ϕ can be regarded as a path formula. A state formula regarded as a path formula is valid in a model if and only if it is true on every path of the model.

It can be proved by induction on ϕ that for every CTL*-model \mathcal{M} and a path \mathbf{p} in it,

$$\mathcal{M} \models_{\mathbf{p}} \phi \text{ iff } \mathcal{M}^e \Vdash \exists y(x < y) \rightarrow ST(\tau(\phi))(x, z)$$

where the beginning of \mathbf{p} (the current state) is assigned to x and the dead end of \mathbf{p} is assigned to z .

For that purpose it suffices to note that:

- $ST(\tau(\exists\phi))(x, z)$ is logically equivalent to $\exists w(\forall u(\neg w < u) \wedge ST(\tau(\phi))(x, w/z))$;
- $ST(\tau(\mathbf{X}\phi))(x, z)$ is logically equivalent to $\forall y((xRy \wedge y < z) \rightarrow ST(\tau(\phi))(y/x, z))$;
- $ST(\tau(\phi \mathbf{U} \psi))(x, z)$ is logically equivalent to $ST(\tau(\psi))(x, z) \vee \exists y(x < y \wedge y < z \wedge ST(\tau(\psi))(y/x, z) \wedge \forall u((x < u \wedge u < y) \rightarrow ST(\tau(\phi))(u/x, z))$.

◇

Note that other important versions of temporal logic of programs can be accordingly translated into the temporal logic with reference pointers, e.g. the *anchored version* proposed in (Manna and Pnueli, 1989).

Furthermore, the temporal logic with reference pointers is in a way more expressive than CTL*. For instance, the fact that no execution path of the program will ever loop can be simply expressed by

$$\forall \mathbf{G} \downarrow_i \mathbf{G} \neg \uparrow_i,$$

while this fact is not expressible in CTL*.

4. Temporal Logic with Reference Pointers for \mathcal{ECT}

4.1. SYNTAX AND SEMANTICS.

We fix a propositional temporal language with at least four pairs of reference pointers $\mathcal{L}\uparrow_t$.

The temporal operators **H** (with dual **P**), **X**, and **U** are defined in terms of **G** and **A** as follows:

$$\mathbf{H}\phi = \downarrow_3 \mathbf{A}(\mathbf{F} \uparrow_3 \rightarrow \phi),$$

$$\phi \mathbf{U} \psi = \psi \vee (\phi \wedge \downarrow_4 \mathbf{F}(\psi \wedge \mathbf{H}(\mathbf{P} \uparrow_4 \rightarrow \phi))),$$

$$\mathbf{X}\phi = \downarrow_4 \mathbf{G}(\mathbf{H}\mathbf{H}\neg \uparrow_4 \rightarrow \phi).$$

where the formulae ϕ, ψ have no free occurrences of \uparrow_3, \uparrow_4 . Actually, these two pointers will only be used for the purpose of expressing the operators **H**, **X**, and

U. (Alternatively, a language with only two reference pointers and these operators added to the basic ones can be considered, and axioms corresponding to the above definitions should be included in the deductive system.) We shall, however, retain **X** in the language in order to comply with the notion of a model introduced earlier. The dual operator $\neg \mathbf{X}\neg$ will be denoted by **N**.

Note that every extended computation tree $(S^e, R^e, <, V^e)$ can be regarded as a model for $\mathcal{L}\uparrow_t$ in terms of the previous section.

4.2. AXIOMATIC SYSTEM: CTL_{rp}

We propose a complete axiomatization of the class \mathcal{ECT} in the language $\mathcal{L}\uparrow_t$ thus introducing the logic CTL_{rp} .

AXIOMS:

I. Axioms for the temporal operators:

In all axioms and rules below j, k range over all indices for reference pointers.

I.1 The K-axiom for **G**.

I.2 The S5-axioms for **A**.

I.3 $\mathbf{A}p \rightarrow \mathbf{G}p$.

I.4 $\downarrow_k \mathbf{X} \downarrow_i \mathbf{A}(\uparrow_k \leftrightarrow (\mathbf{F} \uparrow_i \wedge \mathbf{G} \mathbf{G} \neg \uparrow_i))$.

II. Axioms for the reference pointers:

II.1 $\downarrow_k \uparrow_k$,

II.2 $\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow (q \rightarrow \mathbf{A}(p \rightarrow q))$

II.3 $\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow (\downarrow_j \psi \leftrightarrow \psi(p/\uparrow_j))$, for any closed formula $\downarrow_j \psi$

where p, q are propositional variables.

III. Axioms for the model structures:

III.1 $\downarrow_k \mathbf{G} \neg \uparrow_k$ (*irreflexivity*);

III.2 $\downarrow_k \mathbf{A}(\mathbf{F} \mathbf{F} \uparrow_k \rightarrow \mathbf{F} \uparrow_k)$ (*transitivity*);

III.3 $\mathbf{E} \downarrow_k \mathbf{A}((\uparrow_k \vee \mathbf{P} \uparrow_k) \wedge \mathbf{F} \top)$ (*there is a root and a leaf*);

III.4 $\downarrow_1 \mathbf{H} \downarrow_2 \mathbf{A}(\mathbf{F} \uparrow_1 \rightarrow (\uparrow_2 \vee \mathbf{P} \uparrow_2 \vee \mathbf{F} \uparrow_2))$ (*every state has a linear past*);

III.5 $\mathbf{F} \top \rightarrow (\mathbf{F} \mathbf{G} \perp \wedge \mathbf{N} \top \wedge \mathbf{X} \mathbf{F} \top)$ (*every state which is not a dead end sees one, has an immediate successor, and no immediate successor is a dead end*);

III.6 $\downarrow_k \mathbf{A}((\mathbf{G} \perp \wedge \mathbf{H} \mathbf{F} \uparrow_k) \rightarrow \uparrow_k)$ (*every path has no more than one dead end*).

RULES:

1. *MP*:

$$\frac{\varphi, \varphi \rightarrow \psi}{\psi};$$

2. *NEC_A*:

$$\frac{\varphi}{\mathbf{A}\varphi};$$

3. *CLSUB*:

$$\frac{\varphi}{\text{clsub}(\varphi)},$$

where $\text{clsub}(\varphi)$ is a result of uniform substitution of *closed* formulae for propositional variables in φ .

4. *WITNESS*:

$$\frac{\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow \varphi \text{ for some propositional variable } p \text{ not occurring in } \varphi}{\varphi},$$

5. *PATH*:

$$\frac{\varphi \rightarrow \mathbf{N}^m \mathbf{H}\psi \quad \text{for every } m = 0, 1, 2, \dots}{\varphi \rightarrow \mathbf{F}(\mathbf{G}\perp \wedge \mathbf{H}\psi)}.$$

The last two rules deserve some comments.

The rule WITNESS is similar by idea to some quantifier rules in first-order logic (e.g.: if $\vdash A(c)$ for some constant c not occurring in $A(x)$ then $\vdash \forall x A(x)$) and especially to a type of rules, discussed in detail in (Venema, 1993), originating from Gabbay's "irreflexivity rule", see (Gabbay, 1981a). In the presence of the substitution rule WITNESS is deductively equivalent to

$$\frac{\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow \varphi \quad \text{for every propositional variable } p}{\varphi}.$$

The effect of WITNESS is this: if a formula φ is not valid, i.e. it is falsified at a point t of a model in which validity is preserved under WITNESS, then there will be a propositional variable p which is a witness of the failure φ by being a "name" for the falsifying state t , i.e. being true at that state only. In temporal setting the variable p says: "it is t o'clock now (when φ is false)". For analogues and further discussion of WITNESS see (Passy and Tinchev, 1991; Gargov and Goranko, 1993; Goranko, 1994).

The rule PATH will ensure that in the canonical model every path is of type ω , and it either has a dead end or can be extended with one.

While the rule WITNESS plays a very important rôle in the derivations in CTL_{rp} , the main reason (so far) for the introduction of PATH is the proof of completeness, though, it is used for derivations too, e.g. of the induction scheme $\phi \wedge \mathbf{N}\phi \wedge \mathbf{G}(\phi \rightarrow \mathbf{N}\phi) \rightarrow \mathbf{F}(\mathbf{G}\perp \wedge \mathbf{H}\phi)$.

Some related open problems are formulated at the end of the paper.

THEOREM 3. *The logic CTL_{rp} is sound and complete with respect to the class of extended computation trees \mathcal{ECT} .*

Proof.

I. SOUNDNESS.

The validity of the first two groups of axioms (except for I.4) and all rules except for PATH is shown in (Goranko, 1996). As for I.4 and the third group of axioms, it is a routine task to check that their ST translations are respectively equivalent to the following first-order conditions:

$$\text{i.4) } \forall y(xRy \leftrightarrow (x < y \wedge \neg \exists z(x < z \wedge z < y)));$$

$$\text{iii.1) } \neg x < x;$$

$$\text{iii.2) } \forall y \forall z((z < y \wedge y < x) \rightarrow z < x);$$

$$\text{iii.3) } \exists y(\forall z(y = z \vee y < z) \wedge \exists z(y < z));$$

iii.4) $\forall y \forall z ((y < x \wedge z < x) \rightarrow (y = z \vee y < z \vee z < y));$

iii.5) $\exists y (x < y) \rightarrow (\exists y (x < y \wedge \neg \exists z (y < z)) \wedge \exists y (x < y \wedge \neg \exists z (x < z \wedge z < y)) \wedge \forall y ((x < y \wedge \neg \exists z (x < z \wedge z < y)) \rightarrow \exists z (y < z)));$

iii.6) $\forall y ((\neg \exists z (y < z) \wedge \forall z (z < y \rightarrow z < x)) \rightarrow y = x);$

which are valid in every extended computation tree.

Finally, the rule PATH preserves validity, too. Indeed, if the conclusion of PATH is falsifiable in some ω^+ -tree then it is falsified at a state s in a model \mathcal{M} over a finitely branching one, by theorem 1. If all premises are valid there, then there are arbitrarily long finite paths starting from s , along which the formula ψ is true, hence by König's lemma there is an infinite path starting from s along which ψ is true, and therefore there is a dead end of such a path — a contradiction.

II. COMPLETENESS.

The proof of completeness consists of two major parts: in the first part, given a consistent formula ϕ we construct a model satisfying ϕ , which is almost an extended computation tree. In the second part, we modify this model into a proper extended computation tree in such a way that the resulting model will still satisfy ϕ .

Part II.1. This part closely follows, *mutatis mutandis*, the proof of completeness for the basic temporal logic with reference pointers presented in (Goranko, 1994) (for the logic with one pair of reference pointers) and (Goranko, 1996) (for logics with more pairs of pointers). Nevertheless, it will be outlined here in some detail in order to make the paper more self-contained and to demonstrate that the infinitary rule PATH presents no additional complications.

II.1.i. We first introduce the syntactic notion of *universal forms of $*$ in $\mathcal{L}_{\uparrow t}^{\downarrow}$* (originating from the *admissible forms* in (Goldblatt, 1982), see also (Gargov and Goranko, 1993)), recursively as follows:

- $*$ is a universal form of $*$.
- If $u(*)$ is a universal form of $*$, φ is a closed formula in $\mathcal{L}_{\uparrow t}^{\downarrow}$, and \mathbf{L} is a box-modality in $\mathcal{L}_{\uparrow t}^{\downarrow}$ (i.e. \mathbf{A} , \mathbf{G} , \mathbf{X}) then $\varphi \rightarrow u(*)$ and $\mathbf{L}u(*)$ are universal forms of $*$ in $\mathcal{L}_{\uparrow t}^{\downarrow}$.

Every universal form of $*$ in $\mathcal{L}_{\uparrow t}^{\downarrow}$ can be represented (up to tautological equivalence) in a uniform way:

$$u(*) = \varphi_0 \rightarrow \mathbf{L}_1(\varphi_1 \rightarrow \dots \mathbf{L}_n(\varphi_n \rightarrow *) \dots)$$

where $\mathbf{L}_1, \dots, \mathbf{L}_n$ are box-modalities in $\mathcal{L}_{\uparrow t}^{\downarrow}$ and some of $\varphi_1, \dots, \varphi_n$ may be \top if necessary. The number n is called a *depth* of the form u , denoted by $\partial(u)$.

For every universal form $u(*)$ and a formula θ we denote by $u(\theta)$ the result of substitution of θ for $*$ in $u(*)$. Obviously, if θ is a closed formula then $u(\theta)$ is a closed formula, too.

II.1.ii. Now we introduce the rules

$$\mathbf{WITNESS}_U : \frac{u(\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow \varphi) \text{ for every propositional variable } p}{u(\varphi)},$$

and

$$\mathbf{PATH}_U : \frac{u(\mathbf{N}^m \mathbf{H}\psi) \text{ for every } m = 0, 1, 2, \dots}{u(\mathbf{F}(\mathbf{G}\perp \wedge \mathbf{H}\psi))}$$

where u is an arbitrarily fixed universal form.

Although the new rules $\mathbf{WITNESS}_U$ and \mathbf{PATH}_U seem much stronger than $\mathbf{WITNESS}$ and \mathbf{PATH} , in fact they are respectively derivable from the latter in CTL_{rp} (cf. (Goranko, 1996)), and therefore deductively equivalent to them.

II.1.iii. We now introduce and prove some necessary facts about an appropriately strengthened notion of a maximal theory, which will eventually serve as building block of the canonical model for ϕ .

DEFINITION 4. A *theory* in $\mathcal{L}\uparrow_t$ is a set of closed formulae of $\mathcal{L}\uparrow_t$, which contains all theorems of $\mathbf{K}\uparrow_t$ and is closed with respect to \mathbf{MP} .

A *good theory* is a theory in $\mathcal{L}\uparrow_t$ which is closed with respect to $\mathbf{WITNESS}_U$ and \mathbf{PATH}_U .

Note that for every set of closed formulae Γ there is a minimal good theory $\text{GTh}(\Gamma)$ /resp. a minimal theory $\text{Th}(\Gamma)$ / containing Γ . Indeed, the set of all closed formulae is a good theory. Furthermore, the intersection of every family of good theories is a good theory. Then $\text{GTh}(\Gamma)$ is the intersection of all good theories containing Γ . Likewise for theories.

DEFINITION 5. A theory, resp. good theory, is *consistent* if it does not contain \perp . A set of closed formulae Δ is *well-consistent* if $\text{GTh}(\Delta)$ is consistent.

LEMMA 6 (Deduction theorem for good theories (cf. (Goranko, 1996))). *If Γ is a good theory and φ, ψ are closed formulae then $\varphi \rightarrow \psi \in \Gamma$ iff $\psi \in \text{GTh}(\Gamma \cup \{\varphi\})$*

Proof. The proof follows the standard lines of an inductive proof of deduction theorem in modal logic, using in addition the fact that $\phi \rightarrow u(*)$ is an universal form whenever $u(*)$ is. For more detail, see (Goranko, 1994) \diamond

As a corollary to the Deduction theorem, note that for every consistent formula ϕ , the set $\{\phi\}$ is well-consistent.

DEFINITION 7. A (good) theory Γ is *maximal* if for every closed formula φ , either $\varphi \in \Gamma$ or $\neg\varphi \in \Gamma$.

Every maximal theory is consistent and cannot be extended to another consistent theory. The most important property of a maximal good theory Γ is that it contains a "witness" $\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow q)$ for some propositional variable q . Indeed, otherwise all $\neg \downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p)$ would be in Γ , and hence, by **WITNESS** $_{U, \perp}$ would belong to Γ .

LEMMA 8 (Lindenbaum lemma). *Every well-consistent set Γ_0 can be extended to a maximal good theory.*

Proof. First, note that $\Gamma = \text{GTh}(\Gamma_0)$ is a consistent good theory. Let ψ_1, ψ_2, \dots be a list of all closed formulae of $\mathcal{L}_{\downarrow t}^\lambda$ and u_1, u_2, \dots be a list of all universal forms in $\mathcal{L}_{\downarrow t}^\lambda$. Then we can list all combinations $\{u_i(\psi_j)\}_{i,j=1}^\infty$ in a sequence $\theta_1, \theta_2, \dots$ (obviously, with repetitions, but that does not matter). We define a sequence of consistent good theories $T_0 \subseteq T_1 \subseteq \dots$ as follows: $T_0 = \Gamma$; suppose that T_n is defined and consider $\text{GTh}(T_n \cup \{\theta_n\})$. If it is consistent, this is T_{n+1} . Otherwise let $\theta_n = u_i(\psi_j)$. Then $\neg u_i(\psi_j) \in T_n$ by the Deduction theorem. Therefore $u_i(\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow \psi_j)$ does not belong to T_n for some propositional variable p and some k (and therefore, due to Ax. II.3, for all k). Then we put

$$S_{n+1} = \text{GTh}(T_n \cup \{\neg u_i(\downarrow_k \mathbf{A}(\uparrow_k \leftrightarrow p) \rightarrow \psi_j)\}).$$

By the Deduction theorem, S_{n+1} is a consistent good theory.

Now, if ψ_j is not of the form $\mathbf{F}(\mathbf{G}\perp \wedge \mathbf{H}\psi)$ then $T_{n+1} = S_{n+1}$. Otherwise, let $\psi_j = \mathbf{F}(\mathbf{G}\perp \wedge \mathbf{H}\psi)$. Then, by closedness of S_{n+1} under PATH, $u_i(\mathbf{N}^m \mathbf{H}\psi)$ does not belong to S_{n+1} for some $m \in \mathcal{N}$ and we put

$$T_{n+1} = \text{GTh}(S_{n+1} \cup \{\neg u_i(\mathbf{N}^m \mathbf{H}\psi)\}).$$

Again, by the Deduction theorem, T_{n+1} is a consistent good theory.

Finally, we put $T = \bigcup_{n=0}^\infty T_n$. By construction, T is a maximal good theory. \diamond

Now, for any set of formulae Δ we define

$$\mathbf{G}\Delta = \{\varphi : \mathbf{G}\varphi \in \Delta\}, \quad \mathbf{X}\Delta = \{\varphi : \mathbf{X}\varphi \in \Delta\} \quad \text{and} \quad \mathbf{A}\Delta = \{\varphi : \mathbf{A}\varphi \in \Delta\}.$$

LEMMA 9. *If Δ is a maximal good theory then $\mathbf{G}\Delta, \mathbf{X}\Delta$ and $\mathbf{A}\Delta$ are good theories.*

Proof. The proof hinges on the fact that $\mathbf{L}u(*)$ is a universal form whenever $u(*)$ is, where $\mathbf{L} \in \{\mathbf{G}, \mathbf{X}, \mathbf{A}\}$. \diamond

LEMMA 10. *If Δ is a maximal good theory and $\mathbf{F}\theta \in \Delta$ (resp. $\mathbf{N}\theta \in \Delta, \mathbf{E}\theta \in \Delta$) then there is a maximal good theory Δ' such that $\theta \in \Delta'$ and $\mathbf{G}\Delta \subseteq \Delta'$ (resp. $\mathbf{H}\Delta \subseteq \Delta', \mathbf{A}\Delta \subseteq \Delta'$).*

Proof. By Lemma 9 $\mathbf{G}\Delta$ is a good theory. Moreover, $\mathbf{G}\neg\theta \notin \Delta$ since Δ is consistent. Therefore $\neg\theta \notin \mathbf{G}\Delta$, hence $\text{GTh}(\mathbf{G}\Delta \cup \{\theta\})$ is consistent. Then, by Lemma 8 it can be extended to a maximal good theory Δ' . The other cases are analogous. \diamond

II.1.iv We are now prepared to construct a "canonical" model for any well-consistent set of formulae, in particular for the consistent formula ϕ .

DEFINITION 11. A model $\langle S, R, <, V \rangle$ is called *clock-model* if for every $t \in S$ there is a "t o'clock-variable" p_t such that $V(p_t) = \{t\}$.

LEMMA 12. *Every well-consistent set Γ_0 in CTL_{rp} is satisfiable in a clock-model.*

Proof.

The proof follows, *mutatis mutandis*, the standard canonical model construction. First, we extend Γ_0 to a maximal good theory Γ . Then we define a *good canonical model* $\mathcal{M} = \langle S, R, <, V \rangle$ as follows:

- $S = \{\Delta : \Delta \text{ is a maximal good theory and } \mathbf{A}\Gamma \subseteq \Delta\}$;
- For any $\Delta_1, \Delta_2 \in S$: $R\Delta_1\Delta_2$ if $\mathbf{X}\Delta_1 \subseteq \Delta_2$, and $\Delta_1 < \Delta_2$ if $\mathbf{G}\Delta_1 \subseteq \Delta_2$;
- For any propositional variable p , $V(p) = \{\Delta \in S : p \in \Delta\}$.

\mathcal{M} is a clock model since every maximal good theory contains a "witness". This completes the proof of the lemma. \diamond

Not that for any Δ_1, Δ_2 from the canonical model \mathcal{M} constructed above, $\mathbf{A}\Delta_1 \subseteq \Delta_2$.

The model \mathcal{M} satisfies the following *truth lemma*, the proof of which essentially repeats the one in (Goranko, 1996) and crucially depends on the fact that \mathcal{M} is a clock-model:

LEMMA 13. *For every closed formula θ and $\Delta \in T$,*

$$\mathcal{M} \models \theta[\Delta] \text{ iff } \theta \in \Delta.$$

In particular, Γ_0 is satisfied at the point Γ of the model \mathcal{M} .

It also follows from the truth lemma that \mathcal{M} is a model for all theorems of CTL_{rp} . In particular, all axioms for the structure, hence their corresponding first-order conditions listed in the proof of soundness, are valid in \mathcal{M} . Also, the axiom I.4 guarantees that the relations R and $<$ in \mathcal{M} are related accordingly. Therefore, \mathcal{M} is a rooted tree where every path is of type ω or ω^+ . Indeed, every path will have an initial segment of type ω ; suppose there is a state s beyond that initial segment which is not a dead end and let p be the variable which is true at s and only s . Then $\mathbf{N}^m\mathbf{HF}p$ is true at the root for every natural m , hence, by closedness

under PATH, $\mathbf{F}(\mathbf{G}\perp \wedge \mathbf{HF}p)$ is true at the root, so $\mathbf{HF}p$ is true at some dead end, implying by (axiom III.6 and WITNESS) that s as the dead end itself — a contradiction.

Thus \mathcal{M} is almost an extended computation tree, since not (necessarily) every path in that tree has a dead end.

It now remains to note that, since $\{\phi\}$ is well-consistent, ϕ is satisfied in a good canonical model \mathcal{M} .

Part II.2. Given a good canonical model $\mathcal{M} = \langle S, R, <, V \rangle$ satisfying the formula ϕ we shall modify it into an extended computation tree by adding the missing dead ends to all maximal paths in such a way that the resulting model will still satisfy ϕ .

II.2.i. Let p_1, \dots, p_k be the atomic propositions occurring in ϕ . We restrict the temporal language by omitting all other atomic propositions, and let L_ϕ be the corresponding first order language with unary predicates P_1, \dots, P_k . We now regard \mathcal{M} as a model for the restricted languages.

II.2.ii. For every state Γ from \mathcal{M} and a natural number n we define a *modal description of depth n* of Γ inductively on n as follows:

$$d_0(\Gamma) = \downarrow_1 \mathbf{X}\neg \uparrow_1 \wedge \downarrow_1 \mathbf{G}\neg \uparrow_1 \wedge \hat{p}_1, \wedge \dots \wedge \hat{p}_k,$$

where $\hat{p}_i = p_i$ if $\Gamma \in V(p_i)$, otherwise $\hat{p}_i = \neg p_i$;

$$\begin{aligned} d_{n+1}(\Gamma) = & \\ & d_n(\Gamma) \wedge \\ & \wedge_{\Delta \neq \Gamma} \downarrow_1 \mathbf{E}(\neg \uparrow_1 \wedge d_n(\Delta)) \wedge \\ & \wedge_{\Gamma < \Delta} \mathbf{F}d_n(\Delta) \wedge \wedge_{\Gamma R \Delta} \mathbf{N}d_n(\Delta) \wedge \\ & \wedge_{\Delta < \Gamma} \mathbf{P}d_n(\Delta) \wedge \wedge_{\Delta R \Gamma} \downarrow_1 \mathbf{E}(\mathbf{N} \uparrow_1 \wedge d_n(\Delta)) \wedge \\ & \mathbf{G}(\bigvee_{\Gamma < \Delta} d_n(\Delta)) \wedge \mathbf{X}(\bigvee_{\Gamma R \Delta} d_n(\Delta)) \wedge \\ & \mathbf{H}(\bigvee_{\Delta < \Gamma} d_n(\Delta)) \wedge \downarrow_1 \mathbf{A}(\mathbf{N} \uparrow_1 \rightarrow \bigvee_{\Delta R \Gamma} d_n(\Delta)) \wedge \\ & \downarrow_1 \mathbf{A}(\neg \uparrow_1 \rightarrow \bigvee_{\Delta \neq \Gamma} d_n(\Delta)) \end{aligned}$$

Note that for every $n \in \mathcal{N}$ there are finitely many different formulae $d_n(\Gamma)$ for $\Gamma \in \mathcal{M}$. For $n = 0$ we denote them by $\delta_1, \dots, \delta_j$.

Now, for every $n \in \mathcal{N}$ we denote

$$\Phi_{\mathcal{M}}^n = \bigwedge_{\Gamma \in \mathcal{M}} \mathbf{E}d_n(\Gamma) \wedge \mathbf{A} \left(\bigvee_{\Gamma \in \mathcal{M}} d_n(\Gamma) \right)$$

II.2.iii. A standard induction on n shows that $ST(\Phi_{\mathcal{M}}^n)$ is equivalent to the formula $\phi_{\mathcal{M}}^n$ as introduced in the proof of Fraïssé's theorem in (Ebbinghaus et al, 1994), p.253, and therefore the following lemma holds (see Th. 3.10, p.255 in (Ebbinghaus et al, 1994)).

LEMMA 14. For any L_ϕ -model \mathcal{A} and $n \in \mathcal{N}$,

$$\mathcal{A} \equiv_n \mathcal{M} \text{ iff } \mathcal{A} \models ST(\Phi_{\mathcal{M}}^n)$$

II.2.iv. Let $\{\Gamma_i\}_{i \in \mathcal{N}}$ be a maximal path in \mathcal{M} without a dead end. We add to the model a new state Γ^e in such a way that it is a dead end for that path. In order to define the truth of p_1, \dots, p_k at Γ^e we construct chains of sets $D_i^0 \supseteq D_i^1 \supseteq \dots$ for $i = 1, \dots, j$ as follows.

Let, for every $n \in \mathcal{N}$, $\gamma_1^n, \dots, \gamma_{j_n}^n$ be all formulae $d_n(\Gamma_i)$, $i \in \mathcal{N}$ and $\psi_n = (\gamma_1^n \vee \dots \vee \gamma_{j_n}^n)$. Then $\mathbf{H}\psi_n$ is true at every $\Gamma_i, i \in I$, hence $\mathbf{N}^m \mathbf{H}\psi_n$ are true at every Γ_i for all $m \in \mathcal{N}$. Let $q \in \mathcal{N}$ be large enough so that for every $r \geq q$, $\theta_n = \mathbf{P}\gamma_1^n \wedge \dots \wedge \mathbf{P}\gamma_{j_n}^n \in \Gamma_r$. By the truth lemma and the rule PATH, $\mathbf{F}(\mathbf{G}\perp \wedge \mathbf{H}\psi_n)$ is true at Γ_r , hence there is a dead end Δ such that $\Gamma_r < \Delta$ and $\mathbf{H}\psi_n \wedge \mathbf{P}\theta_n$, hence $\mathbf{H}\psi_n \wedge \theta_n$ is true at Δ . Since Δ is not a dead end for $\{\Gamma_i\}_{i \in \mathcal{N}}$, for large enough $r_1 > r$, $\Gamma_{r_1} \not< \Delta$. Repeating the same argument for Γ_{r_1} we find a dead end Δ_1 such that $\Gamma_{r_1} < \Delta_1$ and $\mathbf{H}\psi_n \wedge \theta_n$ is true at Δ_1 , etc.

Now, for every $i = 1, \dots, j$ we define D_i^n to be the set of those (infinitely many) dead ends Δ in \mathcal{M} such that $\delta_i \wedge \mathbf{H}\psi_n \wedge \theta_n$ is true at Δ .

Note that for every n :

- i) at least one D_i^n is infinite, and
- ii) $D_i^{n+1} \subseteq D_i^n$ because ψ_{n+1} implies ψ_n and θ_{n+1} implies θ_n since (by an easy induction on n) for any Δ , $d_{n+1}(\Delta)$ implies $d_n(\Delta)$.

Therefore, there is an index i such that D_i^n is infinite for every $n \in \mathcal{N}$.

We then extend the valuation V of the atomic propositions p_1, \dots, p_k to Γ^e according to δ_i .

II.2.v. Let $\mathcal{M}^e = \langle S^e, R, <^e, V^e \rangle$ be the extension of the model \mathcal{M} by adding dead ends, as described above, to all maximal paths which do not have them, i.e.:

- S^e extends S by adding all newly constructed dead ends;
- $<^e$ extends $<$ with $\Gamma_i <^e \Gamma^e$ for each maximal path $\{\Gamma_i\}_{i \in I}$ with a newly constructed dead end Γ^e ;
- V^e extends V as described above.

Note that for every $n \in \mathcal{N}$ and $\Gamma \in \mathcal{M}$, $d_n(\Gamma)$ in \mathcal{M}^e is the same as $d_n(\Gamma)$ in \mathcal{M} (straightforward induction on n) and $d_n(\Gamma^e) = d_n(\Delta)$ for every $\Delta \in D_i^n(\Gamma^e)$.

Therefore $\Phi_{\mathcal{M}}^n = \Phi_{\mathcal{M}^e}^n$

$d_n(\Gamma^e) = d_n(\Delta)$ for every $\Delta \in D_i^n$.

II.2.vi. We now prove that \mathcal{M}^e is elementarily equivalent in L_ϕ to \mathcal{M} , and therefore $\mathcal{M}^e \models \exists x ST(\phi)$. By 14 it is sufficient to show that $\mathcal{M}^e \models ST(\Phi_{\mathcal{M}}^n)$, or equivalently, $\mathcal{M}^e \models \Phi_{\mathcal{M}}^n$, which follows from the fact that $\Phi_{\mathcal{M}}^n = \Phi_{\mathcal{M}^e}^n$.

This completes the proof of the main theorem. \diamond

THEOREM 15. *The logic CTL_{rp} is decidable.*

Proof. This follows from the more general result in (Gurevich and Shelah, 1985) about decidability of the monadic second order theory of trees with path quantifiers. \diamond

We can now extend Th 2 as follows.

THEOREM 16. *For any state formula ϕ in the language of CTL^* the following are equivalent:*

- (i) ϕ is CTL^* -valid.
- (ii) ϕ is valid in the class of finitely branching computation trees.
- (iii) $(F\top \rightarrow \tau(\phi))$ is valid in the class \mathcal{ECT} .
- (iv) $(F\top \rightarrow \tau(\phi))$ is valid in the class \mathcal{FECT} .
- (v) $(F\top \rightarrow \tau(\phi))$ is a theorem of CTL_{rp} .

5. Some open problems and concluding remarks.

Due to the decidability of CTL_{rp} , the infinitary rule PATH can be replaced by a recursive set of axioms. It is an open question for me if it can be eliminated at the expense of adding finitely many new axioms.

An important question is whether the axiomatic system for CTL_{rp} and its completeness proof can be "translated backwards" into CTL^* and thus provide a solution of the long-standing problem for an explicit axiomatization of that logic.

The expressiveness of the TL_{rp} still awaits precise characterization, though some results are included in (Goranko, 1996). A related question is if there is a natural notion of bisimulation which would correspond to TL_{rp} -equivalence of models.

A few more open problems and directions for further research are related to practical utilization of temporal logics with reference pointers for specification, analysis and verification of programs. Some of them are:

- investigation of practically important properties of computation trees which are expressible in these logics but not in CTL^* .
- construction of efficient deductive systems for CTL_{rp} , in particular semantic tableaux;

- development of efficient decision procedures and model checking algorithms for this logic;
- development and implementation of real systems for specification and verification of programs based on temporal logics with reference pointers.

6. Acknowledgements

This work was supported by research grant GUN 2034353 of the Foundation for Research Development of South Africa.

References

- Backofen R., J. Rogers, & K. Vijay-Shanker, A First-order Axiomatization of the Theory of Finite Trees, *Journal of Logic, Language and Information*, **4**, 1995, 5-39.
- Ben-Ari M., Z. Manna, & A. Pnueli, The Temporal Logic of Branching Time, *Proc. 8th ACM Symp. on Princ. of Prog. Lang.* Williamsburg, VA, 1981, 164-176; also in: *Acta Informatica*, **20**(3), 1983, 207-226.
- van Benthem J.F.A.K., *The Logic of Time*, Reidel, Dordrecht, 2nd ed., 1991.
- Blackburn P. & J. Seligman, Hybrid Languages, *Journal of Logic, Language and Information*, **4**, 1995, 251-272.
- Burgess J., Basic Tense Logic, in: *Handbook of Philosophical Logic*, D. Gabbay and F. Guenther (eds.), Reidel, Dordrecht, vol.II, 1984, 89-133.
- Clarke E.M. & E.A. Emerson, Design and Synthesis of Synchronization Skeletons using Branching Time Temporal Logic, in: *Proc. Workshop on Logics of Programs*, LNCS 131, Springer-Verlag, 1981, 52-71.
- Ebbinghaus H.-D., J. Flum, W. Thomas, *Mathematical Logic*, Springer-Verlag, 2nd ed., 1994.
- Emerson, E.A., *Temporal and Modal Logic*, in: *Handbook of Theoretical Computer Science*, vol. B, J. van Leeuwen (ed.), Elsevier, 1990, pp. 995-1072.
- Emerson, E.A., & J.Y. Halpern, "Sometimes" and "Not Never" revisited: on Branching versus Linear Time Temporal Logic, in: *Proc. of the 10th Annual Symp. on Principles of Programming Languages*, 1983, 127-140; also in *Journal of the ACM*, **33**(1), 151-178.
- Emerson, E.A., & A.P. Sistla, Deciding full Branching Time Logic, *Information and Control*, **61**(3), 1984, 175-201.
- Emerson E.A. & J. Srinivasan, Branching Time Temporal Logic, in: *Linear Time, Branching Time and Partial Order in Logics and Models for Concurrency*, J de Bakker, W.-P. de Roever, G. Rosenberg (eds.), LNCS 354, Springer-Verlag, 1989, 123-172.
- Gabbay, D., An Irreflexivity Lemma with Applications to Axiomatizations of Conditions on Tense Frames. in: *Aspects of Philosophical Logic*, U. Monnich (ed.). Reidel, Dordrecht, 1981, 67-89.
- Gargov G. & V. Goranko, Modal Logic with Names, *Journal of Philosophical Logic*, **22**(6), 1993, 607-636.
- Goldblatt R.I., *Axiomatizing the Logic of Computer Programming*, Springer LNCS **130**, 1982.
- Goldblatt R.I., *Logic of Time and Computation*, CSLI Lecture Notes, No. 7., 1987.
- Goranko V., *Temporal Logic with Reference pointers*, in: *Temporal Logic*, D. Gabbay, H.-J. Ohlbach (eds.), Lecture Notes in Artificial Intelligence 827, Springer-Verlag, 1994, pp. 133-148.
- Goranko, V., Hierarchies of Modal and Temporal Logics with Reference Pointers, *Journal of Logic, Language and Information*, **5**, 1996, 1-24.
- Goranko, V., A Note on Equivalences Between Trees, 1998, manuscript.
- Gurevich Y. & S. Shelah, The Decision Problem for Branching Time Logic, *Journal of Symbolic Logic*, **50**(3), 1985, 668-681.

- Manna Z., & A. Pnueli, The Anchored Version of the Temporal Framework, in: *Linear Time, Branching Time and Partial Order in Logics and Models for Concurrency*, J. de Bakker, W.-P. de Roever, G. Rosenberg (eds.), LNCS 354, Springer-Verlag, 1989, 201-284.
- Passy S. & T. Tinchev, An Essay in Combinatory Dynamic Logic, *Information and Computation*, **93**(2), 1991, 263-332.
- Penczek W., Branching Time and Partial Order in Temporal Logics, in: *Time and Logic: a Computational Approach*, Univ. College of London, 1995, 179-228.
- Pnueli A., The Temporal Logic of Programs, in: *Proc. 18th Ann. IEEE Symp. on Foundations of Computer Science (1977)*, 46-57.
- Prior A., *Past, Present, and Future*, Clarendon Press, Oxford, 1967.
- Stirling C., Modal and Temporal Logics, in: *Handbook of Logic in Computer Science, vol. 2: Computational Structures*, S. Abramski, D. Gabbay, T. Maibaum (eds.), Clarendon Press, Oxford, 1992, 478-563.
- Thomas W., Computation Tree Logic and Regular ω -languages, in: *Linear Time, Branching Time and Partial Order in Logics and Models for Concurrency*, J de Bakker, W.-P. de Roever, G. Rosenberg (eds.), LNCS 354, Springer-Verlag, 1989, 690-713.
- Venema Y., Derivation Rules as Anti-axioms in Modal Logic, *Journal of Symbolic Logic*, **58**(3), 1993, 1003-1034.
- Wolper P., On the Relation of Programs and Computations to Models of Temporal Logic, in: *Time and Logic: a Computational Approach*, Univ. College of London, 1995, 131-178.
- Zanardo A., J. Carmo, Ockhamist Computational Logic: Past-Sensitive Necessitation in CTL*, *J. of Logic and Computation*, **3** (3), 1993, 249-268.
- Zanardo A., Branching-time Logic with Quantification Over Branches: The Point of View of Modal Logic, *J. of Symbolic Logic*, **61** (1), 1996, 1-39.