

Introduction: Modularity and the Nature of Emotions¹

Luc Faucher and Christine Tappolet

Are our experiences of fear, disgust, anger, joy, pride or compassion, for instance, more akin to states such as feelings or sensations, which are often thought to lack cognitive content, or are they more like perceptions or else like judgements? If emotions are informational or cognitive states, should we take emotions to be perceptions of a certain kind or else propositional states with a fully conceptual content? Are emotions passive states or are they at least to a certain extent subject to the will? Are some or all emotions basic, in the sense of being universally shared and innate or are they cultural constructions? Do some, or all, emotions threaten theoretical or practical rationality or are they, to the contrary, essential preconditions of rational thought and action? These are some of the many questions which emotion theorists have tried to answer.

Since the publication of Jerry Fodor's *The Modularity of Mind* (1983), a new set of questions, answers to which provide at least partial replies to the questions just mentioned, has emerged in the philosophy of emotions. Are emotions, or at least some of them, modular? This would mean, minimally, that emotions are cognitive capacities that can be explained in terms of mental components that are at functionally dissociable from other parts of the mind. This is what is suggested by the often noticed conflicts between emotions and thought. For instance, Hume asks us to consider "the case of a man, who being hung out from a high tower in a cage of iron cannot forbear trembling, when he surveys the precipice below him, tho' he knows himself to be perfectly secure from falling, by his experience of the solidity of the iron, which supports him [...]".² The emotion of fear this man experiences is characterised by recalcitrance with respect to thought. Since this is taken to be one of the hallmarks of modularity, one might be tempted to conclude that emotions, or at least some types of emotions, are modular

¹ Our thanks to Frédéric Bouchard, Mohan Matthen and Pierre Poirier for helpful comments.

² Hume, 1739-40, Book 1, Part III, Section XIII. For a strikingly similar case, see Montaigne, 1588, book II, chap. 12.

(especially if you think that modules are natural kinds, because then the presence of one characteristic of modularity would be a reliable basis to infer the presence of the others).

Several authors have argued that emotional phenomena exhibit some of the properties Fodor attributes to modules (Charland 1995; Griffiths 1997; Öhman and Mineka, 2001; Prinz 2004). Obviously, the answer to the question whether emotions are modular depends on what modularity is taken to be. The concept of modularity in which most recent discussions about the modularity of emotions have been framed is the one put forward by Fodor himself. However, different concepts of modularity, corresponding to different kinds of modular systems, have been proposed in the literature. In this introduction, we shall give a brief overview of the main concepts of modularity that have been offered in recent literature. After this, we turn to a summary of the papers collected in this volume. Our primary aim will be to explain how the modularity of emotion question relates to traditional debates in emotion theory.

1) Varieties of modularity concepts

As has been pointed out by Richard Samuels (2000), the term ‘module’ usually refers to functionally specific mental structures supposed to underlie particular cognitive capacities. But this general idea has been spelled out very differently, the term having been used to refer to quite different things. Though Samuels distinguishes between three kinds of modules, we think it useful instead to consider six kinds of modules³. We do not hereafter propose a typology of modularity, but try instead to identify some of the ways in which the term is used (therefore, as we will point out, sometimes what some authors refer to as module encompass or is compatible with what some other authors refer to with that term).

The first kind of modules is what could be called the *boxological modules*. They are the boxes that cognitive scientists posit to explain a capacity when they proceed to a functional decomposition. According to Fodor (2000), this form of modularity is a pretty diluted and non-contentious one. Almost everybody accepts the idea that cognitive capacities will have to be explained by invoking functionally individuated mechanisms

³ For a more complete list than Samuels’, see Segal 1996.

(which Fodor prefers not to call “modules”, 2000, p. 58). This form of modularity is also pretty neutral as to the properties of these mechanisms, so much of the work in cognitive science will consist in trying to discover what these are. In some cases, scientists will attribute to them the properties that makes them “modules” in a stronger (and more contentious) sense, sometimes not.

Given this, the emotional system itself, as well as the systems responsible for particular emotions, can be considered boxologically modular. But saying that is pretty uninformative as to what the properties of the emotion modules are. It might be considered only a heuristic step in the direction of a more thorough description of them.

(1) A more substantial form of modules is the one that Samuels calls *Chomskian modules* (see also Fodor, 2000). They consist in domain-specific bodies of information (databases) or mental representations that account for a cognitive capacity. In order to distinguish such a body of information from a mere collection of beliefs about a particular domain, such as hockey, it is best to consider that Chomskian modules are both innate and inaccessible to consciousness. This is in any case how Chomsky himself conceived of the structures underlying our linguistic competence. According to Chomsky, our linguistic competence is based on an innate and consciously inaccessible system of mental states encoding the grammar of natural languages (1988).

Transposed to the case of emotions, the claim would be that our emotional reactions are a) based on a body of information, which is b) innate and consciously inaccessible. What kind of information could that be? One quite natural possibility is to claim that the information in question concerns evaluative features of the world. Fear would depend on information concerning what is dangerous, grief on information concerning what constitute a loss.⁴ One important question is whether such information is innate (or ‘prepared’, as it is often put in the literature; Öhman and Mineka, 2001). It is clear that even if there are some things, such as spiders or loud sounds, that we are innately predisposed to fear, we are able to learn to fear other things.

⁴ This suggestion would seem to fit well with some versions of the so-called appraisal theory of emotions (Arnold 1960; Lazarus 1991; Scherer et al. 2001)

(2) In his *The Modularity of Mind*, Jerry Fodor proposed the model of the architecture of the mind that is probably the most discussed in the literature on emotions. According to him, the mind is made up of three elements: sensory transducers (whose function is to convert physical stimulation into neural signal), input and output modules (whose function is to process the information coming from the sensory transducers or preparing it for the motor effectors) and a central system (in charge of analogical thinking, reasoning and abduction). Modules in this model are essentially “processing devices” (a sentence parser would be a good example of such a device) that take representations specifiable in syntactic terms as input and produce representations as output according to a function (also specifiable in syntactic terms)⁵.

Fodorian modules are mechanisms of cognitive processing characterized by the following properties⁶ (see 1983, 1990):

1. *Domain-specificity*: A device is domain specific if its responses are restricted to a specific class of stimuli (Fodor has suggested recently that this is not enough for domain-specificity. According to him, ‘domain specificity’ “applies neither to information nor to processes, but rather to the way that the two of them interact” (2000, 61)). For instance, the visual system processes only visual inputs, whereas the auditory system is dedicated to auditory inputs.
2. *Mandatoriness*: the actions of the modules are automatic, they cannot be completely turned off voluntarily (you cannot directly control whether or not a module will process a given input). For instance, you cannot but process a sentence in English that you hear.

⁵ Chomskian modules and Fodorian modules are not incompatible, quite the contrary. More often than not, the innate databases are processed by an encapsulated cognitive mechanism. As Coltheart puts it: “... processing modules will generally incorporate knowledge modules [a Chomskian module] — the syntactic processor will have, as part of its internal structure, a body of knowledge about syntax [...]”. (1999, p. 118; see also Segal, 1996, p.144)

⁶ There is some question as to whether these characteristics are definitional or necessary conditions for the application of the term or if they are just properties that some paradigmatic cases of modules have (or tend to have as members of a natural kind). If such was the case, it would then be an empirical question to know if a particular module had all or some of these properties; see the fourth sense of modularity below for such a view. A related question is whether the characteristics admit of degrees or not. Fodor has explicitly stated his preference for the former (1983, p. 37).

3. *Limited central access to the mental representations that modules compute*: As a rule, one can say that only the “final consequences of input processing are fully and freely available to the cognitive processes that eventuate in the voluntary determination of overt behavior” (Fodor, 1983, p. 56). Therefore, the intermediate representations (for instance, in visual perception according to Marr’s theory, the representations forming the 2 1/2 D sketch) as well as the computational processes necessary to elaborate a representation of the distal cause of a proximal stimulation from which computation is performed are in principle inaccessible to consciousness.
4. *Informational encapsulation*: All characteristics of modularity are not of equal importance. For Fodor, informational encapsulation is the “heart of modularity” (2000, p. 63)⁷. A module is informationally encapsulated if, in the processing of information, its access to beliefs, desires and utilities is restricted (or to put it differently, if it is limited to information that is in its database⁸). This characteristic is also known as “cognitive impenetrability” and is meant to describe the fact that the modules are insensitive to what a person presumes, expects or desires. As Coltheart (1999) remarks, being encapsulated is not incompatible with top-down processing, as long as the background information used in the top-down processing is restricted inside the module (the example being phoneme restoration, where phoneme identification has access to the lexical inventory of a subject language).
5. *Fast processing*: Because modules do not have to consult all the information available in the system (so they do not fall prey to the

⁷ Again, the fact that encapsulation is a central property of modules is shown in Fodor’s definition of modules: “A module is, inter alia, an informationally encapsulated system — an inference-making mechanism whose access to background information is constrained by general features of cognitive architecture, hence relatively rigidly and relatively permanently constrained.” (Fodor, 1985/1990, p. 201)

⁸ “To a first approximation, nothing affects the course of computations of an encapsulated processor except what gets inside the capsule; and the more the processor is encapsulated, the less information that is. The extreme case is, I supposed, the reflex; it’s encapsulated with respect to all information except what’s in the current input.” (2000, 64)

infamous ‘frame problem’, Dennett 1987), but only a restricted class of it, they are able to compute faster.

6. *Shallowess of output*: Because of information encapsulation, the output of the modules has to be representations of basic categories. To put it differently, the representations produced by the modules cannot include background knowledge (or they would not be produced by modules); therefore, they have to be conceptually simpler (more basic) than representations produced with background knowledge. This is sometimes taken to mean that the output is non-conceptual, in the sense that the modules generate information, but not thoughts or beliefs (Carruthers 2006, also see Ogien, *this volume*). However, it might just mean, that the concepts involved in the production of the output are restricted to what is in the proprietary database of the module (see Charland, *this volume*)⁹.
7. *Fixed neural architecture*: From the neural implementation point of view, modules are often associated with a fixed neural architecture. Though modules don’t have to be, there is reason to think that it might be advantageous for them to be localized in restricted brain regions¹⁰.
8. *Characteristic and specific breakdown patterns*: Given the fact that modules are functionally independent from each others (and that they might be localized in restricted brain regions), one should expect characteristic and specific breakdown patterns, where (after a lesion, for instance) one module would stop working while the working of others is left untouched. Cases like visual agnosia (inability to recognize familiar objects or faces) or language aphasia (difficulty in producing and comprehending language) are examples of the kind of very circumscribed breakdown that one should expect from a modular architecture.

⁹ Or again differently: “Since input systems are, by assumption, informationally encapsulated ..., the categorizations such systems effect must be comprehensively determined by properties that the visual transducers can detect : shape, color, local motion, or whatever. Input systems ... are confined ... to categorizations which can be inferred, with reasonable accuracy, from its such ‘purely visual’ properties of the stimulus.” (Fodor, 1983, p. 97)

¹⁰ This is sometimes called “anatomical modularity”. To restate what we just said, though some people have suggested it does, cognitive modularity does not imply anatomical modularity (for a discussion on this issue, see Bergeron and Matthen, *this volume* as well as Bergeron, 2007).

9. *Characteristic pace and sequencing of ontogeny*: Work from developmental psychologists shows that modular competences have specific developmental patterns. For instance, children go more or less through the same stages while developing their theory of mind (ToM; for a review, Saxe et al. 2004), stages that have nothing to do with the stages they go through while learning language or recognizing faces (*pace* Piaget). Moreover, it seems that the learning is robust, not easily perturbed by deprivation (or degradation) of environmental information. Both these characteristics suggest that development of modules is endogenously driven (that is another way to say that they are innate) and that, therefore, environment acts at most as a trigger.

At first blush, emotions seem to have all the characteristics of modularity. If emotions are modules, then the question of the relation between emotions and beliefs or thoughts becomes clear. Recalcitrance, the fact that emotions are sometimes not affected by what we consciously believe or think about a situation, is explained by the modular nature of emotions (Griffiths, 1990). And so is the fact that some imaginary representations of situations trigger emotional reactions is to be expected if these representations are of the sort that usually trigger or initiate the effect or part of emotional modules, also known as the “affect program”.

(4) A fourth kind of modules is what might be called the *Darwinian modules*. They are the kind of modules favoured by evolutionary psychologists, such as Tooby and Cosmides (1995) and Pinker (1997; see also Sperber, 1994, 2002). The view of evolutionary psychologists is similar to the first notion of modularity (boxological modularity) we presented, except that they see modules as products of natural selection, that is, as solutions to adaptive problems that plagued the human species for eons.

For evolutionary psychologists, modularity refers first of all to “functional specializations” or “evolved specializations” of the mind (Barrett, 2006; Barrett and Kurzban, 2006)¹¹, the properties of which cannot be specified in advance. It is therefore

¹¹ “We have also used the term modularity to mean the tendency of biological systems to evolve functional specializations and the term module to refer to an evolved specialization, regardless of the

empirical research that should decide, for each module or specialization, what properties it has (some might be innate, some might be learned (for examples of the latter, see Karmiloff-Smith, 1992); some might be fast, others slow¹²; some might be like Chomskian modules, some like Fodorian modules, others different from them both; for a similar point, see Coltheart, 1999). In a way, evolutionary psychologists adopt a bottom-up approach, starting with a very minimal definition of modularity and venturing out to discover how modularity is realized in each case. Also, since there were many different kinds of adaptive problems that humans faced in their environment of adaptation, and that, according to them, these problems could not be solved adequately by a general problem solver, the solution that Mother Nature had to hit upon was to produce an architecture of the mind replete with specialists (modules). Evolutionary psychologists have thus been known for advocating a “massively modular view of the mind”, that is, a view of the architecture of the mind with “hundreds and thousands” of modules, where these are not limited to the periphery of the mind (as they are for Fodor), but also comprise some central capacities of the mind, like reasoning.

As a consequence of the view that modularity refers to “functional specializations” of the mind shaped by natural selection, it is expected that modules will be domain-specific¹³ (“boxological modularity” is not in principle committed to that). The idea is that because modules are designed to process information in a specialized way, they will also have specific “input criteria”; they will process only certain types or formats of information. For instance, a system specialized in recognizing faces will only accept visual information with certain configurational characteristics (so in principle, it has access to all visual information, but only processes some of it; for a distinction between *access specificity* and *process specificity*, see Barrett, 2005).

Finally, a Darwinian perspective on modularity allows one to distinguish between the proper and the actual domain of a module. The proper domain of a module is the

degree to which it exists in a heavily policed informational quarantine or operates on information available to other procedures in the architecture. In this usage, we did not mean to invoke Fodor’s particular and narrow concept of modularity, which appears to make information encapsulation a defining feature rather than (in our view) an occasional concomitant” (Cosmides, Tooby and Barrett, 2005, p. 309).

¹² “For example, being fast and automatic might be properties expected of a snake detection device, but not for those responsible for mate choice, decision making under uncertainty, or making inferences about social exchanges.” (Machery and Barrett, 2006, 16)

¹³ Barrett and Kurbazan (2006) see it as a *necessary consequence* of functional specialization (630)

domain that the module has been selected to deal with, for instance, face recognition. The actual domain is the domain with which the module is dealing now, despite not having necessarily been selected for it. For instance, it is said that the module in charge of face recognition is also used for car recognition by car experts (Gauthier et al., 2005). Many have argued (for instance, Duchaine et al. 2006) that car recognition cannot be the “proper domain” of the module, i.e., that it has not (cannot have been) selected because it was doing that.¹⁴

Cosmides and Tooby (2000) have suggested that emotions are Darwinian modules, that is, that they are solutions to adaptive problems encountered by our hunter-gatherer ancestors¹⁵. The role of emotions, according to them, is to coordinate independent programs (programs governing perception, memory, learning, goal choice, etc.) to produce adaptive responses to certain classes of stimuli that are associated with reliable cues signalling their presence in the environment (bitter taste for poison or unknown faces looking straight at you for predators, for instance).

Thinking about emotions as Darwinian modules has also been instrumental in bringing to the fore what might be taken to consist in the rationality of emotions that, like fear or anger, look *prima facie* irrational or that appear to motivate irrational behaviour (Ketelaar and Au, 2003; Cosmides and Tooby, 2004; Haselton and Ketelaar, in press; see Jones, *this volume* and de Sousa, *this volume*).

(5) A fifth kind of modules is what Segal (1996) calls *diachronic modules*. Some psychologists think that the mind has modules the function of which is to take input from the developmental environment and to build (as output) the modules we end up with as adults. Chomsky’s “language acquisition mechanism” (LAM) would be such a diachronic module. In recent versions of his theory, the LAM is constituted by parameters that can be switched on or off depending on the linguistic environment a child grows in. Diachronic modules in this model can thus produce limited variation in the ‘synchronic

¹⁴ Others have argued that car recognition depends on some more general ability that is applied to both faces and car (see Bergeron and Matthen, *this volume*; and for a slightly different version of the same argument, Faucher, Poirier and Lachapelle, in press).

¹⁵ “Each functionally distinct emotion state — fear of predators, guilt, sexual jealousy, rage, grief, and so on — will correspond to an integrated mode of operation that functions as a solution designed to take advantage of the particular structure of the recurrent situation or triggering condition to which that emotion corresponds.” (Cosmides and Tooby, 2000, p. 101).

modules' depending of the developmental environment they are in (for instance a French generative grammar if the child develops in a French environment).¹⁶

Many people have talked about emotional development, but their positions on the subject diverge. Some argue in favour of the innateness (and by this they mean the presence at birth) of the basic emotions, 'development' being characterized by the enlargement of the set of stimuli that can trigger the emotion and by the greater control one can exercised on one's reactions (Ackerman et al., 1998). In this model, basic emotions do not develop (in this sense, there is no developmental module as such); they have to wait for the maturation of other mechanisms to get their adult form. As we mentioned earlier, some think that the 'appraisal mechanisms' can be set the same way grammars are thought to be set. If such is the case, you would get for each emotion a mechanism similar to the LAM, for instance, a Fear Acquisition Mechanism, a Disgust Acquisition Mechanism, etc. (for suggestion in this direction, see Öhman and Mineka, 2001, for fear and Knapp, 2003, for disgust). Finally, others see the development of emotions more as a contingent reconstruction depending on certain (physical, social and cultural) aspects of the environment as well as on more endogenous factors, such as genes (see for instance, Campos et al., 1996; for a review of the positions, see Faucher and Tappolet, in press). In this case, development would not be programmed the same way Chomsky claims language is, but it would still be modular in the sense that, if the environment is normal, the end result of development will be a particular static module (development would start with biases that direct development in a particular direction; see Faucher, Poirier and Lachapelle, in press).

It is when talking about the appraisal mechanism of emotions that people are the closest to the kind of acquisition mechanism Chomsky was proposing for language. Indeed, some think that it would be advisable to posit a "fear-" or a "disgust-acquisition mechanism", that is, mechanisms which would constrain the class of stimuli that could elicit the emotion (for instance, no one is disgusted by rocks and likewise, people can more easily learn to fear snakes than flowers).

¹⁶ Now, the end product of diachronic modules can be Chomskian modules or Fodorian modules or other sorts of modules evolutionary psychologists suspect might be out there. It can also be parametrized as suggested by Chomsky or by a more Fodorian computational algorithm or even by something entirely different, as long as it takes 'developmental inputs' and produces reliably adult modules as an output.

(6) The last kind of modules we would like to describe can be called *biological modules*¹⁷: Talk about modules is not confined to psychology; it also takes place in biology. In this discipline, the term refers to the fact that organisms are composed of “quasi-independent parts that are tightly integrated within themselves [...] but develop or operate to a certain degree independently of each other” (Schlosser and Wagner, 2004b, 1-2)¹⁸. Modules are thus aspects of organisms on which natural selection can act¹⁹, as well as building blocks that can be used for construction of new traits (see Marcus, 2006). For that reason, they are sometimes also called “evolution modules” (see Schlosser, 2004, for a review).

Biological modules can be characterized either as structures or as processes. Characterized as structures, modules are units that have more intimate connections among their components than with their surrounding (Schlosser and Wagner, 2004b, p. 4). Cell types or organs (such as insects’ segments or limb bud) are structural modules. Characterized as processes, modules are units that interact with each other in an integrated fashion, but that “behave relatively invariantly in different contexts” (Schlosser and Wagner, 2004b, 4). Examples of such modules are gene regulatory networks and signalling cascades (like Hedgehog or Notch). For instance, Notch pathway is thought to promote cell fate decision, in early neurogenesis but also in “epidermal derivatives, various parts of the central nervous system, [...] lymphocytes, gut, lung, and

¹⁷ We are aware that the term “biological” might be a bit confusing after using the term “Darwinian modules”. We used the terms “Darwinian modules”, following Richard Samuels (2000), to designate the functionally specialized computational mechanisms posited by the evolutionary psychologists. These are a subclass of the biological modules we are talking about here. Of course, Chomskian and Fodorian modules can be biological modules as well.

¹⁸ See also Griffiths (in press): “The fundamental notion of modularity in evolutionary developmental biology is that of a region of strong interaction in an interaction matrix. A metazoan embryo is modularized to the extent that, at some specific stage in development, it consists of a number of spatial regions that are developing relatively independently of one another. ... Developmental modules are typically organized hierarchically, so that modules exist on a smaller physical scale within individual, larger scale modules. The individual cell represents one prominent level of this spatial hierarchy. At a lower level than the cell are particular gene control networks ...”.

¹⁹ In a recent paper, Arthur refers to these modules as “developmental cassette” suggesting that they are “evolution modules” (units on which natural selection acts): “The concept of an interaction pathway — and the group of genes that encode its components — as comprising a sort of developmental cassette that can be treated as a unit of evolutionary change is an attractive one. Different kinds of evolutionary process involving such units can be considered, including their divergence in separate lineages after speciation and their co-option for a new developmental purpose within a lineage, possibly coincident with the appearance of new morphological structures such as limbs.” (Arthur, 2002, p. 762).

pancreas” (Schlosser, 2004, p. 532). In most of these different domains, it fulfils a similar function, that is, it mediates cell fate decisions among adjacent cells (though the fates are different depending on the domain).

Because it recently became fashionable to talk about biological “modules” (see for instance the collections of Callebaut and Rasskin-Gutman, 2005 and Schlosser and Wagner, 2004a)²⁰, not many philosophers or psychologists have been thinking of emotions explicitly in terms of biological modules. The exception is Paul Griffiths (in press; but see also Dumouchel, *this volume*, for a different way to think about emotions along the lines of biological modules) who, in a recent paper, argues that thinking in terms of biological (developmental) modules (that is, in terms of quasi-independent parts that are tightly integrated within themselves and that can operate independently of each other) might be a step forward in the direction of a sounder evolutionary psychology. In such a psychology, much emphasis would be put on homological traits (and descent with modification) instead of analogical traits (as is the case with evolutionary psychology at the moment).²¹ According to him, homological traits have more ‘causal depth’ than analogical traits. To illustrate, he uses emotion as an example: “[...] suppose that two animals have psychological traits that are homologous — the basic emotion of fear in humans and fear in chimpanzees, We can predict that, even if the function of fear has been subtly altered by the different meaning of ‘danger’ for humans and for chimps, the computation methods used to process danger-related information will be very similar and the neural structures that implement them will be very similar indeed. [...] similarities due to homology (shared ancestry) are notoriously deep — even when function has been transformed, the deeper you dig the more similarity there is in mechanisms. Threat displays in chimps look very different from anger in humans, but the more you understand about the facial musculature, the more similar they appear. The same is almost certainly true of the neural mechanisms that control them” (In Press).

*

There is a great variety of structures that have been called “modules”. The six kinds of modules we have described here are not the only ones distinguished in the

²⁰ This is not to say that the idea of modularity has not been around for a while, see for instance Simon (1966) and Gould and Lewontin (1979).

²¹ For a very similar argument, but not explicitly couched in terms of modules, see Matthen (1998).

literature (see for instance Hurley 1998, as well as Sneddon, *this volume*, for a distinction between horizontal and vertical modules), but they are the main ones in the recent debate. As should now be obvious, the question whether emotions (the emotional system or else the system responsible for particular emotional kinds) are modules thus splits into at least six sub-questions. The questions addressed by the contributions to this volume are a) whether emotions are modules of this or that kind and b) what this entails with respect to our understanding of emotional phenomena in general. We have thus divided the different chapters along the lines of three traditional questions in the philosophy of emotions, i.e., the rationality of emotions question, the question whether there are basic emotions, and the question whether emotions are perceptions. Finally, the last part of this volume puts together contributions that focus on the modularity of particular emotional phenomena, such as shame.

2) *Emotion theory and the modularity question*

The rationality of emotions. A question which is as old as emotion theory is that of the relationship between emotions and reason. Although emotions have traditionally been criticized because of what was considered their opposition to reason, the renewal of interest in the emotions in the last twenty years has come with a marked revalorization of emotion (de Sousa 1987; Lazarus 1991; Damasio 1994; Nussbaum 2001). Emotions have been claimed either different from, but necessary for, theoretical and practical reason, or else part and parcel of rational thought. This question of the rationality of emotions is taken up here by Karen Jones and Ronald de Sousa.²² As Jones underlines, the claim that emotions are rational is far from obviously compatible with the view that emotions are modular in the Fodorian or Darwinian senses.

Karen Jones takes a critical, but sympathetic look at what she calls the “new pro-emotion consensus”. She starts with a detailed account of the different ways emotions are claimed to contribute to rationality, such as by improving our access to reason or by facilitating appropriate action. The question is how these feats are possible if emotions are encapsulated and mandatory. She claims that Tooby and Cosmides’ evolutionary

²² Also see Lance and Tanesini 2004.

account of emotions fails to show how emotions contribute to practical rationality in the contemporary world and argues that while Jesse Prinz's theory of recalibration might do so, this would be at the cost of having to abandon the claim that emotions are modular. She concludes that what is in fact needed to vindicate the pro-emotion consensus is more empirical work concerning the plasticity of emotions (on this, see Faucher and Tappolet, in press).

Ronald de Sousa encourages us to take what he calls "a political stance" with respect to the emotions. Though there is evidence that our emotions are modular in some ways, there might be reasons to resist this fact and even seek to correct it. Discussing the merit of the view that emotions are modular, de Sousa distinguishes between Fodorian modules and Darwinian modules, the latter being the kind of module that advocates of so-called "basic emotions" favour. He claims that although some emotions, the so-called "basic emotions", are governed by Darwinian modules, this kind of modularity does not make them currently adaptive. But this kind of modularity does not make them socially or individually useful, since such modules belong to what he calls the "first track" mind, which is largely encapsulated from reasoning. This is why de Sousa suggests that, instead of following either the biological evidence or our predictive and explanatory needs, our conception of the emotions should get its inspiration from art, something which would allow for a life of greater emotional richness.

Basic emotions. The idea that some emotions are more basic than others, the latter being constructed out of basic building-blocks, goes back at least to Descartes. Though following the work of psychologists, such as Paul Ekman (2007), and philosophers, such as Griffiths (1997), the thesis that some emotions, such as fear or disgust, are basic is often presented as a fact, it is still very controversial. This debate opposes psychologists with a biological bent (Ekman 1972, Friesen 1972, Tooby and Cosmides 1990), who claim that (at least some) emotions are panculturally and universally shared as well as innate, to social constructionists (Averill 1980, Armon-Jones 1986, Harré 1986), according to whom emotions are socio-cultural constructions which vary from one socio-cultural context to another (for some proposals as to how both approaches could indeed be compatible, see Faucher, 1999; Mallon and Stich, 2000). The claim that emotions, or at

least certain of them are basic, is often associated with the view that these states are modular. The question whether there are basic emotions is central to the essays of James Russell, of Robyn Bluhm and also of Paul Dumouchel. It is noteworthy that all the three contributors take issue with so-called basic emotion theorists.

In his contribution, psychologist James Russell launches an attack on basic emotion theory. He argues that this programme is not well supported by empirical evidence. According to basic emotion theory, emotions are complex adaptive responses which provided solutions to problems our ancestors encountered. Given that one tenet of basic emotion theory is that emotions are modular – they are, mainly, fast, innate, mandatory, encapsulated responses – doubts pertaining to basic emotion theory also threaten the modularity thesis. Russell argues that emotions are in fact composed of separate component processes, such as what he calls “Core Affect”, which is a neurophysiological state that is accessible through conscience and which is exemplified by the experience of feeling good or bad. The modularity question, he claims, is best asked with respect to each of these components. Core affect, in particular, is characterized by a certain amount of modularity. It has a unique output; it is fast and innate; it is subject to an evolutionary explanation; it is produced by a dedicated neural processor; it is mandatory, that is automatic and involuntary; and it is largely, but not completely, encapsulated.

In her paper, Robyn Bluhm explores the idea that, contrary to what advocates of the basic emotions’ thesis suppose, there are discontinuities between emotions in animals and humans. These discontinuities, she claims, have important consequences on the extent to which we can consider human emotions as modules. Using work by developmental psychologists like Allan Schore as well as Stanley Greenspan and Stuart Shanker (on the role of social interaction in the development of emotional regulation) and by specialists of human brain evolution like Deacon, she argues that human emotions do not have most of the characteristics attributed to modules by Fodor — that is, they are not encapsulated, nor mandatory, nor are they subserved by a distinct neural basis and finally, their development is not endogenous, but depends on social interactions. Such a view, going strongly against the claim of phylogenetic continuity central to the basic emotion

theory, might open the door to a view quite similar to Russell's, a form of psychological constructionism, or even to a form of social constructionism.

Anne Jacobson is interested in showing that, despite the fact that some instances of certain emotions (like fear) are not “informationally encapsulated”, some are. After considering phenomena like *emotional contagion* and what she calls “primitive emotions” (those emotions shared with other animals), she argues that these can be explained using a type of non-propositional (and non-conceptual) representations. Though they do not have all the properties traditionally attributed by philosophers to representations (i.e. intentionality), they play an important role in the explanation of emotional phenomena just mentioned. Indeed, because they are exclusively explained by their causal properties, they are the right kind of representations to play a role in those emotional phenomena that are modular.

As we said earlier, Paul Dumouchel is exploring a radically different way of thinking about emotions. After explaining how biologists use the notion of modularity (see our sixth sense of modularity above, more specifically the view of modules as processes), he proposes that emotions could profitably be thought of as biological modules. He is particularly drawn by the fact that biological modules are often invoked to explain population-level phenomena (coordination), bypassing the level of the individual. He claims the same is true for emotions. According to him, there are sub-personal affective modules the function of which is the coordination of individuals. Dumouchel then explores how this way of thinking about emotions helps to resolve two difficulties that more traditional views of basic emotions cannot solve: the “sincerity problem” and the “indeterminacy problem”.

Emotions as perceptions. The many analogies between emotions and perceptual experiences have led some emotion theorists to the view that emotions are a kind of perception (de Sousa 1987; Goldie 2000; Tappolet 2000; Prinz 2004). A striking fact is that both perceptual experiences and emotions allow for case of conflict with higher cognition. In cases of perceptual illusion, as in the Müller-Lyer illusion, what we perceive conflicts with what we believe or know to be the case. The same kind of phenomena is present in emotions. As Hume noted, we often experience fear while we believe or even

know that what we fear is neither dangerous nor fearsome. Thus, both perceptual experiences and emotions, or at least some of them, seem to share at least one important modularity characteristic: informational encapsulation. For the same reason, the evaluative content of emotions has been considered to be non-conceptual (Tappolet 2000; see also Tye 2006). Of the four contributions that address the question whether emotions are perceptions of a kind, three are favourable to a perceptual account of emotions, while the last one, that by Louis Charland, favours a more cognitivist model of emotions.

As he did before in his *Gut Feelings* (2004), Jesse Prinz defends a perceptual account of emotions in the tradition of James and Lange. In cognitive science, most people working on perception take it that it is to some degree modular. It is thus a small step to argue that, emotions being some kind of perception, they might also be modular. This is exactly what Prinz claims (more precisely, he suggests that emotions are perception of ‘concerns’ and they do so by registering the state of the body, that is, through interoception). As he suggests, there is no big difference between getting mad and seeing red. But contrary to his 2004, Prinz changes his view on modularity and instead of adopting the Fodorian view on modularity, proposed his own, what he calls “quasi-modularity” (which drops the “informational encapsulation” characteristic of modules and replaces it by the notion of “stimulus dependency”).

Andrew Sneddon’s aim in his chapter is to compare two ways of thinking of emotional perceptions. The central difference between these models, which are grounded in a fundamentally different view of the mind, concerns the notion of modularity. One model uses classic, Fodorian, modules which are characterized by Susan Hurley as “vertical” and are contrasted with so-called “horizontal” modules (Hurley 1998). The other model uses these “horizontal” modules, which are modular in virtue of being content- and task-specific, but which are such that processing closer to the outputs of the systems can have feedback effects on processes closer to the inputs. Suggesting that these models can be applied to emotions, Sneddon discusses some empirical tests that might adjudicate between these two models of emotional perception.

In “Assembling the Emotions”, Vincent Bergeron and Mohan Matthen argue that there is an important analogy between visual experience and the emotions. The first part of their paper consists in a general discussion on the best way to characterize modularity.

After distinguishing between cognitive and anatomical modules, they argue that the identification of the functional contribution of anatomical modules to cognitive performance ought to be finer grained. This is because, they argue, the cognitive performances identified by psychologists as the product of cognitive modules are often carried out by multiple anatomical components cooperating to produce outputs. For instance, as they suggest, our visual experience consists of two different kinds of components, a representational component *plus* a “feeling of presence” that marks the experience as relating to a real object. In the same way, emotions would consist of a purely cognitive evaluative component *plus* what they call “a state of moral deixis”, which locates the agent in his own world of values and makes an evaluation motivationally relevant. In support of this conception, they discuss evidence from frontal lobe lesions and their impact on emotional response and social cognition. They claim that the dissociations of emotional response and social cognition fail to show that emotion is separate from cognition, and argue instead that the manner of entertaining value-content is separate from cognition itself, and located in a separate area of the brain.

In his piece, Louis Charland takes issue with the usual association of the modularity thesis and the perceptual conception of emotions. According to him, there are good reasons to consider the possibility that there may also be cognitive modular factors operating in emotion, especially in emotional pathologies like depression. Charland argues that what is lacking in contemporary discussions is an appreciation of the symbol-processing computational character of Fodorian modularity and a proper understanding of the import of the distinction between modularity and transduction. On the basis of Aaron Beck’s cognitive theory of depression (Beck 1976), Charland argues that depression is a cognitive module.

Types of emotions. Consider the disgust you feel at the sight of a putrefied corpse, the fear you feel when watching a horror movie, the pride you experience after having made it to the end of a difficult hike or the love you feel for a close friend. Obviously, emotions are a varied lot²³. This is why the modularity question (or more exactly the modularity questions, given that plurality of modularity concepts) should in fact be asked of each

²³ Things get even more complicated if moods, such as elation or depression, are added to the picture. See de Sousa’s contribution for the modularity of moods.

emotion type. It might well turn out that some emotions, such as fear and disgust, are modular in one sense of the word, while others, such as pride or love, are not. Two of our contributions focus of particular emotional phenomena.

Ruwen Ogien concentrates on an emotion which is more cognitively loaded, shame. To be ashamed of your big ears, for instance, you need to believe that you have big ears. According to many, you also need to believe that the size of your ears somehow speaks against you – maybe you consider that they violate some aesthetic cannon, for instance. The question Ogien considers is whether the fact that shame necessarily involves such beliefs, as well as the fact that shame behaviour does not automatically result in typical behaviour, means that shame lacks modularity. He argues on the basis of a discussion of the cheater-detection module postulated by Cosmides and Tooby, that shame, as well as other cognitively loaded emotions such as pride or guilt, are so-called “conceptual modules”. Such mechanisms lack strict encapsulation since they take complex social information as input. Ogien argues however that the modularity claim of emotions such as shame can be upheld even in the absence of automatic and predictable behavioural output. The reason for this is that the explanation of actions such emotions provides are what Elster (1999) calls “explanations by mechanism”, that is, causal explanations which do not allow for predictions. Thus, we are not forced to give up the causal model that is essential to modularity.

In his contribution, Timothy Schroeder focuses on pleasure. In his view, pleasure and surprise are closely related, in the sense that pleasure (and displeasure) depends on a modular system the outputs of which are expectations. He argues that there is a modular system which forms what he calls “gut-level” expectations, which he distinguishes from beliefs about what is likely. This modular system would be responsible for an interesting portion of cases in which it seems to us that our feelings of pleasure and displeasure are not appropriate to our circumstances, and this in turn would provide the explanation for some of the phenomena that have led people to call the emotions ‘modular’.

The contributions of this volume cover a lot of ground and address a number of hot debates. But as always in philosophy, there is no expectation that these debates will be definitively settled. This, of course, might well occasion further philosophical pleasure.

Bibliography

- Ackerman, B. P., J. A. A. Abe and C. E. Izard. 1998. Differential Emotions Theory and Emotional Development. In *What Develops in Emotional Development?*, eds. M. F. Mascolo and S. Griffin, 85-106. New York: Plenum Press.
- Armon-Jones, C. 1986. The Thesis of Constructionism. In *The Social Construction of Emotions*, ed. R. Harré, 2-56. Oxford: Blackwell.
- Arnold, M. B. 1960. *Emotion and Personality*, New York: Columbia University Press.
- Arthur, W. 2002. The Emerging Conceptual Framework of Evolutionary Developmental Biology. *Nature* 415: 757-764.
- Averill, J. R. 1980. A Constructivist View of Emotions. In *Emotion: Theory, Research and Experience* Vol. I. *Theories of Emotion*, R. Plutchik and H. Kellerman, 305-339. New York: Academic Press.
- Barrett, H.C. 2005. Enzymatic Computation and Cognitive Modularity. *Mind and Language* 20: 259-287.
- Barrett, H. C., and R. Kurzban. 2006. Modularity in Cognition: Framing the Debate. *Psychological Review* 113 (3): 628-647.
- Beck, A. T. 1976. *Cognitive Theory and the Emotional Disorders*. New York: Meridian.
- Bergeron, V. 2007. Anatomical and Functional Modularity in Cognitive Science: Shifting the Focus. *Philosophical Psychology* (20): 175-195.
- Callebaut, W., and D. Rasskin-Gutman. 2005. *Modularity: Understanding the Development and Evolution of Natural Complex Systems*. Cambridge: MIT Press.
- Campos, J. J., R. Kermoian and D. Witherington. 1996. An Epigenetic Perspective on Emotional Development. In *Emotion: Interdisciplinary Perspectives*, ed. R. Kavanaugh, B. Zimmerberg and S. Fein, 119-138. Lawrence Erlbaum Associate.
- Carruthers, Peter, 2006. The Case for Massively Modular Models of Mind. In *Contemporary Debates in Cognitive Sciences*, ed. Rob Stainton, 3-21. Oxford: Blackwell Publishing.
- Charland, Louis C. 1995. Feeling and representing: Computational theory and the modularity of affect. *Synthese* 105: 273-301.

- Chomsky, N. 1988. *Language and Problems of Knowledge*. Cambridge: MIT Press.
- Coltheart, M. 1999. Modularity and Cognition. *Trends in Cognitive Sciences* 3 (3): 115-120.
- Cosmides, L. and Tooby, J. 1995. From function to structure: The role of evolutionary biology and computational theories in cognitive neuroscience. In *The cognitive neurosciences*, ed. M. Gazzaniga. Cambridge: MIT Press.
- Cosmides, L., and Tooby, J. 2000. Evolutionary psychology and the emotions. In *Handbook of Emotions* (2nd ed.), ed. M. Lewis and J. M. Haviland-Jones, 91-115. NY: Guilford.
- Cosmides, L., and Tooby, J. 2004. Knowing thyself: The evolutionary psychology of moral reasoning and moral sentiments. In *Business, Science, and Ethics. The Ruffin Series* No. 4, ed. R. E. Freeman and P. Werhane, 93-128. Charlottesville: Society for Business Ethics.
- Damasio, A. 1994, *Descartes' Error: Emotion, Reason and the Human Brain*, New York: Gossett/Putnam.
- Dennett, D. C. 1987. Cognitive Wheels: The Frame Problem in AI. In *The Robots Dilemma: The Frame Problem and Other Problems of Holism in Artificial Intelligence*, ed. Z. Pylyshyn. Norwood: Ablex Publishing.
- de Sousa, R. 1987. *The Rationality of Emotion*, Cambridge: MIT Press.
- Duchaine, B.C., G. Yovel, E.J. Butterworth and K. Nakayama. 2006. Prosopagnosia as an Impairment to Face-Specific Mechanisms: Elimination of the Alternative Hypotheses in Developmental Case. *Cognitive Neuropsychology* 23 (5): 714-747.
- Ekman, Paul, 2007. *Emotions Revealed : Recognizing Faces and Feelings to Improve Communication and Emotional Life* (2nd ed.), New York: Henry Holt and Company.
- Ekman, P. 1972. Universal and Cultural Differences in Facial Expressions of Emotion. In *Nebraska Symposium on Motivation* vol. 9, ed. J. Cole, 207-282. Lincoln: University of Nebraska Press. 1971.
- Elster, J. 1999. *Alchemies of the Mind*. Cambridge: Cambridge University Press.
- Faucher, L. 1999. Émotions fortes, constructionnisme faible et élimination. *Philosophiques* 26/1: 13-35.
- Faucher, L. P. Poirier & J. Lachapelle. In Press. The Concept of Innateness and the Destiny of Evolutionary Psychology. *Mind and Behavior*.
- Faucher, L, and C. Tappolet. In Press. Facts and Values in Emotional Plasticity. *Consciousness and Emotion series*, ed. P. Zachar and L. Charland.
- Fodor, J. 1983. *The Modularity of Mind*. Cambridge: MIT Press.
- Fodor, J. 1985/1990. Précis of The Modularity of Mind. *The Behavioral and Brain Sciences* 8: 1-42; reprinted in Fodor, J. *A Theory of Content and Other Essays*. Cambridge: MIT Press, 195-206.
- Fodor, J. 2000. *The Mind Doesn't Work that Way*. Cambridge: MIT Press.
- Friesen, W. V. 1972. Cultural Differences in Facial Expressions in a Social Situation: An experimental Test of the Concept of Display Rules. Doctoral Dissertation, University of California, San Francisco.
- Gauthier, I., Curby, K.M., and Epstein, R. 2005. Activity of spatial frequency channels in the fusiform face-selective area relates to expertise in car recognition. *Affective Behavioral Neuroscience* 5(2): 222-34
- Goldie, P. 2000 *The Emotions. A Philosophical Exploration*. Oxford: Oxford University Press.
- Gould, S.J., and R. Lewontin. 1979. The Spandrels of San Marco and the Panglossian Paradigm: A Critique of the Adaptationist Programme. *Proceedings of the Royal Society*, London, B, 205: 581-598.
- Griffiths, P. E. 1990. Modularity & the Psychoevolutionary Theory of Emotion. *Biology & Philosophy* 5: 175-196.
- Griffiths, P. 1997, *What Emotions Really Are*. Chicago, University of Chicago Press.

- Griffiths, Paul E. In Press. [Evo-Devo Meets the Mind: Towards a developmental evolutionary psychology](#). In *Integrating Development and Evolution*, ed. R. Sanson and R. N. Brandon. Cambridge: Cambridge University Press.
- Harré, R. 1986. The Social Constructivist Viewpoint. In *The Social Construction of Emotions*, ed. R. Harré. Oxford: Blackwell.
- Haselton, M. and Ketelaar, T. In Press. Irrational Emotions or Emotional Wisdom? The Evolutionary Psychology of Affect and Behavior. Chapter to appear in *Hearts and Minds: Affective influences on social cognition and behavior*, ed. J. Forgas. 8th Sydney Symposium of Social Psychology.
- Hume, D., 1739-40/1973 *A Treatise of Human Nature*, ed. L. A. Selby-Biggy and P. H. Nidditch, Oxford: Clarendon Press.
- Hurley, S. L. 1998. *Consciousness in Action*. Cambridge: Harvard University Press.
- Karmiloff-Smith, A. 1992. *Beyond Modularity: A Developmental Perspective in Cognitive Science*. Cambridge: MIT Press.
- Ketelaar, T., and W. T. Au. 2003. The effects of guilty feelings on the behavior of uncooperative individuals in repeated social bargaining games: An Affect-as-information interpretation of the role of emotion in social interaction. *Cognition & Emotion* 17: 429-453.
- Knapp, C. 2003. Moralizing Disgustingness. *Philosophy and Phenomenological Research* 66 (2): 253-278.
- Lance, M., and A. Tanesini. 2004. Emotion and Rationality. In *New Essays in the Philosophy of Language and Mind, Canadian Journal of Philosophy* supp. vol. 30, ed. M. Ezcurdia, R. Stainton and C. Viger, 275-295.
- Lazarus, Richard S. 1991. *Emotion and Adaptation*, New York: Oxford University Press.
- Machery, E., and C. Barrett. 2006. Debunking *Adapting Minds*. *Philosophy of Science*, 72, 232-246.
- Mallon, R., and S. P. Stich. 2000. The odd couple: The compatibility of social construction and evolutionary psychology. *Philosophy of Science* 67 (1): 133-154.
- Marcus, G. F. 2006. [Cognitive Architecture and Descent with Modification](#). *Cognition*, 101: 443-465.
- Matthen, M. Biological Universals and the Nature of Fear. *Journal of Philosophy* 95: 105-132.
- Montaigne M. de. 1588/1962. *Essais* vol. I. Paris: Garnier-Flammarion.
- Nussbaum, M. C. 2001. *Upheavals of Thought. The Intelligence of Emotions*, Cambridge: Cambridge University Press.
- Öhman, A., and S. Mineka. 2001. Fear, phobias and preparedness: Toward an evolved module of fear and fear learning. *Psychological Review* 108: 483-522.
- Pinker, S. 1997. *How the Mind Works*. London: Allen Lane.
- Prinz, J. J. 2004. *Gut Reactions. A Perceptual Theory of Emotion*, New York: Oxford University Press.
- Samuels, R. 2000. Massively Modular Minds: Evolutionary Psychology and Cognitive Architecture. In *Evolution and the Human Mind. Modularity, Language and Meta-Cognition*, ed. P. Carruthers, A. Chamberlain, 13-46.
- Saxe R, S. Carey and N. Kanwisher. 2004. Understanding other minds: linking developmental psychology and functional neuroimaging. *Annual Review of Psychology* 55:87-124.
- Scherer, K. R., A. Schorr, and T. Johnstone, eds. 2001, *Appraisal Processes in Emotion: Theory, Methods, Research*, Oxford: Oxford University Press.
- Schlosser, G., G.P. Wagner, eds. 2004a. *Modularity in Development and Evolution*. Chicago: Chicago University Press.

- Schlosser, G., and G. P. Wagner. 2004b. Introduction. The Modularity Concept in Developmental and Evolutionary Biology. In *Modularity in Development and Evolution*, ed. G. Schlosser and G.P. Wagner, 1-11. Chicago: Chicago University Press.
- Schlosser, G. 2004. The Role of Modules in Development and Evolution. In *Modularity in Development and Evolution*, ed. G. Schlosser and G.P. Wagner, 519-582. Chicago: Chicago University Press.
- Segal, G. 1996. The Modularity of Theory of Mind. In *Theories of the Theories of the Mind*, ed. P. Carruthers and K. Smith, 141-157. Cambridge: Cambridge University Press.
- Simon, H. 1966. *The Sciences of the Artificial* (3rd ed.). Cambridge: MIT Press.
- Sperber, D. 1994. The Modularity of Thought and the Epidemiology of Representations. In *Mapping the Mind: Domain Specificity in Cognition and Culture*, eds. L.A. Hirschfeld and S.A. Gelman. New York: Cambridge University Press.
- Sperber, D. 2002. In Defense of Massive Modularity. In *Language, Brain and Cognitive Development: Essays in Honor of Jacques Melher*, ed. E. Dupoux, 47-57. Cambridge: Cambridge University Press.
- Tappolet, C. 2000. *Emotion et Valeurs*. Paris: Presses Universitaire de France.
- Tye, M. 2006. The Thesis of Nonconceptual Content, in *The Structure of Nonconceptual Content, European Review of Philosophy* vol. 6, eds. C. van Geen and F. de Vignemont, 8-30.
- Tooby, J., and L. Cosmides. 1990. The Past Explains the Present: Emotional Adaptations and the Structure of Ancestral Environments. *Ethology and Sociobiology* 11: 375-424.
- Tooby, J., L. Cosmides and H. C. Barrett. 2005. Resolving the debate on innate ideas: Learnability constraints and the evolved interpenetration of motivational and conceptual functions. In *The Innate Mind: Structure and Content*, eds. Carruthers, P., Laurence, S. & Stich, S., 305-337. NY: Oxford University Press.