

Matter as Information. Quantum Information as Matter

VASIL PENCHEV

1. The thesis

The concept of matter in physics can be considered as a generalised form of information, that of quantum information involved through quantum mechanics. Furthermore, the concept of information can unify concrete and abstract objects while the notions of matter and energy in physics demark them. Thus, information can be seen as the universal substance of the world and therefore, as the relevant generalisation of the notions of mass and energy in physics referring only to the world of concrete objects.

2. A few preliminary notes

The first one refers to quantum information: the conception of quantum information was introduced in the theory of quantum information studying the phenomena of entanglement in quantum mechanics: the entanglement was theoretically forecast in the famous papers of Einstein, Podolsky, and Rosen¹ and independently by Schrödinger² deducing it from Hilbert space, on which is based the mathematical formalism of quantum mechanics. However, the former three demonstrated the forecast phenomenon as the proof of the alleged 'incompleteness of quantum mechanics'. John Bell³ deduced a sufficient condition as an experimentally verifiable criterion in order to

¹ Einstein, Podolsky, and Rosen 1935, 777.

² Schrödinger 1935, 807.

³ Bell 1964, 195.

distinguish classical from quantum correlation (entanglement). Aspect, Grangier, and Roger⁴ confirmed experimentally the existence of quantum correlations exceeding the upper limit of all possible classical correlations. The theory of quantum information has thrived since the end of the last century in the areas of the quantum computer, quantum communication, and quantum cryptography.

Quantum information can be considered as a quantity measured in qubits: the notion of quantum bit (or ‘qubit’) underlies that of quantum information: ‘Qubit’ is: $\alpha|0\rangle + \beta|1\rangle$ where α, β are two complex numbers such that $|\alpha|^2 + |\beta|^2 = 1$ and $|0\rangle, |1\rangle$ are any two orthonormal vectors (e.g. the orthonormal bases of any two subspaces) in any vector space (e.g. Hilbert space, Euclidean space, etc.).

A qubit is isomorphic to a unit ball under the following conditions: A qubit is equivalently representable as a unit ball in Euclidean space and two points, the one chosen within the ball, and the other being the orthogonal projection on its surface.

Consequently, the qubit links the Hilbert space of quantum mechanics to the Minkowski space of special relativity and even to the pseudo-Riemannian space of general relativity (the latter by the additional mediation of the concept of entanglement). The ‘Banach-Tarski paradox’⁵ connects the axiom of choice and the unit-ball representation of a qubit.

Hilbert space can be represented as a ‘tape’ of qubits: Given any point in the complex Hilbert space as a vector $C_1, C_2, \dots, C_n, C_{(n+1)}, \dots$, one can replace any successive couple of its components such as $(C_1, C_2, C_2, C_3, \dots, C_{(n-1)}, C_n, \dots)$ with a single corresponding qubit $Q_1, Q_2, \dots, Q_n, Q_{(n+1)}, \dots$ such that:

$$\alpha_n = \frac{C_n}{(+)\sqrt{|C_n|^2 + |C_{n+1}|^2}}$$

$$\beta_n = \frac{C_n}{(+)\sqrt{|C_n|^2 + |C_{n+1}|^2}}$$

⁴ Aspect, Grangier, and Roger 1981, 460; Aspect, Grangier, and Roger 1982, 91.

⁵ Banach and Tarski 1924, 244.

if $C_n, C_{(n+1)}$ are not both 0. However if both are 0 one needs to conventionally add the centre ($\alpha_n=0, \beta_n=0$) to conserve the mapping of Hilbert space and an infinite qubit tape to be one-to-one.

A bit and a qubit can be compared: then if any bit is an elementary binary choice between two disjunctive options usually designated by '0' and '1', any qubit is a choice between a continuum of disjunctive options as many (or 'much') as the points of the surface of the unit ball. Thus the concept of choice is the core of computation and information. It is what can unify the classical and quantum case, and the demarcation between them is the bound between a finite vs. infinite number of the alternatives of the corresponding choice.

A Turing machine can be juxtaposed with a quantum Turing machine: the quantum Turing machine processes quantum information correspondingly qubit by qubit serially, but in parallel within any qubit: the axiom of choice formalises that parallel processing as the choice of the result. Even the operations on a qubit can be the same as on a bit. The only difference should be for the command 'write/ read': It should be a value of either a binary (finite) or an infinite set.

Quantum information can be considered as the information of an infinite set as an ordinal and as complexity: the quantum information introduced by quantum mechanics is equivalent to that generalisation of the classical information from finite to infinite series or collections. Indeed information can be interpreted as the number of choices necessary for an ordering of some item from another ordering of the same item or from the absence of ordering to be reached. Then the quantity of information is the quantity of choices measured in the units of elementary choice. The quantity of quantum information is the ordinal corresponding to the infinite series in question.

The second preliminary note refers to the conception of an 'ordinal number' in set theory and its application in quantum mechanics. There are two well-known common definitions of 'ordinal': both definitions of an 'ordinal number'⁶ are interpretable in terms of quantum mechanics.

The Cantor-Russell definition is admissible as the ordinals are small: ' ω ' is enough of a limit. The ordinal defined in Cantor-Russell

⁶ The first one: Cantor 1897, 207; Whitehead and Russell 1927, 18; the second one: Neumann 1923, 199.

generates a statistical ensemble while that in Neumann, a well-ordering. Both correspond one-to-one to a coherent state as one and the same quantity of quantum information contained in it.

The interpretation of the two 'kinds' of ordinal numbers in terms of quantum mechanics is as follows: the relation between the statistical ensemble and the single and unknown well-ordering is the relation between an ordinal defined correspondingly in Cantor-Russell or in Neumann. The ordinal defined in Neumann should be interpreted as a representative of 'determinism' for any statistical ensemble corresponding one-to-one to an ordinal defined in Cantor-Russell. However, this representative exists only 'purely' for it is a mapping of a coherent state necessarily requiring the axiom of choice.

The third preliminary note concerns the concept of the 'length of now' after de Broglie. The 'length of now' of any quantum entity can be defined as the period of the de Broglie wave,⁷ which can be associated with that quantum entity: thus the 'length of now' should be reciprocal to the energy (mass) of the quantum entity: then the 'length of now' of the device should be a randomly chosen point from the segment of the 'length of now' of the quantum entity therefore including the future and the past of the apparatus uniformly.

3. Mass, energy and information as linked physical quantities

Contemporary physics introduces the notion of matter and quantity of mass as a form of energy according to Einstein's famous equation $E=mc^2$. The physical world and all entities within it (the concrete objects) share that quantity of matter. However, there exist abstract objects, which do not belong to the physical world. Thus, the physical concept of mass does not refer to them. Consequently, that quantity of mass is the demarcation between those two worlds: that of the concrete objects and that of the abstract ones. Any entity should belong to either one or the other.

All abstract objects share a common quantity, that of information. It can be defined in different ways, partly equivalent to each other. It can be interpreted also as the complexity of a given abstract object,

⁷ Broglie 1925, 22.

e.g. as the length of the shortest algorithm (or the number of the corresponding Turing machine), by which the object at issue can be constructed.⁸

The dimensionless physical quantity of thermodynamic entropy shares the same or similar mathematical formula as information. However, it always refers to some statistical ensembles of material (energetic) entities and thus the demarcation between mass (energy) and information is conserved though the concept of information unifies both concrete and abstract objects. Information in both cases can be considered as a quantity describing the degree of ordering (or disordering, or complexity) of any collection either of abstract or of concrete objects.

Furthermore, any physical entity shares quantum information. The concept of quantum information introduced by quantum mechanics allows even more: any physical entity to be interpreted as some nonzero quantity of quantum information, which can be seen as that generalization of information, which is relevant to infinite collections for the classically defined information can refer only to finite ones.

Then the following hypothesis can be offered: the quantities of mass and energy are interpretable as some nonzero amount of quantum information. Thus the demarcation between concrete and abstract objects can be understood as the boundary between infinity and finiteness in a rigorous and even mathematical sense. This allows for diffusing concepts between the philosophy of mathematics and quantum mechanics, on the one hand, and ontology, on the other hand.

Mass, energy, and matter can be considered forms of information. The core is the following: the physical concepts of mass, energy and matter are interpreted as the notion of information in the case of quantum information, i.e. as the information in an infinite collection. Furthermore, the mathematical analysis of the relation between infinity and finiteness can be transferred to elucidate the essence of matter even in an ontological sense. Mass and energy can be referred to the complexity of infinite sets. Energy (and therefore mass) can be interpreted as the change of the complexity of a relevant infinite set thus: Energy is the change of that transfinite ordinal representing the complexity per unit of transfinite well-ordering. That unit of the

⁸ Kolmogorov 1968, 662.

number of sells necessary for that transfinite well-ordering should be a unit of time. The change of the transfinite ordinal number should be the corresponding change of probability due to the change of a wave function.

4. Choice and information

Choice should be put in the base of information. The notion of choice grounds that of information. The latter can be seen as the quantity of elementary choices in units of choice, which are also units of information. The generalisation of information through the boundary of infinity as quantum information requires the axiom of choice⁹ to legitimate the notion of choice as to infinity.

The axiom of choice applied to quantum mechanics implies quantum invariance in relation to the choice in the following sense: a few theorems¹⁰ deduce from the mathematical formalism of Hilbert space that no hidden variable and thus no well-ordering is allowed for any coherent state in quantum mechanics.

However, the latter is well-ordered after measurement and thus needs the well-ordering theorem equivalent to the axiom of choice. The epistemological equivalence of a quantum system before and after measurement forces the invariance to the axiom of choice. That invariance is shared by the Hilbert space formalism. This fact can be called quantum invariance as to quantum mechanics.

Choice can be generalised to infinity: one can demonstrate that quantum mechanics involves and even develops implicitly the concept of choice as to infinity, on the one hand, and set theory (the so-called paradox of Skolem¹¹ based on the axiom of choice) does the same, on the other hand. Thus the understanding of matter as information elucidates how choice underlies matter and even ontology at all.

The concept of quantum information can be introduced in different ways: one of them defines it by means of Hilbert space and thus any point in it which is equivalent to a wave function, i.e. to a state of some

⁹ Zermelo 1904, 514.

¹⁰ Neumann 1932, 167; Kochen and Specker 1968, 59.

¹¹ Turing 1937, 97.

quantum system, can be considered as a certain value of the quantity of quantum information.

A Turing machine can refer to a quantum computer under certain conditions: that visualisation allows for highlighting the fundamental difference between the Turing machine and the quantum computer¹²: the choice of an element of an uncountable set requires the axiom of choice necessarily. The axiom of choice being non-constructive is the relevant reference frame to the concept of quantum algorithm: the latter, in turn, involves a constructive process of solving or computation having an infinite and even uncountable number of steps therefor.

Information can be defined as the number of primary choices: the concept of information can be interpreted as the quantity of the number of primary choices. Furthermore, the Turing machine either classical or quantum as a model links computation to information directly: the quantity of information can be thought as the sum of the change bit by bit or qubit by qubit, i.e. as the change of a number written either by two or by infinitely many digits.

The following equating should hold: A cell of a (quantum) Turing tape = a qubit = a choice of (quantum) information = an 'infinite digit'.

The 'leap' from information to quantum information is through the boundary of infinity: the generalisation from information to quantum information can be interpreted as the corresponding generalisation of 'choice': from the choice between two (or any finite number of) disjunctive alternatives to infinitely many (and even 'much') alternatives. Thus the distinction between the classical and quantum case can be limited within any cell of an algorithm or (qu)bit of information.

5. Abstraction and choice

Abstraction and choice are implicitly defined in set theory: the link between abstraction and choice in the foundation of set theory can distinguish unambiguously the 'good' principles of abstraction from the 'bad' ones. The good abstraction is always a choice in the sense of set theory; or in other words, that abstraction, to which a choice does not correspond, is a 'bad abstraction' implying contradictions.

¹² Deutsch 1985, 97; Deutsch 1989, 73; Yao 1993, 352.

The abstraction as a generalisation can be compared with the choice by means of two examples: abstraction was initially allowed to be unrestricted in 'naïve set theory', therefore admitting a lot of paradoxes. It was Zermelo¹³ who offered the relevant way out restricting the abstraction in set theory in fact by means of choice: a set is not only the abstraction of its elements, but it can also be chosen from another set.

Linnebo's concept of 'COLAPSE'¹⁴ and Popper's principle of falsifiability¹⁵ are two more possible examples of the complement of the generalisation by the relevant choice of the abstracted.

The axiom of choice can be referred to the axiom scheme of specification: the concept of abstraction or that of choice in set theory is fundamental (like that of point in geometry) and cannot be defined rigorously otherwise than contextually and indirectly by the axioms in set theory: as the axiom of choice can correspond to 'choice', so the axiom scheme of specification, to 'abstraction'. Their intuitions are the opportunities accordingly for an element to be chosen from a set or all elements of a set to be specified by a single logical function.

A few words can be said about the logical equivalence of choice and abstraction: one can designate as the 'name' or 'natural name' of a set that logical function, which is equivalent to it according to the corresponding axiom (or axiom scheme) of abstraction in set theory. Then, what is the relation between the name and the choice of one and the same set? Can a set be chosen without having any name? Or vice versa: can a set be named without being chosen? One can suggest the equivalence of the name and the choice of one and the same set for this seems intuitively justified.

An example can be given by the 'Gödel first incompleteness theorem'; furthermore, 'This set has this name' should be a decidable proposition. However, the so-called Gödel first incompleteness theorem, 'Satz VI'¹⁶ implies that there are such sets and such names, about which that proposition is not decidable if the conditions of the validity of the theorem are satisfied. This implies that the name of

¹³ Zermelo 1908, 261.

¹⁴ Linnebo 2010, 144.

¹⁵ Popper 1935, 13.

¹⁶ Gödel 1931, 187.

any set is imposed with suitable restrictions, which should exclude the application of Gödel's theorem: one can choose as a name any proposition out of its conditions. One believes that this can be avoided by the restriction in the corresponding postulate in set theory for the names to be finite or to consist of a finite set of free variables. However, what about the sets having no finite name, but possessing an infinite name? Is there at least one set of that kind? Obviously, yes, there is: e.g. any transcendental number without any special designation like ' π ', ' e ', etc. One needs an actual infinite set, e.g. that of its digits, in order to construct its name.

However, the restriction of the name in the corresponding axiom scheme in set theory about abstraction should exclude it thus saving the theory from the Gödel undecidable propositions as names of sets.

The axiom of choice would distinguish unambiguously even between them: the transcendental number being single can be chosen while any set specified by some undecidable proposition cannot be chosen.

Furthermore, abstraction and choice can be defined in terms of quantum mechanics, too: 'choice' is then the relation of a coherent state (or superposition) and a measured value of it (or an element of the corresponding statistical ensemble).

The reverse relation (either of a single element or of the whole statistical ensemble) to the coherent state can be accordingly interpreted as that 'abstraction' in terms of quantum mechanics.

Both abstraction and well-ordering may be referred to quantum mechanics as coherence and de-coherence: any well-ordering can be considered as an ordered series of choices. Thus a mapping of a coherent state into a statistical ensemble can be interpreted in terms both of transfinite ordinals and wave functions as the quantity of quantum information contained in it. Furthermore, the quantity of quantum information should be invariant both to abstraction and to choice (as they are defined in quantum mechanics above) after the wave functions (points in Hilbert space) and the transfinite ordinals are mapped one-to-one into each other.

'Hume's principle' is introduced as a fundamental logical principle: in fact the so-called principle of Hume is suggested by a contemporary

logician, George Boolos.¹⁷ Its sense seems quite simple and obvious: the enumeration does not change the number of the enumerated items whatever they are. The enumeration cannot change information. Thus the number or the information should be invariant to whether the objects are abstract or concrete.

Or in other words, any number is the abstraction of all sets having the same number of elements, whatever these elements or sets are. 'Hume's principle' generalised in terms of quantum mechanics should sound thus: in the quantum principle of Hume, ' G_s ' should be interpreted as some 'many' and ' F_s ' as some 'much' of one and the same set or abstraction.

Indeed the axiom scheme in set theory about abstraction can be interpreted as a scheme of tautologies, in which each name designates a set as a whole, i.e. as a 'much', while the collection of elements designates as a 'many' consisting of separated individuals.

Abstract and concrete objects can be considered as kinds of sets: the objects either abstract or concrete, can be unified as some homogeneous plurality and thus as a whole. Furthermore, that whole can be considered a new abstract object. Thus, concrete and abstract objects can be opposed as a 'many' and the whole of it, or as a 'many' and a 'much' of one and the same quality. That intuition addresses the concept of 'set' utilised in set theory.

The quantum 'principle of Hume' means, properly, the conservation of quantum information after de-coherence ('choice') or coherence ('abstraction').

6. Conclusions

Any physical process is a quantum computation: a quantum computer can be equivalently represented by a quantum Turing machine. The quantum Turing machine is equivalent to Hilbert space. Quantum mechanics states that any physical state or its change is a self-adjoint operator in Hilbert space as any physical system can be considered as a quantum one. Consequently all physical processes can be interpreted as the calculation of a single computer, and thus the universe being as it.

¹⁷ Boolos 1987, 3.

Any wave function is a value of quantum information: any wave function can be represented as an ordered series of qubits enumerated by the positive integers. Just as an ordering of bits can represent a value of classical information, that series of qubits, equivalent to a wave function, represents a value of quantum information. One can think of the qubits of the series as a special kind of digits: 'infinite digits'.

As a binary digit can accept two values, that 'infinite digit' should accept an infinite number of values.

All physical processes are informational: quantum mechanics is the universal doctrine about the physical world and any physical process can be interpreted as a quantum one. Any quantum process is informational in terms of a generalised kind of information: quantum information. Consequently, all physical processes are informational in the above sense.

Quantum information is the real fundament of the world: indeed, all physical states in the world are wave functions and thus they are different values of quantum information. All physical quantities in the world are certain kind of changes of wave functions and thus of quantum information. Consequently, one can certainly state that the physical world consists only of quantum information: it is the substance of the physical world, its 'matter'.

Information is a bridge between two groups of fundamental philosophical concepts: the conception of information and more exactly, quantum information unifies physics and mathematics, and thus the material and the ideal world as well as the concrete and abstract objects.

The ground is the choice unifying the well-ordering of the past and the uncertainty of the future by the choice of the present. Consequently, quantum information as the substance of the universe is the mediator between totality and time, on the one hand, and the physical world, on the other hand. Information can also be considered also as a 'bridge' between the concrete and the abstract: as information is a dimensionless quantity equally well referring both to a physical entity and to a mathematical class, it can serve as a 'bridge' between physics and mathematics and thus between the material and ideal world, between concrete and abstract objects. In fact, quantum information being a generalised kind of information is just what allows for the

Bibliography

physical and mathematical, the concrete and abstract, to be considered as two interpretations of the underlying quantum information.

The concept of information generalised as quantum information also generalises the concept of matter in physics as well as the corresponding quantities of matter and energy. Furthermore, quantum information can be interpreted as that generalisation of information which is applicable to infinite collections or algorithms. Thus the fundamental properties of mass or energy shared by all in the physical worlds turn out to be underlain by quantum information. The gap between concrete objects (interpreted as physical ones) and abstract objects is now bridged by the concept of information shared by both and underlying both kinds of objects. The quantity of information either classical (i.e. 'finite') or quantum (i.e. 'infinite') is defined in both cases as the amount of choices and measured in units of elementary choice: correspondingly either bits or qubits. The case of infinite choice cannot help but involve the axiom of choice and a series of counterintuitive corollaries implied by it: One of them is the so-called paradox of Skolem: it allows for discussing concrete and abstract objects as complementary in the sense of quantum mechanics as well as different degrees of 'entanglement' between them therefore pioneering a kind of quantum epistemology as universal.

The physical processes can be interpreted as informational, more precisely as quantum-informational. Any wave function determines a state of a quantum system and a state of a quantum computer defined as a quantum Turing machine, in which all bits are simply replaced by qubits infinitely many in general. Thus the concept of quantum information and calculation can unify physics and mathematics, addressing some form of neo-Pythagoreanism as the common ontological ground of concrete objects (studied by physics) and abstract ones (studied by mathematics).

Bibliography

- Aspect, A., P. Grangier, and G. Roger. 1981. "Experimental Tests of Realistic Local Theories via Bell's Theorem." *Physical Review Letters* 47 (7): 460–463.
- . 1982. "Experimental Realization of Einstein-Podolsky-Rosen-Bohm Gedanken Experiment: A New Violation of Bell's Inequalities." *Physical Review Letters* 49 (2): 91–94.
- Banach, S., and A. Tarski. 1924. "Sur la decomposition des ensembles de points en parties respectivement congruentes." *Fundamenta Mathematicae* 6 (1): 244–277.
- Bell, J. S. 1964. "On the Einstein-Podolsky-Rosen paradox." *Physics* 1 (3): 195–200.
- Boolos, G. 1987. "The Consistency of Frege's Foundations of Arithmetic." In *On Beings and Sayings: Essays in Honor of Richard Cartwright*, edited by J. Thomson, 3–20. Cambridge: MIT Press.
- Broglie, L. de. 1925. "Recherches sur la théorie des quanta." *Annales de Physique* 10 (3): 22–128.
- Cantor, G. 1897. "Beiträge zur Begründung der transfiniten Mengenlehre (Zweiter Artikel)." *Mathematische Annalen* 49 (2): 207–246.
- Deutsch, D. 1985. "Quantum theory, the Church-Turing Principle and the Universal Quantum Computer." *Proceedings of the Royal Society of London A* 400:97–117.
- . 1989. "Quantum Computational Networks." *Proceedings of the Royal Society of London A* 425:73–90.
- Einstein, A., B. Podolsky, and N. Rosen. 1935. "Can Quantum-Mechanical Description of Physical Reality Be Considered Complete?" *Physical Review* 47 (10): 777–780.

Bibliography

- Gödel, K. 1931. "Über formal unentscheidbare Sätze der *Principia Mathematica* und verwandter Systeme I." *Monatshefte der Mathematik und Physik* 38 (1): 173–198.
- Kochen, S., and E. Specker. 1968. "The Problem of hidden Variables in Quantum Mechanics." *Journal of Mathematics and Mechanics* 17 (1): 59–87.
- Kolmogorov, A. 1968. "Logical Basis for Information Theory and Probability Theory." *IEEE Transactions on Information Theory* 14:662–664.
- Linnebo, O. 2010. "Pluralities and Sets." *Journal of Philosophy* 107 (3): 144–164.
- Neumann, J. von. 1923. "Zur Einführung der transfiniten Zahlen." *Acta litterarum ac scientiarum Regiae Universitatis Hungaricae Franco-Josephinae, Sectio scientiarum mathematicarum* 1 (4): 199–208.
- . 1932. *Mathematische Grundlagen der Quantenmechanik*. Berlin: Springer.
- Popper, K. R. 1935. *Logik der Forschung: zur Erkenntnistheorie der modernen Naturwissenschaft*. Wien: Springer.
- Schrödinger, E. 1935. "Die gegenwärtige Situation in der Quantenmechanik." *Die Naturwissenschaften* 23 (48): 807–812. 23 (49): 823–828; 23 (50): 844–849.
- Skolem, T. 1922. "Einige Bemerkungen zur axiomatischen Begründung der Mengenlehre." In Skolem 1970, 137–152.
- . 1970. *Selected Works in Logic*. Edited by E. Fenstad. Oslo: Univforlaget.
- Turing, A. 1937. "On Computable Numbers, with an Application to the Entscheidungsproblem." *Proceedings of London Mathematical Society*, 2nd ser., 42 (1): 230–265.
- Whitehead, A. N., and B. Russell. 1927. *Principia Mathematica*. 2nd ed. Vol. 3. Cambridge: Cambridge University Press.
- Yao, A. 1993. "Quantum Circuit Complexity." In *Proceedings of the 34th Annual Symposium on Foundations of Computer Science*, 352–361. Los Alamitos: Computer Society Press.

Zermelo, E. 1904. "Beweis, dass jede Menge wohlgeordnet werden kann." *Mathematische Annalen* 59 (4): 514–16.

———. 1908. "Untersuchungen über die Grundlagen der Mengenlehre I." *Mathematische Annalen* 65 (2): 261–281.

Nodi 

Understanding Matter

Volume 2

Contemporary Lines

Edited by Andrea Le Moli and Angelo Ciatello



NEW
DIGITAL
PRESS



Nodi. Collana di Storia della filosofia

ISSN: 2421-6844 (cartaceo) - 2464-868X (online)

Direttore: Andrea Le Moli

Segretari: Pietro Giuffrida, Gabriele Schimmenti, Michele Tutone

Comitato scientifico internazionale: Markus Gabriel (Universität Bonn), Helen Lang (Villanova University), Jean-Marc Narbonne (Université Laval), Dmitri Nikulin (New School for Social Research), Luigi Ruggiu (Università Ca' Foscari Venezia), Leonardo Samonà (Università degli Studi di Palermo), Andreas Urs Sommer (Albert-Ludwigs Universität Freiburg), Franco Trabattoni (Università degli Studi di Milano)

N. 2 - Giugno 2016

Understanding Matter

Vol. 2. Contemporary Lines

Edited by Andrea Le Moli and Angelo Ciatello

© Copyright 2016 New Digital Frontiers srl

Viale delle Scienze, Edificio 16 (c/o ARCA)

90128 Palermo

www.newdigitalfrontiers.com

ISBN (a stampa): 978-88-99487-09-6

ISBN (online): 978-88-99487-11-9

Pubblicazione realizzata con il contributo del
CRF - Centro Internazionale per la Ricerca Filosofica
www.ricercafilosofica.it

Le opere pubblicate sono sottoposte a processo di peer-review a doppio cieco

UNDERSTANDING MATTER

VOLUME 2

CONTEMPORARY LINES

Edited by Andrea Le Moli and Angelo Ciatello

Contents

Objects in Wittgenstein's <i>Tractatus</i> : from Ontology to Everyday Language MARIA BALASKA	11
'Qui/ sulla landa del senso/ a qualche metro dal suolo'. Yves Bonnefoy e la terrestre trascendenza di Douve ROSARIA CALDARONE	25
Noi, e non i gatti, ci facciamo immagini dei fatti MARCO CARAPEZZA	35
Materia noematica e materia temporale: tra fenomenologia ed ermeneutica GAETANO CHIURAZZI	51
Fleshly Matter. The Constitution of the Lived Body: Cognitive Science Models and Phenomenological Accounts EDOARDO FUGALI	65
A Tale of Two Tables: Eddington on the Meaning of Matter DANIELA HELBIG	81
Sensibility and Matter in Levinas's Phenomenology SEBASTIANO GALANTI GROLLO	95
Ways to Cheap Predictions. A Note on the Concreteness of Concrete Objects LUCA GASPARRI	109

The Problem of Matter in Phenomenology ROBERTA LANFREDINI	115
Matter as Information. Quantum Information as Matter VASIL PENCHEV	129
Living and Not-living Matter: Complexity and Self-Organisation in Kauffman CLAUDIA ROSCIGLIONE	141
Matter and Stuff - Two Sides of the Same Medal? KLAUS RUTHENBERG	153
Emancipative Educational Practices under Materialistic Premises GEORGIOS SAGRIOTIS	169
Quando la materia 'ama nascondersi'. Dissoluzione epistemologica dell'oggettività e implicazioni 'umanistiche' del Principio di Indeterminazione LUCIANO SESTA	181
On the Phenomenology of the Material and its Relation to Mind and Mathematics MOHAMMAD SHAFIEI	197
Sulle condizioni materiali della morfologia evolutiva SALVATORE TEDESCO	211
Matter and Living Experience. A Phenomenological Approach LUCA VANZAGO	223
<i>Morphé</i> . Towards a Transition from Physics to Chemistry RAINER E. ZIMMERMANN	237

Visita il nostro catalogo:



Finito di stampare nel mese di
Giugno 2016
Presso la ditta Photograph s.r.l.- Palermo
Progetto grafico di copertina: Sabrina Tutone
Editing: CRF
Typesetting: Stefana Garelo
Revisione testo inglese: Jay Lingham

How do we experience matter? Does it present itself to the senses? Or is it only an empty substratum that cannot be grasped if deprived of all sensible qualities? Is it perceived as a continuum, or rather intellectually reconstructed through mental and logical forms? Or is it that the very idea of a continuum is itself the outcome of mental abstraction? And what about the status of matter in light of contemporary subatomic physics? Is matter an unpredictable flux of pure energy or an organised cosmos of even more basic elements? The nature of matter has been a central issue for philosophy since its inception. Over the course of centuries of debate, a wide variety of theoretical solutions have been proposed. Indeed, all major historical shifts of thought have prompted fundamental re-thinking of the nature of matter. This volume includes contributions on History of Contemporary Philosophy originally presented as individual papers at CRF 1st International Conference «Understanding Matter», Palermo (Italy), 10th-13th April 2014.

Contributions by: M. Balaska, R. Caldarone, M. Carapezza, G. Chiurazzi, E. Fugali, D. Helbig, S. Galanti Grollo, L. Gasparri, R. Lanfredini, V. Penchev, C. Rosciglione, K. Ruthenberg, G. Sagriotis, L. Sesta, M. Shafiei, L. Vanzago, R. E. Zimmermann.

Andrea Le Moli is Associate Professor of History of Philosophy at Department of Humanistic Sciences, Palermo University

Angelo Ciatello is Assistant Professor of Theoretical Philosophy at Department of Humanistic Sciences, Palermo University