

JUDGMENT AGGREGATION IN NON-CLASSICAL LOGICS

DANIELE PORELLO

ABSTRACT. This work contributes to the theory of judgment aggregation by discussing a number of significant non-classical logics. After adapting the standard framework of judgment aggregation to cope with non-classical logics, we discuss in particular results for the case of Intuitionistic Logic, the Lambek calculus, Linear Logic and Relevant Logics. The motivation for studying judgment aggregation in non-classical logics is that they offer a number of modelling choices to represent agents' reasoning in aggregation problems. By studying judgment aggregation in logics that are weaker than classical logic, we investigate whether some well-known impossibility results, that were tailored for classical logic, still apply to those weak systems.

Keywords. Judgment Aggregation, Social Choice Theory, Group Decisions, Non-Classical Logics, Intuitionistic Logic, Non-Monotonic Logics, Lambek calculus, Linear Logic, Relevant Logic, Substructural Logics.

1. INTRODUCTION

Judgement aggregation (JA) has recently become a significant topic at the intersection of themes in social choice theory, multiagent systems, and knowledge representation. The reason is that JA provides a general theory for studying the procedures to aggregate agents' possibly heterogeneous attitudes into a collective attitude that reflects, as close as possible, the individual views. The original applications of judgment aggregation were related to voting theory and to the modellisation of the decision-making processes of collegial courts, cf. Kornhauser and Sager (1993); List and Pettit (2002). In AI and multiagent systems, JA provides a sound methodology to define ascriptions of propositional contents to collective entities; for that reason, JA has been related for instance to belief merging, cf. Konieczny and Pérez (2011); Pigozzi (2006), and to ontology merging, cf. Porello and Endriss (2014).

As usual in formal modellings of agency, a modicum of rationality is presupposed in the understanding of agents, List and Pettit (2011). Since JA is about the aggregation of logically connected propositions, the notion of individual rationality of JA is essentially related to the concept of logical consistency. The concept of collective rationality is therefore intended as the preservation of individual consistency, via the aggregation procedure, at the collective level. As it is known from the beginning of the study of JA, the aggregation of individual consistent judgments may lead to inconsistent outcomes, cf. List and Pettit (2002). For that reason, a careful investigation of the properties of the aggregation procedures and of the extent to which they affect the preservation of consistency is required. This line of study has been developed into a quite sophisticated theory of aggregation procedures. A number of introductory readings to judgment aggregation is now available, for instance, Grossi and Pigozzi (2014), List and Polak (2010), List and Puppe (2009), and Endriss (2016).

Important aggregation procedures, with the significant example of the majority rule, do not preserve individual consistency once agents are allowed to express their judgments on

any possible proposition, that is, once the agenda on which the agents express their views is allowed to be any subset of the logical language. Hence, one can roughly divide the JA approach to cope with collective inconsistency into two directions: the first is the investigation of the procedures that are indeed capable of preserving consistency; the second is the characterisations of the agendas that guarantee consistent collective outcomes.

In the standard view of JA, the logic that is used to model rationality is classical logic. Thus, the failure of preserving consistency that the results in judgment aggregation show concerns the notion of consistency defined by classical logic.

In this paper, I propose to extend the theory of judgment aggregation to a number of significant non-classical logics. By non-classical logic, we shall mean here logical systems that reject one or more principles of classical logic and provide an alternative view of reasoning. A guiding example is intuitionistic logic, see Dummett (2000): by rejecting for instance the principle of the excluded middle, intuitionism provides a constructive account of reasoning. Many logics for JA have been investigated, designed, and discussed; however, they usually extend classical propositional logics, instead of investigating systems that are alternative to or weaker than classical logic. A few significant exceptions shall be discussed later on.

The motivation for studying judgment aggregation in non-classical logic are essentially three. Firstly, there is a theoretical interest in extending the theory of judgment aggregation to logics that, from a mathematical point of view, significantly differ from classical logic. Secondly, by studying non-classical logics, we shall approach weak inference systems; thus, it is worth investigating whether, by weakening the logic that models the concept of rationality, standard impossibility results still hold for weaker system, or whether we can actually circumvent collective inconsistencies by weakening classical logic. Finally, as usual in justifying the investigation of non-classical logics, the adequacy of classical connectives to model reasoning may be questioned. It is interesting to notice that arguments against the material conditional of classical logic have also been suggested within the literature on JA. In particular, by Dietrich (2010), where classical implication is replaced by subjunctive implications of Lewis conditional logic. By studying JA in non-classical logic, we enable the choice among a number of definitions of logical connectives that may be appropriate for certain aggregation problems. For this reason, we shall focus in this paper on a number of well-established non-classical logics with significant impact in philosophical logic or in computer science. For instance, intuitionistic logic provides a constructive view of reasoning that may suit an evidence-based view of inferences, while relevant logic allows for defining a conditional that better copes with the paradoxes of material implication, cf. Anderson et al. (1992). We shall start discussing JA in non-classical logic by dealing with intuitionistic logic. Then, we shall develop our analysis of non-classical logics by means of substructural logics, cf. Paoli (2002); Restall (2002). *Substructural logics* are a family of logics weaker than classical logic that reject one or more of the core principle of classical reasoning; for instance, the monotonicity of the entailment or the commutativity of logical connectives.

The conceptual motivations for studying substructural logics are usually related to the idea of capturing a form of reasoning that better copes with the actual inferential practice of human or artificial agents. For instance, the weakest substructural logic that we discuss in this paper is the *Lambek Calculus*, developed by Lambek (1958), for which connectives are non-commutative. This entails that the ordering of the formulas is crucial for reasoning. The order-dependency of inferences can be used to model aggregation problems with temporal dependencies among the issues of the agenda. For instance, suppose A and B

in this order have been accepted, then the constraint $B \wedge A \rightarrow C$ does not apply in this situation to infer C .

Moreover, we approach *linear logic*, introduced by Girard (1987), that captures a form of resource-bounded reasoning. For example, suppose the proper axiom $E \rightarrow C$ represents the inference “if I have one euro (E), then I buy one coffee (C)”. In classical logic, one can infer, by means of the contraction principle, that $E \rightarrow E \wedge C$, namely, that I still have one euro, besides having the coffee. By dropping contraction, linear logic captures a the resource-sensitive aspect of causality: the antecedent has to be *consumed* during the inferential process so that the consequent may hold, cf. Girard (1995).

In philosophical logic, an important debate on the nature of logical implication emerged in the tradition of *relevant logics*: Anderson et al. (1992), Dunn and Restall (2002). The family of relevant logics rejects, in particular, the monotonicity of the entailment and design therefore logics for which true implications exhibit the relevance of the antecedent of the conditional to the consequent. In particular, relevant logics reject the axiom $A \rightarrow (B \rightarrow A)$ that means that whenever A holds, A can be implied by any B , regardless of the relevance of B for assessing A . Relevant logics have also been motivated as logics for modelling epistemic agents and as logics that model inferences that depend on the amount of information available to cognitive agents, Allo and Mares (2012); Mares (2004); Masolo and Porello (2015).

We will also briefly discuss fuzzy logics that are defined within the substructural realm. We shall not discuss in details the case of paraconsistent logics because we are interested here in studying the preservation of consistency via aggregation procedures. However, paraconsistency is approached in this paper by presenting logics for which the principle of *ex falso quodlibet* does not hold (e.g. in the case of linear and relevant logics).

The methodology of this paper is proof-theoretical. This is motivated by the fact that we are going to introduce a number of logics with significantly different algebraic counterparts: the proof-theoretical methodology permits a compact treatment. Moreover, as we shall see, the proof-theoretical analysis allows for pinpointing the inferences principles that are responsible of the failures of preserving consistency in judgment aggregation.

The main contribution of this paper consists in the extension of the theory of judgment aggregation to the case of a number of non-classical logics. The choice of the logical systems in this paper is also motivated by the fact that, by dropping monotonicity and other principles of classical logic, it is possible to circumvent the collective inconsistency that threaten the judgment aggregation based on classical logics. Moreover, results for general monotonic logics have already been presented for instance by Dietrich (2007) and for nonmonotonic logics have been recently presented in Wen (2017). Another crucial aspect for preserving consistency that motivates the focus on linear and relevant logics is the distinction that this systems provide between additive and multiplicative, or extensional and intensional, logical connectives. As we shall see in Section 7 and in Section 8, the combination of the lack of monotonicity and the distinction between types of connectives allows for establishing positive results for the majority rule, that is, performing collective reasoning in those weak systems guarantees consistency. By relying on that, in Section 9.1 a strategy for circumventing judgment aggregation paradoxes is proposed. The idea is to assess individual reasoning with respect to classical logic, as usual in judgment aggregation, while assessing collective reasoning with respect to a weak logic for which consistency is ensured. To enable the assessment of individual and collective reasoning with respect to possibly distinct logics, we shall slightly rephrase the standard framework of judgment aggregation.

The remainder of this paper is organised as follows. Section 2 introduces the background on substructural logics. In particular, we recall the sequent calculi for classical and intuitionistic logic, for the Lambek calculus, and for linear logic. For the case of relevant logics, as we shall see, the sequent presentation is not satisfactory, thus we shall approach relevant logics by means of Hilbert systems. Section 3 introduces a model of judgment aggregation that is general enough to treat the case of the non-classical logics that we discuss here. In particular, we stress the interesting differences that the lacking of monotonicity, contraction, and commutativity entail on the model. Section 4 rephrases the standard results of JA in classical logic in the setting of this paper (i.e. in proof-theoretical terms) and discusses the case of conservative extensions of classical logic. Section 5 approaches JA for intuitionistic logic. Section 6 discusses JA for the Lambek calculus. Section 7 presents the case of linear logic. In particular, as we shall see, by focusing on a fragment of linear logic, general possibility results for judgment aggregation are achievable. Section 8 extends the previous analysis to the case of relevant logics. Section 9 discusses a number of extensions of the previous treatment to other logics and discusses how to circumvent the impossibility results based on agendas in classical logic by rephrasing classical collective rationality with substructural reasoning. Section 10 surveys related work, by focussing in particular on the use of non-classical logics in JA, on the use of proof-theoretical methods, and on the relationship with the algebraic approach to the study of general logics of JA. Section 11 concludes.

2. BACKGROUND ON SUBSTRUCTURAL LOGICS

Sequent calculi were introduced by Gerhard Gentzen to study proofs in classical and intuitionistic logic. They provide an important theory in logic that allows for investigating the operational meaning of logical connectives, cf. Gentzen (1935).¹ Besides providing a fine-grained tool to analyse inferences, sequent calculi can be used to model a number of logics in a uniform and elegant way. A *sequent* is an expressions of the form $\Gamma \vdash \Delta$, where Γ , the premises of the sequent, and Δ , the conclusions of the sequent, are made out of formulas in a given logic. The structure of Γ and Δ , as we shall see, depends on the logic; for instance, in what follows, they may be sets, multisets, or lists of formulas.

The intuitive reading of a sequent expression is: “the conjunction of the formulas in Γ entails the disjunction of the formulas in Δ ”. A sequent calculus is specified by two classes of rules. The *structural rules* determine the structure of the sequent and define how to handle the hypotheses in a proof, the assumptions of reasoning; for instance, they entail that in classical logic Γ and Δ are *sets* of formulas. The *logical rules* define the operational meaning of the logical connectives. A fundamental insight concerning the meaning of the logical rules is due to the tradition of substructural logics and in particular to Jean Yves Girard (cf. Girard (1987)): The structural rules determine the behaviour of the logical connectives. The meaning of the structural rule for reasoning is the following: *weakening* (W) corresponds to the monotonicity of the consequence relation, *contraction* (C) amounts to assuming that multiple occurrences of the same formula can be identified, and *exchange* (E) forces the commutativity of conjunction and disjunction. When rejecting one or more structural rules, we simply cannot view the class of propositions about which reasoning is performed as a *set*; therefore, in the subsequent presentation, we shall define the structure of Γ and Δ as either a multiset or a list.

We introduce the language of classical propositional logic CL as usual. Assume a set of propositional variable \mathbf{P} , the set of formulas of CL is defined as follows.

¹For an introduction to sequent calculi, see Troelstra and Schwichtenberg (2000) and Negri et al. (2008).

$$(1) \quad \mathcal{L}_{CL} := p \in \mathbf{P} \mid \neg A \mid A \wedge A \mid A \vee A \mid A \rightarrow A$$

The sequent calculus for CL is presented in Table 1. The logical rules may be presented either in *multiplicative* form or in *additive* form. In the former case, the premises of the rule have possibly different contexts that are combined in the conclusion, in the latter, the rules presuppose that the premises of the sequent share the same context.² The dependency of logical rules on structural rules is evident by noticing that classical logic is imposed as soon as we assume (left and right versions of) weakening (W L, and W R), contraction (C R and C L), and exchange (E L and ER). In that case, the additive and the multiplicative versions of the rules of connectives are provably equivalent.

By disabling one or more structural rules, we enter the realm of *substructural logics*; for introductory readings cf. Paoli (2002); Restall (2002); Troelstra (1992).

Intuitionistic logic (IL) can also be construed as a substructural logic. Gentzen surprisingly showed that intuitionistic logic can be captured by simply imposing upon the sequent calculus for CL that the right-hand side of the sequent contains at most one formula. This restriction is sufficient to prevent non-constructive principles, such as the excluded middle, to be provable. This restriction has been interpreted as a manner to disable structural rules locally by Girard et al. (1989): in intuitionistic logic the structural rules are prevented on the right-hand side of the sequent and fully permitted on the left-hand side. Define the language of intuitionistic logic (\mathcal{L}_{IL}) as follows. Let $p \in \mathbf{P}$ and \perp the constant for false:

$$(2) \quad \mathcal{L}_{IL} = p \mid \perp \mid A \wedge A \mid A \vee A \mid A \rightarrow A$$

The sequent calculus of intuitionistic logic (IL) is given by restricting the classical calculus to single-conclusion sequents. Negation is defined, as usual in intuitionistic logic, by means of \perp and \rightarrow : $\neg A = A \rightarrow \perp$.

2.1. Sequent Calculi for Substructural Logics. The weakest substructural logic that we discuss here is obtained by removing all structural rules. The resulting calculus is known as the *Lambek calculus* L, developed by Lambek (1958) to capture syntactic parsing of natural language sentences along the tradition of categorial grammars. By rejecting exchange, the conjunction of L, denoted by \odot , is non-commutative. Moreover, there are two order-sensitive implications \backslash and $/$. Note that L is an intuitionistic logic, in the sense that at most one formula appears in the right-hand side of the sequent. We assume a minor extension of the Lambek calculus with the constant for false \perp in order to define a form of intuitionistic negation in terms of the order sensitive implication $A \backslash \perp$ (cf. Table 2).³

$$(3) \quad \mathcal{L}_L := p \in \mathbf{P} \mid \perp \mid A \odot A \mid A \backslash A \mid A / A$$

By adding exchange to the Lambek calculus, we obtain linear logic (LL). That is, linear logic rejects the global validity of (W) and (C) both on the left and on the right hand side of the sequent. In LL, sequents are multisets of formulas. In Table 1, we presented two ways of defining logical rules: an *additive* version and a *multiplicative* version. The two

²The terms additive and multiplicative have been introduced by Girard (1987). The distinction corresponds to the division between *extensional* and *intensional* connectives in relevant logics, cf. Paoli (2002).

³In fact, one can show that there are two negations definable in this way that depend on the order-sensitive implications: $A \backslash \perp$ and \perp / A . For our purposes, it is not worthy entering the details of the treatment of negation in L. We refer to Wansing (2007), Restall (2006) for strong negations in L and to Abrusci (1990) for the definition of the two negations for Lambek calculus.

Identities

$$\frac{}{A \vdash A} \text{ax} \quad \frac{\Gamma, A \vdash \Delta \quad \Gamma' \vdash A, \Delta'}{\Gamma, \Gamma' \vdash \Delta, \Delta'} \text{cut}$$

Structural Rules

$$\frac{\Gamma, A, B, \Gamma' \vdash \Delta}{\Gamma, B, A, \Gamma' \vdash \Delta} \text{E L} \quad \frac{\Gamma \vdash \Delta, A, B, \Delta'}{\Gamma \vdash \Delta, B, A, \Delta'} \text{E R}$$

$$\frac{\Gamma, A, A, \vdash \Delta}{\Gamma, A \vdash \Delta} \text{C L} \quad \frac{\Gamma \vdash \Delta, A, A}{\Gamma \vdash \Delta, A} \text{C R}$$

$$\frac{\Gamma \vdash \Delta}{\Gamma, A \vdash \Delta} \text{W L} \quad \frac{\Gamma \vdash \Delta}{\Gamma \vdash \Delta, A} \text{W R}$$

Negation

$$\frac{\Gamma \vdash A, \Delta}{\Gamma, \neg A \vdash \Delta} \neg \text{L} \quad \frac{\Gamma, A \vdash \Delta}{\Gamma \vdash \neg A, \Delta} \neg \text{R}$$

Multiplicative presentation of logical connectives

$$\wedge \text{R} \frac{\Gamma \vdash A, \Delta \quad \Gamma' \vdash B, \Delta'}{\Gamma, \Gamma' \vdash A \wedge B, \Delta, \Delta'} \quad \frac{\Gamma, A, B \vdash \Delta}{\Gamma, A \wedge B \vdash \Delta} \wedge \text{L}$$

$$\vee \text{L} \frac{\Gamma, A \vdash \Delta \quad \Gamma', B \vdash \Delta'}{\Gamma, \Gamma', A \vee B \vdash \Delta, \Delta'} \quad \frac{\Gamma \vdash A, B, \Delta}{\Gamma \vdash A \vee B, \Delta} \vee \text{R}$$

$$\rightarrow \text{L} \frac{\Gamma, A \vdash \Delta \quad \Gamma', B \vdash \Delta'}{\Gamma, \Gamma' A \rightarrow B \vdash \Delta, \Delta'} \quad \frac{\Gamma \vdash B, \Delta}{\Gamma \vdash A \rightarrow B, \Delta} \rightarrow \text{R}$$

Additive presentation of logical connectives

$$\wedge \text{R} \frac{\Gamma \vdash A, \Delta \quad \Gamma \vdash B, \Delta}{\Gamma \vdash A \wedge B, \Delta} \quad \frac{\Gamma, A \vdash \Delta}{\Gamma, A \wedge B \vdash \Delta} \& \text{L} \quad \frac{\Gamma, B \vdash \Delta}{\Gamma, A \wedge B \vdash \Delta} \& \text{L}$$

$$\vee \text{L} \frac{\Gamma, A \vdash \Delta \quad \Gamma, B \vdash \Delta}{\Gamma, A \vee B \vdash \Delta} \quad \frac{\Gamma \vdash A, \Delta}{\Gamma \vdash A \vee B, \Delta} \vee \text{R} \quad \frac{\Gamma \vdash B, \Delta}{\Gamma \vdash A \vee B, \Delta} \vee \text{R}$$

$$\rightarrow \text{L} \frac{\Gamma \vdash A, \Delta \quad \Gamma, B \vdash \Delta}{\Gamma, A \rightarrow B \vdash \Delta} \quad \frac{\Gamma \vdash B, \Delta}{\Gamma \vdash A \rightarrow B, \Delta} \rightarrow \text{R} \quad \frac{\Gamma \vdash A, \Delta}{\Gamma \vdash A \rightarrow B, \Delta} \rightarrow \text{R}$$

TABLE 1. Sequent Calculus for Classical Logic (CL)

formulations are redundant in classical logic because of (W) and (C), that are sufficient to prove that the additive formulation and the multiplicative formulation are equivalent. If we drop weakening and contraction, additives and multiplicatives are no longer equivalent, hence we have to account for two different types of conjunctions and disjunctions with

$$\begin{array}{c}
\frac{\Gamma[A; B] \vdash C}{\Gamma[A \odot B] \vdash C} \odot\text{L} \qquad \frac{\Gamma \vdash A \quad \Gamma' \vdash B}{\Gamma; \Gamma' \vdash A \odot B} \odot\text{R} \\
\\
\frac{\Gamma \vdash A \quad \Delta[B] \vdash C}{\Delta[\Gamma; A \setminus B] \vdash C} \setminus\text{L} \qquad \frac{A; \Gamma \vdash B}{\Gamma \vdash A \setminus B} \setminus\text{R} \\
\\
\frac{\Gamma \vdash A \quad \Delta[B] \vdash C}{\Delta[B/A; \Gamma] \vdash C} /L \qquad \frac{\Gamma; A \vdash B}{\Gamma \vdash A/B} /R
\end{array}$$

TABLE 2. Sequent calculus for the Lambek Calculus

distinct operational meanings. These operators are not visible in classical logic, because of the structural rules. Accordingly, in LL there are two different types of conjunction, a multiplicative conjunction \otimes (tensor) and an additive conjunction $\&$ (with), and two types of disjunctions, multiplicative \wp (parallel) and additive \oplus (plus). Implications can be defined by means of disjunctions and negations as usual, in LL the multiplicative implication is $A \multimap B \equiv \neg A \wp B$ and the additive implication $A \multimap B \equiv \neg A \oplus B$.⁴ Given a set of propositional atoms \mathbf{P} , the language of multiplicative additive linear logic MALL is defined as follows.⁵

(4)

$$\mathcal{L}_{\text{MALL}} ::= p \in \mathbf{P} \mid \mathbf{1} \mid \perp \mid \top \mid \mathbf{0} \mid \neg L \mid L \otimes L \mid L \wp L \mid L \oplus L \mid L \& L \mid A \multimap A \mid A \multimap A$$

By dropping weakening and contraction, the units of the logic have to be distinguished in multiplicatives $\mathbf{1}$ and \perp (which are units for \otimes and \wp respectively) and additives (\top and $\mathbf{0}$, which are units for $\&$ and \oplus respectively).⁶ The sequent calculus for MALL is presented in Table 3.

We label by MLL the multiplicative fragment and by ALL the additive fragment of MALL. The intuitionistic version of MALL, label it by IMALL, can again be defined by forcing the sequents to contain at most one formula on the right. Moreover, MALL plus weakening is also known as *affine logic*, see Kopylov (1995).

2.2. Distributive Substructural logics. Since we used the notations decided by Girard (1987) to introduce linear logic, we keep this notation also for the other substructural logics, although the scholars in that area usually deploy different notation. A comparison with the notation used in substructural logics is presented in Table 4.

⁴For the additive implication, whose status as an implication is in fact questionable, we refer to Troelstra and Schwichtenberg (2000). The reason why the additive implication is not satisfactory is that, in a categorical jargon, the adjunction w.r.t. additive conjunctions does not hold, that is $A \& B \multimap C$ is not equivalent to $A \multimap (B \multimap C)$, cf Pym (2013).

⁵We focus on the multiplicative-additive fragment of LL. Another important part of LL is given by the *exponentials*, that allow for retrieving the usual classical inferences in a controlled way. Therefore, instead of being yet another non-classical logic, linear logic is motivated at least as an analysis of proofs in classical and intuitionistic logic. We leave a discussion of the exponential for JA for future work.

⁶Without W and C, also negation behaves differently. For example, the *ex falso quodlibet* principle is no longer globally valid in linear logic, for the multiplicative false constant \perp . Thus, linear logic, beside being non-monotonic, is also a *paraconsistent* logic, at least in the weak sense of invalidating *ex falso quodlibet*. For the sake of simplicity of presentation, we shall use a single notation for negations in various logics.

Identities

$$\frac{}{A \vdash A} \text{ax} \quad \frac{\Gamma, A \vdash \Delta \quad \Gamma' \vdash A, \Delta'}{\Gamma, \Gamma' \vdash \Delta, \Delta'} \text{cut}$$

Negation

$$\frac{\Gamma \vdash A, \Delta}{\Gamma, \neg A \vdash \Delta} L_{\neg} \quad \frac{\Gamma, A \vdash \Delta}{\Gamma \vdash \neg A, \Delta} R_{\neg}$$

Multiplicatives

$$\begin{aligned} \otimes R & \frac{\Gamma \vdash A, \Delta \quad \Gamma' \vdash B, \Delta'}{\Gamma, \Gamma' \vdash A \otimes B, \Delta, \Delta'} \quad \frac{\Gamma, A, B \vdash \Delta}{\Gamma, A \otimes B \vdash \Delta} \otimes L \\ \wp L & \frac{\Gamma, A \vdash \Delta \quad \Gamma', B \vdash \Delta'}{\Gamma, \Gamma', A \wp B \vdash \Delta, \Delta'} \quad \frac{\Gamma \vdash A, B, \Delta}{\Gamma \vdash A \wp B, \Delta} \wp R \\ \multimap L & \frac{\Gamma, A \vdash \Delta \quad \Gamma', B \vdash \Delta'}{\Gamma, \Gamma' A \multimap B \vdash \Delta, \Delta'} \quad \frac{\Gamma \vdash B, \Delta}{\Gamma \vdash A \multimap B, \Delta} \multimap R \end{aligned}$$

Multiplicative units

$$\begin{aligned} \frac{\Gamma \vdash \Delta}{\Gamma, \mathbf{1} \vdash \Delta} \mathbf{1}L \quad \frac{}{\vdash \mathbf{1}} \mathbf{1}R \\ \frac{}{\perp \vdash} \perp L \quad \frac{\Gamma \vdash \Delta}{\Gamma \vdash \Delta, \perp} \perp R \end{aligned}$$

Additives

$$\begin{aligned} \&R & \frac{\Gamma \vdash A, \Delta \quad \Gamma \vdash B, \Delta}{\Gamma \vdash A \& B, \Delta} \quad \frac{\Gamma, A_i \vdash \Delta}{\Gamma, A_0 \& A_1 \vdash \Delta} \&L \\ \oplus L & \frac{\Gamma, A \vdash \Delta \quad \Gamma, B \vdash \Delta}{\Gamma, A \oplus B \vdash \Delta} \quad \frac{\Gamma \vdash A_i, \Delta}{\Gamma \vdash A_0 \oplus A_1, \Delta} \oplus R \\ \rightsquigarrow L & \frac{\Gamma \vdash A, \Delta \quad \Gamma, B \vdash \Delta}{\Gamma, A \rightsquigarrow B \vdash \Delta} \quad \frac{\Gamma \vdash B, \Delta}{\Gamma \vdash A \rightsquigarrow B, \Delta} \rightsquigarrow R \end{aligned}$$

Additive units

$$\begin{aligned} \text{no rule for } (\top L) \quad \frac{}{\Gamma \vdash \Delta, \top} \top R \\ \frac{}{\Gamma, \mathbf{0} \vdash \Delta} \mathbf{0}L \quad \text{no rule for } (\mathbf{0}R) \end{aligned}$$

TABLE 3. Sequent calculus for MALL

One of the peculiarity of linear logic with respect to other substructural logics is that in linear logic additive connectives are not *distributive*, that is the formulas $A \& (B \oplus C)$

Girard (1987)	Restall (2002)
\otimes	\circ
\wp	$+$
$\&$	\wedge
\oplus	\vee
\multimap	\rightarrow
$\mathbf{1}$	1
\perp	0
\top	\top
$\mathbf{0}$	\perp

TABLE 4. Notations

and $(A \& B) \oplus (A \& C)$ are not equivalent in MALL. By contrast, relevant logics are in general distributive. This makes a critical difference from the point of view of semantics, cf. Troelstra (1992), and it has also serious consequences on the sequent calculus presentation. One may be tempted to define a rule of the sequent calculus that entails distributivity of the additives. Unfortunately, this is in general not possible without also assuming weakening and contraction. This is one of the important limitation of the sequent calculus, cf. Ciabattoni et al. (2012). There is a number of ways to extend sequent calculi to cope with that. For instance, one may introduce *hypersequents* or *display calculi* Paoli (2002). For the present purposes, a presentation of the extensions of MALL via Hilbert system suffices.

We start by presenting the Hilbert system for MALL, label it by HMALL (cf. Troelstra (1992)). Then, we introduce its extensions. The concept of deduction of HMALL requires a tree-structure in order to handle the hypothesis in the correct resource-sensitive way.

- (1) $\vdash A \multimap A$
- (2) $\vdash (A \multimap B) \multimap ((B \multimap C) \multimap (A \multimap C))$
- (3) $\vdash (A \multimap (B \multimap C)) \multimap (B \multimap (A \multimap C))$
- (4) $\vdash \neg\neg A \multimap A$
- (5) $\vdash (A \multimap B) \multimap (\neg B \multimap \neg A)$
- (6) $\vdash A \multimap (B \multimap A \otimes B)$
- (7) $\vdash (A \multimap (B \multimap C)) \multimap (A \otimes B \multimap C)$
- (8) $\vdash \mathbf{1}$
- (9) $\vdash \mathbf{1} \multimap (A \multimap A)$
- (10) $\vdash \mathbf{0} \multimap \neg\mathbf{1}$
- (11) $\vdash \neg\mathbf{1} \multimap \neg\mathbf{0}$
- (12) $\vdash (A \& B) \multimap A$
- (13) $\vdash (A \& B) \multimap B$
- (14) $\vdash ((A \multimap B) \& (A \multimap C)) \multimap (A \multimap B \& C)$
- (15) $\vdash A \multimap A \oplus B$
- (16) $\vdash B \multimap A \oplus B$
- (17) $\vdash A \wedge B \multimap \neg(\neg A \oplus \neg B), \neg(\neg A \oplus \neg B) \multimap A \wedge B$
- (18) $\vdash A \wp B \multimap \neg(A \multimap B), \neg(A \multimap B) \multimap A \wp B$
- (19) $\vdash A \otimes B \multimap \neg(\neg A \wp \neg B), \neg(\neg A \wp \neg B) \multimap A \otimes B$
- (20) $\vdash (A \multimap C) \& (B \multimap C) \multimap (A \oplus B \multimap C)$

TABLE 5. Axioms of HMALL

The notion of derivation in the Hilbert system for HMALL is the following.

Definition 1 (Deduction in HMALL). *A deduction tree in HMALL \mathcal{D} is inductively constructed as follows. (i) The leaves of the tree are assumptions $A \vdash A$, for $A \in \mathcal{L}_{\text{MALL}}$, or $\vdash B$ where B is an axiom in Table 5 (base cases).*

(ii) We denote by $\Gamma \vdash A$ a deduction tree with conclusion $\Gamma \vdash A$. If \mathcal{D} and \mathcal{D}' are deduction trees, then the following are deduction trees (inductive steps).

$$\frac{\Gamma \vdash A \quad \Gamma' \vdash A \multimap B}{\Gamma, \Gamma' \vdash B} \multimap\text{-rule} \qquad \frac{\Gamma \vdash A \quad \Gamma \vdash B}{\Gamma \vdash A \& B} \&\text{-rule}$$

Note that Hilbert system HMALL and the sequent calculus for MALL are equivalent as expected: $\Gamma \vdash \Delta$ is provable in the sequent calculus iff the (multiplicative) disjunction of the formulas in Δ is derivable from Γ in HMALL.

Moreover, for HMALL the deduction theorem holds, that is if $\Gamma, A \vdash B$, then $\Gamma \vdash A \multimap B$ (cf. Troelstra (1992)). Note that we can also present MALL plus weakening or contraction by adding to HMALL the suitable axioms. From linear logic, relevant logic R is obtained by adding contraction (C) and distributivity of the additives (D1) and (D2). Therefore, the Hilbert system for R is given by axioms 1- 20 plus the following (C), (D1) and (D2), cf. Paoli (2002); Restall (2002). The definition of derivation in R simply extends our previous Definition 1.

$$\begin{aligned} \text{(W): } & \vdash A \multimap (B \multimap A) \\ \text{(C): } & \vdash (A \multimap (A \multimap B)) \multimap (A \multimap B) \\ \text{(D1): } & \vdash A \& (B \oplus C) \multimap (A \& B) \oplus (A \& C), \\ \text{(D2): } & \vdash (A \oplus B) \& (A \oplus C) \multimap A \& (B \oplus C) \end{aligned}$$

We label the additive fragment of R by AR, which includes the additive connectives of R. We summarise the relationships between the logics that we have discussed in Figure 1. The Lambek calculus is the weakest logic that we discuss in this paper. By adding E, we obtain linear logic: by assuming exchange E, the conjunction becomes commutative and the two order-sensitive implications become equivalent. By adding contraction C and distributivity, we obtain relevant logic and by adding also weakening W, we obtain classical logic. By W and C, additives and multiplicatives become equivalent.

3. A MODEL OF JUDGMENT AGGREGATION FOR GENERAL LOGICS

In this section, we adapt the model of Judgment Aggregation (see Endriss et al. (2012); List and Puppe (2009)) to cope with the logics that we have introduced. We have seen that reasoning about a number of propositions expressed in classical logics amounts to view them as collected into a set. When discussing logics that lack weakening, contraction, or exchange, we have to replace the notion of a *set* of propositions (or judgments) of the standard JA with the notions of multiset or list of judgments. Recall that a *multiset* is a pair (M, f) where M is a set and $f : M \rightarrow \mathbb{N}$ is a function that assigns to each element of M its multiplicity (i.e. a natural number). A *list* is multiset endowed with a strict total order \prec : (M, f, \prec) . (M, f) is a *submultiset* of (M', f') iff $M \subseteq M'$ and for every $x \in M$, $f(x) \leq f'(x)$. (M, f, \prec) is a *sublist* of (M', f', \prec') iff it is a submultiset of (M', f', \prec') and \prec is the restriction of \prec' to M . Moreover, we denote by $\mathbf{P}(M)$ the powerset of a




FIGURE 1. Classical and Substructural logics

multiset (list) M , that is, the set of all multisets (lists) that are included in the multiset (list) M .⁷

Let N be a (finite) set of agents. We shall assume throughout this article that the number of individuals is odd and is bigger than 3. For every formula ϕ , we define the *complement* $\sim \phi$ of a formula ϕ as follows: $\sim \phi = \neg \phi$, if ϕ is not negated, $\sim \phi = \psi$, if ϕ is negated and $\phi = \neg \psi$.⁸ An *agenda* Φ_L is a (finite) set (multiset, list) of propositions in the language \mathcal{L}_L of a given logic L (among those that we have previously introduced) that is closed under complements. Moreover, we assume that the agenda does not contain tautologies nor contradictions (in particular, it does not contain the units of the logic L), as usual in the JA literature (cf. List and Puppe (2009)).

⁷Possible applications of viewing individual and collective judgments as multisets or lists are the following. Lists may encode propositions in an agenda with temporal dependency or, more generally, with a priority. The case of multisets is motivated as follows. As we discussed in Section 2, if we want to keep track of resource-sensitivity by means of logical reasoning, we have to drop contraction (C). That amounts to assuming that judgments form multisets. For instance, suppose that agents have to express their opinions on possible *deals* to trade goods (cf. Porello and Endriss (2010a,b)). A deal that trades a single occurrence of a good a with a single occurrence b can be represented in linear logic by means of a formula $a \multimap b$. The implication states that one token of a can be traded for one token of b . In case we want to allow agents to express their opinions about “more” deals between a s and b s, we may add to the agenda a sufficient number of copies of goods a and b and of the “deal” $a \multimap b$.

⁸Note that, in intuitionistic logics, double negations do not cancel out. Even in case we were to assume that an agenda in intuitionistic logic is closed under (intuitionistic) negation, the condition of closure under complements does not rule out the presence of doubly negated formulas nor it makes $\neg\neg\phi$ equivalent to ϕ .

Definition 2. A judgement set (multiset, list) J is a (finite) set (multiset, list) of elements of Φ_L .

We slightly rephrase the usual rationality conditions on judgment sets in terms of derivability in a logic L . With respect to a logic L , we say that J is *complement-free* if J does not contain both ϕ and the complement of $\sim \phi$; we say that J is *consistent* iff $J \not\vdash_L \emptyset^9$; J is *complete* iff for all $\phi \in \Phi_L$, $\phi \in J$ or $\sim \phi \in J$; and J *deductive closed* iff whenever $J \vdash_L \phi$ and $\phi \in \Phi_L$, $\phi \in J$.

In JA based on classical logic, the notion of complement-freeness captures a weak form of consistency that is preserved by many aggregation procedures, viz. the majority rule.¹⁰ In classical logic, consistency entails complement-freeness. When dealing with JA in general logics, a significant departure from the standard JA framework is that consistency does not entail complement-freeness any longer. This is caused by the possible lack of weakening. Let L be a logic where weakening holds, if a set (multiset) X is inconsistent, then any (multiset) X' such that $X \subseteq X'$ is also inconsistent. This can be easily shown as follows: if $X \vdash$ and $X \subseteq X'$, then by weakening we infer $X' \vdash$. Thus, the lack of weakening permits that a consistent set X may have inconsistent subsets, which may violate complement-freeness, even in the case of consistency of X . As we shall see, this fact has significant consequences on the study of the aggregation of judgments. For this reason, we assume also the following condition.

Definition 3. We say that a set (multiset, list) J is *robustly consistent* if J is consistent and every proper subset (submultiset, sublist) J' of J is.

Robust consistency always entails consistency and it entails complement-freeness also for logics without weakening. In order to meet the standard treatment of JA, we will always assume that individual judgment sets are robustly consistent, while we shall state explicitly in case we assume that the judgments are also complete. The reason for dropping completeness is that in a number of non-classical logics, e.g. intuitionistic logic and in logics with no classical negation, is not appropriate to express the duality between acceptance and rejection by means of negation. The reason is that positive information and negative information have different statuses in constructive systems.¹¹

Denote $J(\Phi_L)$ the set of all robustly consistent judgement sets (multisets, lists) on Φ_L . In case we assume that individual judgment sets are also complete, we denote by $J^*(\Phi_L)$ the set of all robustly consistent and complete judgement sets (multisets, lists) on Φ_L . A *profile* of judgement sets \mathbf{J} is a vector (J_1, \dots, J_n) , where $n = |N|$. In the remainder of the paper, we will occasionally use the characteristic function of a judgment set (multiset or list), with values in $\{0, 1\}$ to visualise profiles by means of a table. By slightly abusing the notation, we will do so also for multisets and lists.

3.1. Aggregation procedures. We intend to model aggregators that take profiles of judgments that are rational according to a given logic L and return judgements which can be evaluated with respect to a (possibly) different logic L' . In case L and L' are the same, we are in the standard situation in JA. When the languages of L and L' are different, we would need to define a translation function from the language of L into the language of L' . We mainly discuss embeddings of the outcome of an aggregation procedure into weaker

⁹In case the logic has a formula for expressing absurd, \perp , this condition is reformulated as $J \not\vdash \perp$.

¹⁰Complement-freeness has been introduced in Endriss et al. (2012) and corresponds to the property of weak consistency in Dietrich and List (2007).

¹¹Similar motivations for relaxing completeness and closure under complements have been introduced for the case of Description Logics in Porello and Endriss (2014).

or stronger logics that share the same language, with the exception of the discussion in Section 9.1.

Definition 4. *An aggregator procedure is a function $F : J(\Phi_L)^n \rightarrow \mathcal{P}(\Phi_{L'})$.*

This definition is quite general and allows in principles for associating profiles of any structure (sets, multisets, lists) to any type of structure (set, multiset, or list). In practice, as we shall see in the next sections and as we discussed in Section 2, the type of structure is determined by the logic that is used to assess individual and collective judgments. For instance, the standard JA model associates profiles of sets to sets of judgments. The same shall hold for the case of intuitionistic logic. When discussing JA for the Lambek calculus, aggregation procedures shall associate profiles of lists to lists of judgments and, in the case of linear and relevant logics, the aggregation procedures shall associate multisets to multisets. In Section 9.1, we shall discuss the case of aggregators that connect distinct logics, and in particular we focus on aggregators that associate sets of judgments to multisets of judgments.

Note that our definition of aggregation procedure allows for aggregators that return sets (multisets, lists) of judgments that are inconsistent w.r.t. L' . This is motivated by the fact that we want to assess the outcome of an aggregation procedure w.r.t. possibly different logics. That is why the codomain of F' is defined by the set of all sets (multisets, lists) $\mathcal{P}(\Phi_{L'})$.

In the standard JA framework, an aggregation function depends on the choice of an agenda Φ_L , that determines the class of judgment sets, besides on the number of individuals. Here, in the general case, an aggregation function depends on two agendas: the agenda w.r.t. which individuals make their judgments Φ_L and the agenda w.r.t. which the rationality properties of the collective set are evaluated $\Phi_{L'}$. We denote by $[\Phi_L, \Phi_{L'}]$ the class of aggregation functions from judgments defined on Φ_L to judgments defined in $\Phi_{L'}$, i.e. $[\Phi_L, \Phi_{L'}] = \{F \mid F : J(\Phi_L)^n \rightarrow \mathcal{P}(\Phi_{L'})\}$. Moreover, we use the notation $[\Phi_L^*, \Phi_{L'}]$ when we assume that individual judgments are also complete, i.e. $[\Phi_L^*, \Phi_{L'}] = \{F \mid F : J^*(\Phi_L)^n \rightarrow \mathcal{P}(\Phi_{L'})\}$. Denote by N_ϕ the set $\{i \mid \phi \in J_i\}$, the majority rule for $[\Phi_L, \Phi_{L'}]$ is defined as follows.

Definition 5. *The majority rule $M : J(\Phi_L)^n \rightarrow \mathcal{P}(\Phi_{L'})$ is defined by $\phi \in M(\mathbf{J})$ iff $|N_\phi| > n/2$.*

We also define the following class of aggregation functions that is a simple generalization of the majority rule, the class consists of the *uniform quota rules*, discussed by Dietrich and List (2007).

Definition 6. *Let $m \in \{0, \dots, |N| + 1\}$, the uniform quota rule defined with quota m is the aggregation procedure $F_m : J(\Phi_L)^n \rightarrow \mathcal{P}(\Phi_{L'})$ such that $\phi \in F_m(\mathbf{J})$ iff $|N_\phi| \geq m$.*

The usual properties of aggregation functions can be rephrased as follows. We start by listing those properties that are usually intended to model fairness desiderata of aggregation procedures.

- **Anonymity (A):** For any profile \mathbf{J} and permutation $\sigma : N \rightarrow N$, $F(J_1, \dots, J_n) = F(J_{\sigma(1)}, \dots, J_{\sigma(n)})$.
- **Neutrality (N):** For any ϕ and ψ in Φ_L and profile \mathbf{J} , if for all i $\phi \in J_i \Leftrightarrow \psi \in J_i$, then $\phi \in F(\mathbf{J}) \Leftrightarrow \psi \in F(\mathbf{J})$.
- **Independence (I):** For any $\phi \in \Phi_L$ and profiles $\mathbf{J}, \mathbf{J}' \in J(\Phi_L)^n$, if $\phi \in J_i \Leftrightarrow \phi \in J'_i$, then $\phi \in F(\mathbf{J}) \Leftrightarrow \phi \in F(\mathbf{J}')$.

- **Monotonicity (M)**: For any $\phi \in \Phi_L$ and profiles $\mathbf{J} = (J_1, \dots, J_i, \dots, J_n)$ and $\mathbf{J}' = (J_1, \dots, J'_i, \dots, J_n)$ if $\phi \notin J_i$ and $\phi \in J'_i$, then $\phi \in F(\mathbf{J}) \Rightarrow \phi \in F(\mathbf{J}')$
- **Acceptance-rejection neutrality (arN)**: For any $\phi, \psi \in \Phi_L$ and any profile $\mathbf{J} \in J(\Phi_L)^n$, we have that if $\phi \in J_i \Leftrightarrow \psi \notin J_i$ for all agents $i \in N$, then $\phi \in F(\mathbf{J}) \Leftrightarrow \psi \notin F(\mathbf{J})$.

(A) states that the aggregator does not favour any particular agent, while (N) implies that it does not favour any particular proposition. (I) means that the outcome of F w.r.t. a proposition ϕ in two different profiles only depends on the patterns of acceptance in the two profiles. (M) implies that, by increasing the support of a proposition, F does not change its acceptance. Acceptance-rejection neutrality (arN) has been introduced in Dietrich and List (2008, 2009) in order to characterise aggregators in case of weak assumptions concerning individual rationality, namely in case individual judgements sets are just assumed to be consistent. (arN) means that the aggregator is not biased either for or against the acceptance of any proposition.¹²

The notion of collective rationality that is standard in JA (cf. Endriss et al. (2012); List and Puppe (2009)) states that an aggregation procedure is collectively rational iff for every profile, the output of the aggregation procedure is consistent, complete, and deductively closed w.r.t. classical logic. Here, we make explicit the logic with respect to which the aggregation is assessed, that is, we define the rationality conditions with respect to the logic that is used to evaluate the output of the aggregation.

- $F \in [\Phi_L, \Phi_{L'}]$ is **complement-free** iff for every \mathbf{J} , $F(\mathbf{J})$ is complement-free w.r.t. \mathbf{L}' .
- $F \in [\Phi_L, \Phi_{L'}]$ is **consistent** w.r.t. iff for every \mathbf{J} , $F(\mathbf{J})$ is consistent w.r.t. \mathbf{L}' .
- $F \in [\Phi_L, \Phi_{L'}]$ is **deductively closed** iff for every \mathbf{J} , $F(\mathbf{J})$ is deductively closed w.r.t. \mathbf{L}' .
- $F \in [\Phi_L, \Phi_{L'}]$ is **complete** iff for every \mathbf{J} , $F(\mathbf{J})$ is complete w.r.t. \mathbf{L}'
- $F \in [\Phi_L, \Phi_{L'}]$ is **weakly rational (WR)** iff for every \mathbf{J} , $F(\mathbf{J})$ is complete and complement-free w.r.t. \mathbf{L}'
- $F \in [\Phi_L, \Phi_{L'}]$ is **robustly consistent** iff for every \mathbf{J} , $F(\mathbf{J})$ is robustly consistent wr \mathbf{L}'

In case we do not assume that individual judgments are complete, we confine ourselves to the study of the preservation of (robust) consistency.

Let AX be a list of axioms among those above. We denote by $[\Phi_L, \Phi_{L'}](AX)$ the set of aggregation functions defined with domain $J(\Phi_L)^n$ and range $J(\Phi_{L'})$ that satisfy the axioms in AX .

In Endriss et al. (2012), two classes of aggregation functions can be characterized in terms of the axioms above. The first class just contains the majority rule, hence it is the characterization of the majority rule, which adapts May's theorem for the case of JA, cf. May (1952). The second class is obtained by dropping weak rationality (WR) and corresponds to the class of uniform quota rules. The following proof adapts the one in Endriss et al. (2012) for the case of the logics that we have introduced. The significant difference is that, in order to show that the majority rule satisfies (WR), we have to assume that the individual judgment sets are robustly consistent.

Theorem 7. F is the majority rule iff $F \in [\Phi_L^*, \Phi_{L'}](WR, A, I, N, M)$

Proof. From left to right, the majority rule satisfies the axioms. We only show that the majority rule is weakly rational. Assume that $|N| = n$. For complement-freeness, suppose,

¹²This version of acceptance-rejection neutrality is due to Endriss et al. (2012).

by contradiction, that there exists a ϕ in Φ_L such that both ϕ and $\sim \phi$ are in $M(\mathbf{J})$. Then $|N_\phi| \geq \frac{n+1}{2}$ and $|N_{\sim\phi}| \geq \frac{n+1}{2}$. This entails that there exists an individual i such that ϕ and $\sim \phi$ are in J_i , against the assumption that each J_i is robustly consistent.¹³

The majority rule is also complete. Suppose by contradiction that neither ϕ nor $\sim \phi$ are in $M(\mathbf{J})$. Then $|N_\phi| < \frac{n+1}{2}$ and $|N_{\sim\phi}| < \frac{n+1}{2}$, which entails that there exists an i such that J_i violates completeness.

From right to left. Assume F satisfies the axioms above. Since F satisfies $(A),(I),(N)$, the outcome of F only depends on the cardinality of the set of individuals accepting ϕ (see also List and Puppe (2009)). That is, F can be represented by a function $h : \{0, \dots, n = |N|\} \rightarrow \{0, 1\}$ such that $\phi \in F(\mathbf{J})$ iff $h(|N_\phi|) = 1$. Since F satisfies (M) , if $h(i) = 1$ and $j \geq i$, then also $h(j) = 1$. Suppose then that k is the minimum for which $h(k) = 1$. Since F satisfies (WR) , F must be complete, we get that $k \leq \frac{n+1}{2}$, otherwise there are profiles that lead to incomplete judgment sets. Since F has to be complement-free, we get $k \geq \frac{n+1}{n}$, to avoid acceptance of a formula and its negation. Thus, $k = \frac{n+1}{2}$, hence F is the majority rule. \square

Note that there is no mention of preserving (robust) consistency at this point, Theorem 7 only shows that the majority rule preserves complement-freeness and completeness. By assuming mere consistency instead of robust consistency of the individual judgments, as in the standard JA result, cf. List and Puppe (2009), the proof fails for the case of logics without weakening. For instance, suppose \mathbf{J} is composed of n copies of $J_i = \{A, \neg A, B\}$: each J_i is consistent but not complement-free, hence the majority $M(\mathbf{J})$ would violate complement-freeness as well.

The class of uniform quota rules is characterized as follows. Since the rationality conditions do not enter the proof, we can simply adapt the proof in Endriss et al. (2012) to the present framework.

Proposition 8. *F is a uniform quota rule iff $F \in [\Phi_L, \Phi_{L'}](A, I, N, M)$*

We adapt now the concept of safety of an agenda, that is due to Endriss et al. (2012). Since we are assuming that the individual agenda and the collective agenda might differ, the concept of safety applies to a pair of agendas.

Definition 9. *For any set of axioms AX , a pair of agendas $(\Phi_L, \Phi_{L'})$ is safe for axioms AX iff every F in $[\Phi_L, \Phi_{L'}](AX)$ is robustly consistent.*

The safety of an agenda amounts to assuming that every judgment aggregation problem defined on that agenda Φ_L that uses aggregators of the given class preserves (robustly) consistent outcomes in L' . In case $L = L' = \text{CL}$ we obtain the standard definition of safety Endriss et al. (2012).

Since we are assessing JA in a variety of logics, it is useful to present the following definition of safety of logics for sets of axioms.

Definition 10. *A pair of logics (L, L') is safe for axioms AX iff every pair of agenda $(\Phi_L, \Phi_{L'})$ is safe for axioms AX (i.e. for every pair of agendas $(\Phi_L, \Phi_{L'})$, every F in $[\Phi_L, \Phi_{L'}](AX)$ is robustly consistent.)*

The concept of safety of logics amounts to assuming that for every possible agenda defined by means of the language of the logic L and for every profile of judgments, the

¹³Assuming only consistency of the individual sets is not sufficient, for instance $\{A, \neg A, C\}$ is consistent in MALL but not complement-free.

aggregation function F preserves robustly consistent judgments defined w.r.t logic L when evaluated w.r.t. the logic L' .

In case the aggregation procedure is defined w.r.t. a single agenda and w.r.t. a single logic, we say that the (single) agenda Φ_L is safe for the class of axioms AX and that the (single) logic L is. Note that concept of safety still applies to classes of axioms that define a single procedure, e.g. to the case of the majority rule that is defined by the axioms WR, A, I, N, and M. In that case, a possibility result — that states the *existence* of a procedure that satisfies a certain number of axioms and preserves consistency — and safety results — that state that *every* function in a certain class preserve consistency — coincide. We label the class of axioms that characterise the majority rule by MAJ.

The last concepts of the standard theory of judgment aggregation that we rephrase for this setting is the following list of properties of agendas. Here we simply generalise it to cope with a variety of logics.

Recall that a set (multiset, list) Y of formulas of L is inconsistent w.r.t. L iff $Y \vdash \emptyset$. Y is minimally inconsistent iff Y is inconsistent and every subset (submultiset, sublist) of Y is consistent.

Definition 11. *The following properties define classes of agendas:*

- An agenda Φ_L has the median property (MP) iff every minimally inconsistent set (multiset, list) of formulas Y of Φ_L has cardinality at most 2.
- An agenda Φ_L has the simplified median property (SMP) iff every (non-trivially) inconsistent set (multiset, list) of formulas Y of Φ_L has a subset (submultiset, sublist) $\{\phi, \psi\}$ such that ϕ and $\neg\psi$ are logically equivalent: $\phi \vdash_L \neg\psi$ and $\neg\psi \vdash_L \phi$.
- An agenda Φ_L has the syntactic simplified median property (SSMP) iff every (non-trivially) inconsistent set (multiset, list) of formulas Y of Φ_L has a subset (submultiset, sublist) $\{\phi, \neg\phi\}$.
- An agenda Φ_L has the k -median property (k MP) iff every minimally inconsistent set (multiset, list) of formulas Y of Φ_L has cardinality at most k .

The median property is the case with $k = 2$ of the k -median property. Moreover, the SSMP entails SMP which in turn entails MP. The opposite directions do not hold. The *median property* is due to Nehring and Puppe (2007). As we shall see, the median property characterizes, in case of classical logic, the agendas that are safe for the majority rule. The other properties are adequate to characterize agendas for larger classes of aggregators, cf. Endriss et al. (2012); List and Puppe (2009).

3.2. Summary of results. We summarise in the following table the results that we are going to establish in the subsequent sections concerning the safety of logics and agendas for a set of axioms. The first line of Table 6 simply rephrases the results about classical logic and classical agendas known from JA.

As we shall discuss, all the monotonic logics (i.e. the logics whose sequent calculus admits weakening W) that are listed in the table exhibit, regarding the safety of the agenda, a situation that is analogous to that of classical logic. This is expected, due to the results in Dietrich (2007). However, dropping monotonicity is not sufficient to achieve safety or possibility results, as the situation of a number of non-monotonic logic shows (cf. MALL, MLL, R). The case of ALL and AR are significant here: since every agenda in ALL or AR is safe for MAJ, we can claim that the logics ALL and AR are indeed safe for those axioms. In particular, as we shall see, the majority rule is robustly consistent for any agenda in ALL

	MAJ (WR, A, I, N, M)	Quota rules (A, I, N, M)	(WR, A, N, I)	(WR, A, N)	(WR, A, I)
Φ_{CL}	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{IL}	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_L	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{MALL}	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{MLL}	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{ALL}	always safe	safe with $m \geq n/2$	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{ALLW}	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{ALLC}	always safe	safe with $m \geq n/2$	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_R	safe iff MP	safe iff kMP	safe iff SMP	safe iff SMP	safe iff SSMP
Φ_{AR}	always safe	safe with $m \geq n/2$	safe iff SMP	safe iff SMP	safe iff SSMP

TABLE 6. Summary of results concerning the safety of agendas and logics for sets of axioms.

or AR. Those systems are indeed non-monotonic however, to achieve safety, as we shall see, we have to restrict to the additive fragment of those logics.

Observe that when an agenda is not safe for a certain class of axioms AX, this means that there exists an aggregation procedure in the class of functions defined by means of AX that is not robustly consistent. Thus, if an agenda is not safe for axioms AX, this entails that the agenda is not safe for any subset of AX. Moreover, if a logic is not safe for a certain class of axioms AX, it means that there exists an agenda Φ_L , such that it exists an aggregation function $F \in [\Phi_L, \Phi_L](AX)$ that is not robustly consistent. Namely, a possible outcome Y of F is inconsistent in L . If Y is inconsistent in L (that is $Y \vdash_L \emptyset$), then Y is inconsistent in any logic L' that is stronger (i.e. that proves more sequents) than L (i.e. $Y \vdash_{L'} \emptyset$). Therefore, if a logic is not safe for AX, then any stronger logic is not safe for AX.

4. JUDGMENT AGGREGATION IN EXTENSIONS OF CLASSICAL LOGIC

For classical logic CL, we assume that every judgment set is also complete. Moreover, robust consistency and consistency in this case coincide. In our setting, List and Pettit's result can be rephrased as follows.

Theorem 12 (List and Pettit). *There are agendas defined in CL that are not safe for MAJ (i.e. for axioms (WR, A, I, N, M)).*

For instance, the agenda $\{A, B, A \wedge B, \neg A, \neg B, \neg(A \wedge B)\}$ provides the famous discursive dilemma (cf. Kornhauser and Sager (1993); List and Pettit (2002)). That is, on that agenda, there is in fact a profile \mathbf{J} such that the majority rule returns an inconsistent set.

	A	$A \wedge B$	B	$\neg A$	$\neg(A \wedge B)$	$\neg B$
i_1	1	1	1	0	0	0
i_2	1	0	0	0	1	1
i_3	0	0	1	1	1	0
maj.	1	0	1	0	1	0

The collective set $F(\mathbf{J}) = \{A, B, \neg(A \wedge B)\}$ is not consistent in classical logic. In proof-theoretic terms, it means that $\{A, B, \neg(A \wedge B)\} \vdash$, and that can be shown as follows.

$$\frac{\frac{A \vdash A \quad B \vdash B}{A, B \vdash A \wedge B} \wedge L}{A, B, \neg(A \wedge B) \vdash} \neg L$$

Theorem 12 can be extended to various classes of functions, in particular all those classes that include the majority rule (cf. Endriss et al. (2012); List and Puppe (2009)).

Thus, by playing with our definitions, we can infer that classical logic is not safe for the majority rule and for any class of axioms that define procedures that include the majority rule.

Because of Theorem 12, in JA it is important to characterize which type of agendas are safe for a certain set of axioms. In particular, Theorem 12 can be refined by saying that the agendas that are not safe are those that violates the median property.

Theorem 13 (Nehring and Puppe (2007)). *An agenda Φ_{CL} satisfies the median property iff Φ_{CL} is safe for MAJ.*

For larger classes of functions, the median property is no longer sufficient. The following proposition summarizes the relationships between agenda properties and classes of functions for classical logic.

Proposition 14. [Endriss et al. (2012)] *The following facts hold:*

- Φ_{CL} satisfies the SMP iff it is safe for (WR, A, N, I)
- Φ_{CL} satisfies the SMP iff it is safe for (WR, A, N)
- Φ_{CL} satisfies the SSMP iff it is safe for (WR, A, I)
- Φ_{CL} satisfies the kMP iff it is safe for (A, I, N, M) , (for F_m , with $m > n - \frac{n}{k}$)

For the class of uniform quota rules, note that the choice of the threshold is crucial as well to preserve consistency. The median property is the condition that guarantees that an agenda in classical logic is safe for the majority rule. Since the median property is defined in terms of minimally inconsistent sets of formulas, any logic that conservatively extends classical propositional logic shall suffer the same problems of aggregation. If X is minimally inconsistent in classical logic, then X is minimally inconsistent in any conservative extension of classical logic. Therefore, there is no hope to mend propositional inconsistency by enriching the language of the logic.

Corollary 15. *Any extension of classical logic is not safe for MAJ.*

For instance, any modal logic and any description logic, as soon as they extend propositional reasoning, are not safe (cf. for instance Porello and Endriss (2014) for description logics, and Pauly (2007), Endriss and Grandi (2014) for general Kripke structures).

5. JUDGMENT AGGREGATION IN INTUITIONISTIC LOGIC

We start the study of judgment aggregation in non-classical logics by dealing with intuitionistic logic. For IL, we do not assume that individual judgments sets are complete. Recall that intuitionistic negation is defined by $\neg A = A \rightarrow \perp$.¹⁴ For intuitionistic logic, weakening holds, hence consistency and robust consistency are equivalent. We can easily see that with respect to judgment aggregation, intuitionistic logic does not significantly differ from classical logic.

Theorem 16. *Intuitionistic logic IL is not safe for MAJ.*

Proof. It is sufficient to exhibit an agenda w.r.t. which an aggregation problem generates an inconsistent set. For instance, we show that any agenda that includes $\{A, B, A \wedge B, (A \wedge$

¹⁴Assuming that the agenda may contain $A \rightarrow \perp$ does not entail that the agenda contains the formula for false \perp . That is, in this case, the agenda is not closed under the atoms occurring in the formulas. Such an agenda is called *non truth-functional* in Nehring and Puppe (2008).

$B) \rightarrow \perp\}$ is not safe for the majority rule in intuitionistic logic. There exists indeed a profile of judgments \mathbf{J} (adapt the one we encountered in Section 4) such that $F(\mathbf{J}) = \{A, B, (A \wedge B) \rightarrow \perp\}$. This set is inconsistent in intuitionistic logic, as the following proof shows.

$$\frac{\frac{A \vdash A \quad B \vdash B}{A, B \vdash A \wedge B} \wedge\mathbf{R} \quad \perp \vdash \perp}{A, B, (A \wedge B) \rightarrow \perp \vdash \perp} \rightarrow\mathbf{L}$$

□

Also in the case of intuitionistic logic, the median property is the appropriate condition that characterizes safe agendas for the majority rule. The following proof largely adapts the known result for the case of non-complete judgments sets (cf. Porello and Endriss (2014)).

Theorem 17. *An agenda Φ_{IL} is safe for MAJ iff it satisfies the median property.*

Proof. In one direction, we show that if Φ_{IL} satisfies the median property, then the majority rule is consistent. Suppose by contradiction that there is an agenda Φ_{IL} that satisfies the median property and that there is a profile \mathbf{J} such that $F(\mathbf{J})$ is inconsistent. Since the median property holds, if $F(\mathbf{J})$ is inconsistent, then there is a minimally inconsistent set $Y \subseteq F(\mathbf{J})$ with cardinality at most 2. Firstly, Y cannot have cardinality 1, otherwise there must be a contradictory formula in the agenda.¹⁵ Suppose then that $Y = \{\phi_1, \phi_2\}$. Since Y is accepted by majority, we have that $|\{i \in N \mid \phi_1 \in J_i\}| \geq \frac{n+1}{2}$ and $|\{i \in N \mid \phi_2 \in J_i\}| \geq \frac{n+1}{2}$. This entails that there is an individual j , such that both ϕ_1 and ϕ_2 are in J_j , against assumption that every individual judgment set is consistent.

In the other direction, we prove the contrapositive statement: if Φ_{IL} violates the median property, then $F(\mathbf{J})$ is inconsistent. Suppose that Φ_{IL} violates the median property, then there exists a subset Y that is minimally inconsistent of size strictly bigger than 3. We construct a profile that violates the consistency of the majority rule. Suppose $|Y| \geq 3$ and that ϕ and ψ are distinct formulas in Y . The first $\frac{n-1}{2}$ individuals accept all formulas of Y but ϕ , the last $\frac{n+1}{2}$ individuals accept all formulas of Y but ψ , and the individual $\frac{n+1}{2}$ accepts just ϕ and ψ . Each individual set is consistent, however, by majority, Y is accepted. That is, Y is contained in $M(\mathbf{J})$. Since IL satisfies W , if Y is inconsistent, then $M(\mathbf{J})$ is inconsistent. □

Note that we can use the sole consistency assumption to conclude the argument that shows that the median property is necessary because IL satisfies weakening.

By enlarging the class of aggregation procedures beyond the majority rule, that is by focusing on uniform quota rules, we can show that the situation is similar w.r.t. the classical case.

Proposition 18. *Φ_{IL} satisfies the kMP iff it is safe for (A, I, N, M) , for F_m with $m > n - \frac{n}{k}$.*

The proof largely adapt the case for classical logic (cf Dietrich and List (2007), Corollary 2), so we omit it.

¹⁵In case we do assume contradictions in the agenda, we can reason as follows: if $|Y| = 1$ there should be a majority of agents for which Y is in J_i , violating the assumption of consistency of the individual sets J_i

6. JUDGMENT AGGREGATION IN THE LAMBEK CALCULUS

We start discussing substructural logics by studying the Lambek calculus L . In this case, we do not assume that individual judgments are complete.¹⁶ Individual and collective judgments are (finite) lists of formulas $J = [\phi_1, \dots, \phi_m]$ that are sublists of Φ_L . Since the aggregation procedures for L return lists of judgments, we have to be explicit in defining how the aggregation computes the outcome. We present the case of the majority rule, other aggregation procedures can be handled in a similar way. We have to keep track of the positions of the formulas in the J_i s with respect to the order of formulas in Φ_L . Denote by $\pi_j(X)$ the j -th element of the list X . We write a judgment set J by means of $J' = J \cup \{\star\}$, where \star is a designated symbol. J' is defined by $\pi_j(J') = \phi$ if $\phi \in J$ and j is the position of ϕ in Φ_L , otherwise $\pi_j(J) = \star$. For example, the sublist $[B, D]$ of $[A, B, C, D]$ can be written by $[\star, B, \star, D]$.

Given a profile \mathbf{J} , let $N_\phi^j = \{i \mid \phi = \pi_j(J_i)\}$, that is, N_ϕ^j denotes the set of individuals that place ϕ at the j -th position of their list of judgements.

Define the list $[x_1, \dots, x_l]$, where l is the length of the list Φ_L and each x_j is either a formula of the agenda of the designated symbol \star : $x_j = \phi_j$ if $|N_{\phi_j}^j| \geq \frac{n+1}{2}$ and $x_j = \star$, if $|N_{\phi_j}^j| < \frac{n+1}{2}$. $M(\mathbf{J})$ is then the sublist of $[x_1, \dots, x_l]$ that is obtained by removing all the \star symbols.

It is easy to see that collective inconsistencies may emerge also for L .

Theorem 19. *The Lambek calculus L is not safe for MAJ.*

Proof. Take any agenda that includes $[A, B, A \odot B, (A \odot B) \setminus \perp]$ and a profile of judgments \mathbf{J} as follows.

	A	B	$A \odot B$	$A \odot B \setminus \perp$
i_1	1	1	1	0
i_2	1	0	0	1
i_3	0	1	0	1
maj.	1	1	0	1

The outcome of the majority rule on \mathbf{J} is the list $[A, B, A \odot B \setminus \perp]$, which is not consistent in L , as the following proof shows.

$$\frac{\frac{A \vdash A \quad B \vdash B}{A, B \vdash A \odot B} \odot L \quad \perp \vdash \perp}{A, B, A \odot B \setminus \perp \vdash \perp} \setminus L$$

□

In L consistency and robust consistency are *not* equivalent. For instance, $[A, A \setminus \perp, C]$ is consistent, since it does not entail \perp , whereas $[A, A \setminus \perp]$ is inconsistent. The following example shows that the majority rule for L may return an inconsistent list even in an extremely simple agenda.

Example. *Take the agenda $\{A, A \setminus \perp, C, C \setminus \perp\}$ and the following profile of (incomplete) lists of judgments.*

¹⁶In fact, the Lambek calculus is an intuitionistic logic, Abrusci (1990).

	A	C	$A \setminus \perp$
i_1	1	1	1
i_2	1	0	0
i_3	0	0	1
<i>maj.</i>	1	0	1

Each individual judgment list is consistent, however the majority returns the inconsistent list $[A, A \setminus \perp]$.

Therefore, in case we assume just the consistency of the individual judgments, the median property is not sufficient to guarantee the consistency of every collective outcomes. The condition of robust consistency is required, as the following proof shows.

Theorem 20. *An agenda Φ_L satisfies the median property iff Φ_L is safe for MAJ.*

Proof. From left to right, suppose by contradiction that Φ_L satisfies the median property and $M(\mathbf{J})$ is inconsistent. Then, $M(\mathbf{J})$ contains a minimally inconsistent list Y of size smaller or equal than 2. $|Y|$ cannot be 1, since we excluded contradictions in the agenda. Thus $Y = [\phi_1, \phi_2]$, and suppose that ϕ_1 and ϕ_2 take the j -th and $j + 1$ -th positions (respectively) in the list $M(\mathbf{J})$. Therefore, there exist h and k , with $h < k$, such that $|N_{\phi_1}^h| \geq \frac{n+1}{2}$ and $|N_{\phi_2}^k| \geq \frac{n+1}{2}$, which entails that there is an individual i such that $[\phi_1, \phi_2]$ is a sublist of J_i . Note that ϕ_1 and ϕ_2 may be contiguous in J_i or not, however, in both cases, this contradicts the assumption of robust consistency.

From right to left, we show that if Φ_L violates the median property, then the majority rule is inconsistent. Assume that Φ_L contains a list Y that is minimally inconsistent of size bigger than 3. Define a profile \mathbf{J} that coincides with the one in the proof of Theorem 17 for the formulas in Y and, for the other formulas of the agenda, the individuals reject all of them. Note the judgment sets are now incomplete. By construction, we get $M(\mathbf{J}) = Y$, which is inconsistent in L . \square

For the larger class of uniform quota rules, we can adapt the known results, by noticing that in this case, again, the safety result applies to the condition of robust consistency.

Proposition 21. *Φ_L satisfies the kMP iff it is safe for (A, I, N, M) , for F_m with $m > n - \frac{n}{k}$.*

7. JUDGMENT AGGREGATION IN LINEAR LOGIC

We show that for linear logic analogous impossibility results can be stated. We assume that the judgments form multisets of formulas and that they are complete. In MALL, due to the lack of weakening, consistency and robust consistency are not equivalent.

Theorem 22. *(Multiplicative additive) linear logic MALL is not safe for MAJ.*

Proof. Take the agenda $\Phi_{\text{MALL}} = \{A, \neg A, B, \neg B, A \otimes B, \neg(A \otimes B)\}$ and the following profile:

	A	$A \otimes B$	B	$\neg A$	$\neg(A \otimes B)$	$\neg B$
i_1	1	1	1	0	0	0
i_2	1	0	0	0	1	1
i_3	0	0	1	1	1	0
<i>maj.</i>	1	0	1	0	1	0

The outcome of the majority rule on \mathbf{J} is the multiset $\{A, B, \neg(A \otimes B)\}$ which is inconsistent w.r.t. MALL:

$$\frac{\frac{A \vdash A \quad B \vdash B}{A, B \vdash A \otimes B} \otimes \mathbf{R}}{A, B, \neg(A \otimes B) \vdash} \neg \mathbf{L}$$

□

Again, the median property is not sufficient to preserve consistency, in case we assume that individual judgments are just consistent.

Example. Take the agenda closed under complements $\{A, \neg A, C, \neg C, C \multimap \mathbf{I}, \neg(C \multimap \mathbf{I})\}$. The agenda satisfies the median property, since there is no inconsistent multiset of size strictly bigger than 2. Take the following profile.

	A	$\neg A$	C	$C \multimap \mathbf{I}$	$\neg(C \multimap \mathbf{I})$	$\neg C$
i_1	1	1	1	0	0	0
i_2	1	0	1	1	0	0
i_3	0	1	1	1	0	0
<i>maj.</i>	1	1	1	1	0	0

Each individual multiset is consistent, although the first one is not robustly consistent, as it contains $\{A, \neg A\}$. By majority, we obtain the multiset $\{A, \neg A, C, C \multimap \mathbf{I}\}$, which is inconsistent in MALL, as the following proof shows.

$$\frac{\frac{\frac{A \vdash A}{A, \neg A \vdash} \neg \mathbf{L}}{A, \neg A, \mathbf{I} \vdash} \mathbf{I} \mathbf{L} \quad \frac{C \vdash C \quad \mathbf{I} \vdash \mathbf{I}}{C, C \multimap \mathbf{I} \vdash \mathbf{I}} \multimap \mathbf{L}}{A, \neg A, C, C \multimap \mathbf{I} \vdash} \text{cut}$$

Therefore, the median property is not sufficient to guarantee the consistency of the majority rule in case of MALL.

The condition of robust consistency is required also for MALL.

Proposition 23. Φ_{MALL} satisfies the median property iff it is safe for MAJ.

Proof. From left to right, suppose Φ_{MALL} satisfies the median property and $M(\mathbf{J})$ is inconsistent. The argument is then similar to the proof of Theorem 20.

From right to left, assume that Φ_{MALL} violates the median property, we show that $M(\mathbf{J})$ is not robustly consistent. If Φ_{MALL} violates the median property, then there exists an inconsistent set Y included in Φ_{MALL} with cardinality bigger than 3. Define a profile as in the proof of Theorem 17. We can conclude that Y is included in $M(\mathbf{J})$, which violates robust consistency. □

In case we assume the mere consistency of individual judgments, the median property is also not necessary for the consistency of the majority rule. That is, the direction “if Φ_{MALL} violates the median property, then the majority rule is inconsistent” does not hold. For instance, take the agenda $\{A, \neg A, B, \neg B, A \otimes B, \neg(A \otimes B), C, \neg C\}$. It violates the median property, since it contains a multiset $\{A, B, \neg(A \otimes B)\}$ which is minimally inconsistent of size 3. However, assuming that each judgment is complete, the majority rule cannot provide an inconsistent outcome on that agenda. We show this fact as follows.

Since each J_i is complete, either C or $\neg C$ is in J_i , therefore either C or $\neg C$ is in $F(\mathbf{J})$. We have then two cases: either $F(\mathbf{J}) = \{A, B, \neg(A \otimes B), C\}$ or $\{A, B, \neg(A \otimes B), \neg C\}$. In either case, $F(\mathbf{J})$ is not inconsistent in MALL.

Analogous treatment can be adapted to obtain results for the case of uniform quota rules.

Proposition 24. Φ_{MALL} satisfies the kMP iff it is safe for (A, I, N, M) , for F_m with $m > n - \frac{n}{k}$.

Since we are assuming that judgments are complete and complement-free, it is meaningful to extend the class of the majority rule, by keeping the axiom of WR and removing one of the other. In this case, we can adapt the known results of Proposition 14 to the case of MALL under the hypothesis of robust consistency. The proof largely adapts the arguments in (Endriss et al. (2010), Theorem 7, 8 and 9) so we present only a few cases.

Proposition 25. *The following facts hold:*

- i) Φ_{MALL} satisfies the SMP iff it is safe for (WR, A, N, I) .
- ii) Φ_{MALL} satisfies the SMP iff it is safe for (WR, A, N) .
- iii) Φ_{MALL} satisfies the SSMP iff it is safe for (WR, A, I) .

Proof. i) From left to right, suppose by contradiction that Φ_{MALL} satisfies the SMP and F in $[\Phi_{\text{MALL}}, \Phi_{\text{MALL}}](WR, A, N)$ is inconsistent. Therefore there exist two formulas ϕ and $\neg\psi$ in $F(\mathbf{J})$ such that ϕ is equivalent to ψ . As we have seen in the proof of Theorem 7, since F satisfies $(A), (I), (N)$, the outcome of F only depends on the cardinality of the set of individuals accepting ϕ (see also List and Puppe (2009)) and F can be represented by a function $h : \{0, \dots, n = |N|\} \rightarrow \{0, 1\}$ such that $\phi \in F(\mathbf{J})$ iff $h(|N_\phi|) = 1$. Since every J_i is robustly consistent, for every i , $\phi \in J_i$ iff $\neg\psi \notin J_i$ and since J_i are complete, $\phi \in J_i$ iff $\psi \in J_i$. Thus, by A, I, and N, we can infer that $\phi \in F(\mathbf{J})$ iff $\psi \in F(\mathbf{J})$. Since by assumption we have ϕ in $F(\mathbf{J})$, we conclude $\psi \in F(\mathbf{J})$, but since $\neg\psi \in F(\mathbf{J})$. This violates complement-freeness of F .

From right to left, assume that Φ_{MALL} violates the SMP, we show that there exists a function F in $[\Phi_{\text{MALL}}, \Phi_{\text{MALL}}](WR, A, N, I)$ that is not robustly consistent. If Φ_{MALL} violates the SMP, then there are two formulas ϕ and ψ such that $\phi \vdash \neg\psi$ and $\neg\psi \not\vdash \phi$. Define the aggregation procedure F as follows. Take a profile with 3 agents such that agent $J_1 = \{\neg A, \neg(A \& B)\}$, $J_2 = \{A, A \& B\}$ and $J_3 = \{A, \neg(A \& B)\}$. Take the aggregator F such that $\phi \in F(\mathbf{J})$ if 0 or 1 agents has $\phi \in J_i$ and $\phi \notin F(\mathbf{J})$ if more than one agent has $\phi \in J_i$. F is clearly satisfies (WR), (A), and (N). Thus, $F(\mathbf{J})$ is $\{\neg A, A \& B\}$, which is inconsistent in MALL.

ii) The argument above holds also when dropping independence (I). The only difference is that the function h that characterizes the formulas in $F(\mathbf{J})$ may vary for each profile \mathbf{J} .

iii) From left to right, assume that Φ_{MALL} satisfies the SSMP and that $F(\mathbf{J})$ is inconsistent. Then $F(\mathbf{J})$ contains ϕ and $\neg\phi$ against complement-freeness of F . \square

Again, due to the lack of weakening, if we only assume consistency, the conditions of SMP and SSMP are not necessary for preserving consistency. For instance, the agenda $\{A \& B, \neg(A \& B), \neg A \oplus \neg B, \neg(\neg A \oplus \neg B), C, \neg C\}$ does not satisfy the SMP, since $A \& B$ is equivalent to $\neg(\neg A \oplus \neg B)$, however we can show that F is consistent on that agenda.

We conclude this section by noticing that the previous results still applies even if we restrict to the multiplicative fragment of MALL, i.e. they hold for MLL.

Proposition 26. MLL is not safe for MAJ.

This fact can be shown by noticing that the example in the proof of Theorem 22 is in fact in MLL.

Again, the median property is adequate to ensure consistency. For example, we have the following result.

Proposition 27. Φ_{MLL} satisfies the median property iff it is safe for MAJ.

Moreover, analogous results can be provided for the intuitionistic version of MALL and MLL.

7.1. The case of additive linear logic. We can now state an interesting possibility result for ALL. We assume that each judgment set is also complete. We can show that the majority rule is always robustly consistent on agendas in ALL. The key property for stating this result is the following.

Property 28. *In additive linear logic (ALL) every provable sequent contains exactly two formulas (e.g. $A \vdash B$).*

This property has been noticed in Hughes and van Glabbeek (2003).¹⁷ If we inspect the additive rules, we see that they cannot add any new proposition. Thus, since every proof starts with axioms $A \vdash A$, every provable sequent contains two formulas of ALL. This easily entails that there are no minimal inconsistent multisets of size bigger than 2 in ALL: if J is inconsistent in ALL, then $J \vdash$ is provable in ALL. Thus, every agenda in ALL is safe for MAJ.

Theorem 29. *ALL is safe for MAJ.*

Proof. Let Φ_{ALL} any agenda in ALL. Since in ALL every provable sequent contains exactly two formulas, if Φ_{ALL} contains an inconsistent set Y , then Y must contain exactly two propositions, otherwise $Y \vdash$ would contradict Property 28. Therefore, any agenda in Φ_{ALL} satisfies the median property, thus the majority rule is always robustly consistent. \square

Example. *For instance, the agenda $\{A, B, A \& B, \neg A, \neg B, \neg(A \& B)\}$ does not violate the median property in ALL. This is due to the fact that $A, B, \neg(A \& B)$ is not inconsistent in ALL, since $A, B \vdash A \& B$ is not derivable, hence $A, B, \neg(A \& B) \vdash$ is not provable.*

It is worth stressing that Theorem 29 is a possibility results for a logic, i.e. ALL – that is a set of inference rules – and not just for a restriction of the language of the agenda, as usual in JA literature (cf. List and Puppe (2009)). This is evident by noticing that ALL is no longer safe for MAJ, in case we add weakening (W) to the reasoning power of ALL. In presence of weakening, the multiplicative conjunction entails the additive one (cf. Girard (1995)): $A \otimes B \vdash A \& B$; that is the reason why ALL plus W is no longer safe, as the following proof shows.

Proposition 30. *The logic ALL W is not safe for MAJ.*

Proof. Take the agenda in ALL that includes $\{A, B, \neg(A \& B)\}$. In ALL W, we have the following proof.

$$\frac{\frac{\frac{A \vdash A}{A, B \vdash A} \text{WL} \quad \frac{B \vdash B}{A, B \vdash B} \text{WL}}{A, B \vdash A \otimes B} \otimes R \quad \frac{\frac{A, B \vdash A \& B}{A \otimes B \vdash A \& B} \otimes L}{A, B \vdash A \& B} \text{cut}}{A, B, \neg(A \& B) \vdash} \neg L$$

¹⁷This property holds, provided we do not include the logical constants for true and false in the language of ALL.

The right branch of the tree is in fact the proof that shows that $A \otimes B$ in entails $A \& B$ in the presence of weakening. Therefore, there is an agenda in ALL that is not safe for the MAJ rule evaluated on ALL W. Thus, ALL W is not safe for MAJ. \square

Proposition 30 does not depend on the language of the agenda, the language is still defined as a subset of ALL. Thus, language restrictions may not be sufficient to guarantee consistency and to analyze the rationality of the outcome of an aggregation procedure. The proof-theoretical analysis is more fine grained and allows for assessing which inference rules are responsible for failures in preserving consistency. In particular, Propositions 30 shows that there are minimally inconsistent multisets of cardinality 3 when reasoning in ALL plus W, whereas there are none when reasoning in ALL.

The situation of weakening W contrasts with the following case. By adding contraction to ALL, agendas in ALL C are still safe. The reason is that contraction can only shrink the number of formulas in a provable sequent: If there is no provable sequent with more than two formulas in ALL, the same holds for ALL C.

Proposition 31. *The pair ALL C is safe for MAJ.*

In fact, contraction entails that $A \& B \vdash A \otimes B$, which does not cause any problem with the consistency of the majority rule.

Since ALL provides a possibility result for the majority rule, it is worthy to discuss whether this fact extends to larger classes of functions. We show that this is not the case. The following proofs adapt the constructions presented in Endriss et al. (2012).

Proposition 32. *The following facts hold.*

- (1) ALL is not safe for (WR, A, N)
- (2) ALL is not safe for (WR, A, I).
- (3) ALL is not safe for (A, N, I, M) (quota rules).

Proof. 1. We show that there is an agenda in ALL and an aggregator that satisfies the axioms above that return an inconsistent outcome. Take the agenda in ALL that consists of $\{A, \neg A, A \& B, \neg(A \& B)\}$. Consider a profile with 3 agents such that agent $J_1 = \{\neg A, \neg(A \& B)\}$, $J_2 = \{A, A \& B\}$ and $J_3 = \{A, \neg(A \& B)\}$. Take the aggregator F such that $\phi \in F(\mathbf{J})$ if 0 or 1 agents has $\phi \in J_i$ and $\phi \notin F(\mathbf{J})$ if more than one agent has $\phi \in J_i$. F is clearly satisfies (WR), (A), and (N). Thus, $F(\mathbf{J})$ is $\{\neg A, A \& B\}$, and $\neg A, A \& B \vdash$.

2. Suppose the agenda contains two just two propositions A and B such that $A \vdash B$ in ALL and $A \neq \neg B$. Take the constant function F that for every profile accepts A while it rejects B . This function is anonymous, independent and weakly rational, however the outcomes violates consistency.

3. It is enough to set the threshold for acceptance to $q \geq 1$ (i.e. take the union of all formulas that are accepted by at least one agent) to make the collective set inconsistent on any agenda in ALL. \square

However, by restricting the possible threshold of quota rules to the super-majoritarian quota, a possibility result can be achieved.

Proposition 33. *ALLC is safe for (A, N, I, M), for F_m with $m > \frac{n}{2}$*

Proof. Since any agenda in ALL satisfies the median property, inconsistent sets have cardinality 2. A quota rule F_m preserves consistency whenever $m > n - \frac{n}{k}$, where k is the size of the largest inconsistent set in ALL. Thus, F_m is consistent for agendas in ALL if $m > \frac{n}{2}$. \square

Therefore, reasoning in ALL does not provide new possibility results for classes of aggregators that significantly depart from the majority or the super-majority rule. The reason is that consistency in ALL tightly corresponds to the median property, which is the condition that preserves the majority rule from inconsistency.

Once we extend the class of aggregation procedure, the median property is no longer sufficient to guarantee consistency. In order to guarantee consistency, we need then to apply further restrictions on the agenda in ALL that strengthen the median property, i.e. the SMP and the SSMP, cf. Endriss et al. (2012).

Proposition 34. *The following facts hold:*

- *i) Φ_{ALL} satisfies the SMP iff it is safe for (WR, A, N, I) .*
- *i) Φ_{ALL} satisfies the SMP iff it is safe for (WR, A, N) .*
- *ii) Φ_{ALL} satisfies the SSMP iff it is safe for (WR, A, I) .*

We conclude this section with a positive result concerning acceptance-rejection neutrality. We focus on the case in which individual judgements sets are just assumed to be robustly consistent (i.e. they do not need to be complete). Dietrich and List (2009) have shown that every aggregator that is acceptance-rejection neutral and consistent is a dictatorship of some individual (namely, the aggregator always copies the judgements of some individual). The theorem does not hold for the majority rule, provided we evaluate it w.r.t. to ALL. Therefore, the majority rule is an acceptance-rejection neutral aggregator that preserves robust consistency.

Proposition 35. *ALL is safe for (arN) .*

8. JUDGMENT AGGREGATION IN RELEVANT LOGICS

We discuss now the extension of linear logic to relevant logic. In this case, judgments form multiset again. We assume that the individual judgments are complete. For R, weakening does not hold, therefore the condition of robust consistency is required. The full language of R, that includes multiplicative and additive connectives (i.e. intensional and extensional), behaves as linear logic, thus, we have again the following results.

Theorem 36. *R is not safe for MAJ.*

Proof. It is sufficient to use the argument in the proof of Theorem 22. □

Moreover, the median property provides again a suitable condition for the consistency of the majority rule.

Proposition 37. *Φ_{R} satisfies the median property iff it is safe for MAJ.*

General possibility results can be obtained by restricting to AR, the additive fragment of relevant logic. We extend the possibility result for ALL to the additive fragment of R by proving it by means of the Hilbert system.

Lemma 38. *In HMALL, the axiom for contraction (C): $\vdash (\phi \multimap (\phi \multimap \psi)) \multimap (\phi \multimap \psi)$ is derivable iff the following rule of contraction (HC) is:*

$$\frac{\{\Gamma, \phi, \phi\} \vdash \psi}{\{\Gamma, \phi\} \vdash \psi} \text{HC}$$

Proof. Assume the axiom C holds. We derive the rule HC. Assume $\{\phi, \phi\} \vdash \psi$. By the deduction theorem, we have that $\vdash \phi \multimap (\phi \multimap \psi)$ is derivable. By the axiom (C) and the \multimap -rule, we can derive:

- $\vdash \phi \multimap (\phi \multimap \psi)$ (hypothesis)
- $\vdash \phi \multimap (\phi \multimap \psi) \multimap (\phi \multimap \psi)$ (axiom (C))
- $\vdash \phi \multimap \psi$ (\multimap -rule)

Thus, by the deduction theorem, we have that $\{\phi\} \vdash \psi$.

In the other direction, HMALL plus the rule (HC) derives (C). We show that the axiom (C) can be derived as follows. In HMALL, it is derivable that: $\{\phi, \phi, \phi \multimap (\phi \multimap \psi)\} \vdash \psi$. By applying (HC), we obtain that $\{\phi, \phi \multimap (\phi \multimap \psi)\} \vdash \psi$, which by the deduction theorem entails $\vdash (\phi \multimap (\phi \multimap \psi)) \multimap (\phi \multimap \psi)$. \square

Moreover, if we assume axioms (D1) and (D2), then by the deduction theorem, we have that:

- (HD1): $\{A \& (B \oplus C)\} \vdash (A \& B) \oplus (A \& C)$
- (HD2): $\{(A \& B) \oplus (A \& C)\} \vdash A \& (B \oplus C)$

We can now extend Property 28 to AR as follows.

Property 39. *In AR every inconsistent set has cardinality 2.*

Proof. We know that in ALL, every provable sequent has cardinality two. Since the sequent calculus MALL and its Hilbert systems are equivalent, that entails that if $\Gamma \vdash \perp$ in HMALL, then Γ contains exactly at most two formulas. The Hilbert system for R is obtained by adding to HMALL the rule (HC), (HD1) and (HD2). It is easy to see that none of this can increase the number of formulas in a derivation. \square

We can now show that the additive fragment of R is safe for MAJ.

Theorem 40. *AR is safe for MAJ.*

Proof. By Lemma 38 and Property 39, every minimally inconsistent set in AR has cardinality 2. Thus, every agenda in AR is safe for MAJ. \square

The other safety results and the characterisation of safe agendas can be easily restated for the case of R. Many systems of relevant logics have been discussed in the literature, cf. Anderson et al. (1992); Restall (2002). A dedicated treatment of judgment aggregation in relevant logics is left for future work.

9. EXTENSIONS TO OTHER LOGICS

We have approached JA in substructural logics as they allows for covering a significant number of non-classical logics. As we discussed, any extension that allows for weakening is going to suffer of the analogous problems of aggregation of classical logic. It is however possible to look for extensions of the reasoning power of ALL and AR—for which safety is ensured—to other logics that lack weakening. An interesting minimal class of *fuzzy logics* can be defined as an extensions of MALL. The class of *uninorm fuzzy logics* is obtained from HMALL by adding, besides distributivity, the *linearity* axiom, which can be written in our notation, by means of the axiom (L): $(A \multimap B) \oplus (B \multimap A)$ (cf. Metcalfe et al. (2008), p. 54). As the axiom does not increase the number of formula in a derivation, it is in principle possible to extend our treatment and the safety results of the additive fragment to uninorm fuzzy logics.

Another reasonable extension is to discuss the case of the logic of *bunched implication* BI Pym (2013) which have significant applications in computer science. From an axiomatic perspective, this logic is close to the relevant logic R—since its additive conjunction and

disjunction are distributive— (cf Paoli (2002), p. 130). Moreover BI blocks weakening at the general level and it separates additive and multiplicative connectives. Thus, it appears a good candidate for extending the safety results of ALL. However, BI combines an *intuitionistic* implication and a substructural implication. That is, the additive implication of BI is more powerful than the additive implication of LL. In particular, the additive implication of BI is in fact an intuitionistic implication that is related, by the adjunction $A \wedge B \rightsquigarrow C$ iff $A \rightsquigarrow (B \rightsquigarrow C)$, to the additive conjunction. This causes Property 28 to fail for the additive fragment of BI, since $A, A \rightsquigarrow B, \neg B$ is inconsistent in BI. Therefore, BI is not in general safe for the axioms that characterise the majority rule. Adding a strong negation to the intuitionistic fragments that we have explored is also a viable extension to justify the completeness assumption concerning the individual judgments. The axioms that capture a strong constructive negation — see Wansing (2007)— preserve Proposition 28, thus in principle adding a strong negation provides a viable extension to intuitionistic ALL and AR.

9.1. Two-logics judgment aggregation. The modelling that we have introduced enables the definition of aggregators that link profiles of judgment expressed in a certain logic to collective outcomes expressed in a possibly different logic. In particular, our previous results can be extended to aggregation procedures that takes profiles of judgments that are defined on agendas in *classical* logic and return judgments in ALL or AR. Firstly, note that classical logic is obtained, for instance from ALL, by adding weakening and contraction. Thus, any agenda in Φ_{ALL} can faithfully represent the deductive structure of a classical agenda once we reason on its formulas of by means of ALL plus contraction and weakening (ALL C W). By adding weakening and contraction, the multiset of formulas of the agenda in ALL is deductively equivalent to a set, since multiple occurrences of a formula can be identified by means of contraction (C).

By inspecting the proofs of Theorem 29 and 40, one can see that the proof still holds in case individual reasoning in ALL or AR is extended to individual reasoning in CL. The reason is that, by reasoning in CL more theorems (more sequents) can be derived, thus, in principle, there are more provably inconsistent sets. However, individual judgements are assumed to be robustly consistent —that in this case coincides with standard consistency because of weakening and contraction— therefore, although more (individually) inconsistent sets may be derived in classical logic, they are all prevented by the (robust) consistency assumption. For those reasons, we obtain safety results for MAJ and pairs of agendas $(\Phi_{\text{CL}}, \Phi_{\text{ALL}})$ and $(\Phi_{\text{CL}}, \Phi_{\text{AR}})$, which entails the following result.¹⁸

Corollary 41. (of Theorem 29 and 40). *The pairs of logics (CL, ALL) and (CL, AR) are safe for MAJ.*

Recall that a pair of logics is safe for a certain class of axioms if for every agenda defined on the first logic, every aggregation functions that satisfies those axioms returns sets of judgments that are robustly consistent when assessed with respect to the second logic (cf. Definition 10).

By assuming that individuals reason by means of classical logic, we are meeting the assumptions of the standard model of JA and of the impossibility result in List and Pettit (2002). Therefore, by assessing collective rationality in a logic that is significantly weaker than classical logic, i.e. ALL or AR, we can actually circumvent the classical impossibility result of List and Pettit (2002). By assessing collective rationality in ALL or AR, we can

¹⁸In this case, the aggregation procedures basically associate profiles of sets to multisets, this is done by viewing the set that would be the output of the aggregation procedure as multiset with multiplicity one

guarantee the preservation of a consistency property from the individual judgments to the collective judgments: if the individual judgments are consistent w.r.t. classical logic, then the majority rule provides judgments that are consistent w.r.t. additive linear or relevant logic.

This strategy for circumventing impossibility results maintains all the normative axioms of the majority rule, it only weakens the notion of rationality that is suitable for collective entities.

One may wonder what happens if we weaken the logic that models individual reasoning while keeping a strong logic that assesses the collective outcome, for instance if individuals reason by means of ALL and the outcome of the majoritarian aggregation is assessed by means of CL. In this case, the preservation of (robust) consistency is lost. In particular, suppose that $\{A, B, \neg(A \& B)\}$ is the outcome of the majority rule: it is not inconsistent in ALL, but it is in CL, once we enable also weakening (W).

10. RELATED WORK

A number of articles that investigate logics for judgment aggregation are related to this paper. Proof-theoretical methods in social choice theory and judgment aggregation have been previously used to provide formal proofs of important theorems such as Arrow's theorem. Hilbert system presentations have been used in Ågotnes et al. (2011) and Ciná and Endriss (2015), and natural deduction for modal logics of JA has been introduced in Perkov (2016). The use of proof-theory—and in particular of sequent calculi—for modeling collectively accepted beliefs has been developed by Hakli and Negri (2011), although the logic that has been introduced there admits weakening. The use of sequent calculi for modelling inferences in judgment aggregation has been introduced in Porello (2012, 2013).

Logics for judgment aggregation have been mainly developed as modal logics that extend classical propositional reasoning, e.g. Pauly (2007) uses non-normal modal logics to axiomatize the majority rule and Ågotnes et al. (2011) and Ciná and Endriss (2015) use (normal) modal logics to prove theorems in judgment aggregation. However, a small number of articles discussed non-classical logics related to judgment aggregation. Gödel-Dummett Logic has been used to compare judgment and preference aggregation by Grossi (2009). Gödel-Dummett logic is an extension of intuitionistic logic, therefore weakening holds; from the perspective of the safety of a logic for a set of axioms, this case is comparable to the case of intuitionistic logic. Moreover, recent work discusses judgment aggregation within the framework of argumentation theory, that is based on default logics, see for instance Caminada and Pigozzi (2011).

Finally, a recent work that extends the general model of judgment aggregation of Dietrich (2007) to the case of nonmonotonic logics is Wen (2017). The impossibility results of Dietrich (2007) are there extended to the case of nonmonotonic logic. Here, we have approached non-monotonicity from the perspective of substructural logics, that is, we have discussed logics that lack weakening. Notice that, as we have argued, the lack of weakening is not sufficient for the possibility results of Theorem 29 and 40. The distinction between multiplicatives and additives (or intensionals and extensionals) and the restriction to the additives is required. Multiplicative linear logic lacks weakening, however it does not guarantee the consistency of the majority rule. A comparison between the treatment of non-monotonicity in substructural logics (i.e. the lack of weakening) and the non-monotonicity of default logics and of nonmonotonic logics requires a dedicated treatment and it is left for future work.

Another example of non-classical logic—or more precisely of non-classical definition of the conditional—in judgment aggregation is the approach based on subjunctive implications of Lewis’s conditional logic by Dietrich (2010). The motivation for studying subjunctive conditional is close to the motivations of this paper—and of a number of non-classical logics—that is, that of exploring meanings of conditionals that are close to the meaning of implications used by human agents and that do not suffer of the paradoxes of classical material implication. For subjunctive implications, Dietrich shows possibility results for quota rules. Moreover, the notion of relevant premises in a judgment aggregation problem has been discussed in Dietrich (2015) by tuning the axioms of aggregation procedures. Here, we have approached the problem of relevance by studying judgement aggregation within relevant and linear logics, that is, by introducing suitable logical operators.

An important group of articles that is related to the analysis of this paper is the semantic approach to logics for judgment aggregation due to Dietrich (2007). In particular, Dietrich (2007), Dietrich and Mongin (2010) and Mongin (2012) discuss JA with respect to a “general logic”, that includes a number of significant logics, providing an important step towards generalizing the model of judgment aggregation. The methodology they use is algebraic: a logic is defined by means of a (semantic) *consequence relation* that satisfies a number of desiderata that are met by a variety of logics (e.g. by classical logic and by many modal logics). In particular, the consequence relation is there assumed to be monotonic, which is equivalent to assuming weakening from a proof-theoretical perspective. The results of Dietrich (2007) provide a general impossibility for judgment aggregation for logics that are monotonic (besides the other conditions). Moreover, a similar algebraic approach for nonmonotonic logic has been developed in Wen (2017). The case of linear and relevant logics still escape a straightforward reformulation of the approach by Dietrich (2007) due to the distinction between multiplicatives and additives. A close comparison with the semantic approach proposed by Dietrich and in Wen (2017) requires a dedicated future work.

Another interesting algebraic approach to discussing JA in a variety of logics is given by Herzberg (2013) and Esteban et al. (2015). In that case, the treatment applies to a wide class of distributive logics, thus our sections on linear logic may provide an extension of their analysis, once rephrased in their algebraic counterparts.

11. CONCLUSIONS AND FUTURE WORK

We have seen an overview of results for judgment aggregation in a number of important non-classical logics. For monotonic logics—that are here understood as logics that satisfy weakening, e.g. for intuitionistic logic and for extensions of classical logic—we have seen that a simple rephrasing of the usual modelling of JA is sufficient to establish the expected results. For the case of non-monotonic logics—e.g. Lambek calculus, linear logic, and relevant logics—the modelling requires a careful examination of the consistent sets of formulas and of the operational meaning of logical connectives, in order to adapt the standard characterisations of safe agendas (e.g. the median property).

By studying JA in weak logics, and by means of a proof-theoretical approach, a fine-grained analysis of the inferences that are responsible of collective inconsistency can be provided. We have seen that by defining agendas in the additive fragment of linear or relevant logic, general safety results are viable. However, adding weakening is sufficient for collective inconsistency to stike back. By contrast, contraction does not affect safety results.

We have also seen that even if individuals reason by means of the full power of classical logic—as in the standard JA setting—it is nonetheless possible to assess collective rationality with respect to the additive fragment of linear or relevant logic, in order to preserve consistency. Understanding collective rationality with respect to a weak logic provides then a way to circumvent the impossibility theorem provided by List and Pettit (2002), at least in the sense that discursive dilemmas are no longer construed as a problem of logical consistency. Substructural reasoning provides a rationalization of classical collective inconsistencies, thus the problem of ascribing irrational attitudes to collective entities—that threaten an aggregative view of collective agents, see for instance List and Pettit (2011)—is prevented by the use of substructural reasoning. A detailed analysis of discursive dilemmas from the perspective of substructural logics is left for future work.

We did not discuss here the computational complexity of the decision problems involved in our setting. For the systems that we have introduced, the computational complexity of theorem proving is known, therefore, it is possible in principle to adapt the treatment of Endriss et al. (2012) to the non-classical logics. For instance, multiplicative additive linear logic is known to be PSPACE-complete. From that, one can approach the computational complexity of checking whether an agenda of propositions in MALL has the median property by adapting the arguments in Endriss et al. (2012) (e.g. Lemma 20).

We have covered a representative number of significant non-classical logics and of non-classical connectives that can be in principle applied to model specific aggregation problems. For instance, we have introduced an order-sensitive implication that may capture dependencies between propositions in the agenda, a resource-sensitive implication that captures a number of aspects of causality and resource sensitivity, and we presented relevant implication that captures the connection between the antecedent and the consequent of true implications. We have only marginally discussed a number of logical systems that can be obtained as extensions of linear or relevant logic. The case of many-valued and fuzzy logics and the case of paraconsistent logics have been discussed here only within the substructural perspective. An extension of the present treatment to further logical calculi is the matter of future work.

ACKNOWLEDGMENTS

This work extends Porello (2013) and Porello (2014). I thank the anonymous reviewers for the insightful comments.

REFERENCES

- Abrusci, V. M. (1990). A comparison between lambek syntactic calculus and intuitionistic linear propositional logic. *Mathematical Logic Quarterly*, 36(1):11–15.
- Ågotnes, T., van der Hoek, W., and Wooldridge, M. (2011). On the logic of preference and judgment aggregation. *Autonomous Agents and Multi-Agent Systems*, 22(1):4–30.
- Allo, P. and Mares, E. (2012). Informational semantics as a third alternative? *Erkenntnis*, 77(2):167–185.
- Anderson, A. R., Belnap Jr, N. D., Dunn, J. M., et al. (1992). *Entailment. The Logic of Relevance and Necessity, vol. II*. Princeton University Press, Princeton.
- Caminada, M. and Pigozzi, G. (2011). On judgment aggregation in abstract argumentation. *Autonomous Agents and Multi-Agent Systems*, 22(1):64–102.
- Ciabattoni, A., Galatos, N., and Terui, K. (2012). Algebraic proof theory for substructural logics: cut-elimination and completions. *Annals of Pure and Applied Logic*, 163(3):266–290.

- Ciná, G. and Endriss, U. (2015). A syntactic proof of arrow's theorem in a modal logic of social choice functions. In *Proceedings of the 2015 International Conference on Autonomous Agents and Multiagent Systems, AAMAS 2015, Istanbul, Turkey, May 4-8, 2015*, pages 1009–1017.
- Dietrich, F. (2007). A generalised model of judgment aggregation. *Social Choice and Welfare*, 28(4):286–298.
- Dietrich, F. (2010). The possibility of judgment aggregation on agendas with subjunctive implications. *Journal of Economic Theory*, 145(2):603–638.
- Dietrich, F. (2015). Aggregation theory and the relevance of some issues to others. *Journal of Economic Theory*, 160:463–493.
- Dietrich, F. and List, C. (2007). Judgment aggregation by quota rules: Majority voting generalized. *Journal of Theoretical Politics*, 19(4):391–424.
- Dietrich, F. and List, C. (2008). Judgment aggregation without full rationality. *Social Choice and Welfare*, 31(1):15–39.
- Dietrich, F. and List, C. (2009). Judgment aggregation with consistency alone. Working paper, London School of Economics.
- Dietrich, F. and Mongin, P. (2010). The premiss-based approach to judgment aggregation. *Journal of Economic Theory*, 145(2):562–582.
- Dummett, M. A. (2000). *Elements of intuitionism*, volume 39. Oxford University Press.
- Dunn, J. M. and Restall, G. (2002). Relevance logic. In *Handbook of philosophical logic*, pages 1–128. Springer.
- Endriss, U. (2016). Judgment aggregation. In Brandt, F., Conitzer, V., Endriss, U., Lang, J., and Procaccia, A. D., editors, *Handbook of Computational Social Choice*, chapter 17. Cambridge University Press. In press.
- Endriss, U. and Grandi, U. (2014). Collective rationality in graph aggregation. In *ECAI 2014 - 21st European Conference on Artificial Intelligence, 18-22 August 2014, Prague, Czech Republic - Including Prestigious Applications of Intelligent Systems (PAIS 2014)*, pages 291–296.
- Endriss, U., Grandi, U., and Porello, D. (2010). Complexity of judgment aggregation: Safety of the agenda. In *9th International Conference on Autonomous Agents and Multiagent Systems (AAMAS 2010), Toronto, Canada, May 10-14, 2010, Volume 1-3*, pages 359–366.
- Endriss, U., Grandi, U., and Porello, D. (2012). Complexity of judgment aggregation. *Journal of Artificial Intelligence Research*, 45:481–514.
- Esteban, M., Palmigiano, A., and Zhao, Z. (2015). An abstract algebraic logic view on judgment aggregation. In *Logic, Rationality, and Interaction*, pages 77–89. Springer.
- Gentzen, G. (1935). Untersuchungen über das logische schließen. *Mathematische zeitschrift*, 39(1):176–210 and 405–431.
- Girard, J.-Y. (1987). Linear logic. *Theor. Comput. Sci.*, 50(1):1–101.
- Girard, J.-Y. (1995). Linear logic: Its syntax and semantics. In *Advances in Linear Logic*. Cambridge University Press.
- Girard, J.-Y., Lafont, Y., and Taylor, P. (1989). *Proofs and types, volume 7 of Cambridge tracts in theoretical computer science*. Cambridge University Press, Cambridge.
- Grossi, D. (2009). Unifying preference and judgment aggregation. In *Proceedings of The 8th International Conference on Autonomous Agents and Multiagent Systems-Volume 1*, pages 217–224. International Foundation for Autonomous Agents and Multiagent Systems.

- Grossi, D. and Pigozzi, G. (2014). Judgment aggregation: a primer. *Synthesis Lectures on Artificial Intelligence and Machine Learning*, 8(2):1–151.
- Hakli, R. and Negri, S. (2011). Reasoning about collectively accepted group beliefs. *Journal of philosophical logic*, 40(4):531–555.
- Herzberg, F. S. (2013). Universal algebra for general aggregation theory: Many-valued propositional-attitude aggregators as mv-homomorphisms. *Journal of Logic and Computation*, page ext009.
- Hughes, D. J. D. and van Glabbeek, R. J. (2003). Proof nets for unit-free multiplicative-additive linear logic. In *LICS*, pages 1–10. IEEE Computer Society.
- Konieczny, S. and Pérez, R. P. (2011). Logic based merging. *Journal of Philosophical Logic*, 40(2):239–270.
- Kopylov, A. P. (1995). Decidability of linear affine logic. In *10-th Annual IEEE Symposium on Logic in Computer Science*. Citeseer.
- Kornhauser, L. A. and Sager, L. G. (1993). The one and the many: Adjudication in collegial courts. *California Law Review*, 81(1):1–59.
- Lambek, J. (1958). The mathematics of sentence structure. *Amer. Math. Monthly*, 65(3):154–170.
- List, C. and Pettit, P. (2002). Aggregating Sets of Judgments: An Impossibility Result. *Economics and Philosophy*, 18:89–110.
- List, C. and Pettit, P. (2011). *Group Agency. The possibility, design, and status of corporate agents*. Oxford University Press.
- List, C. and Polak, B. (2010). Introduction to judgment aggregation. *Journal of economic theory*, 145(2):441–466.
- List, C. and Puppe, C. (2009). Judgment aggregation: A survey. In *Handbook of Rational and Social Choice*. Oxford University Press.
- Mares, E. D. (2004). *Relevant logic: A philosophical interpretation*. Cambridge Univ. Press.
- Masolo, C. and Porello, D. (2015). A cognitive view of relevant implication. In *Proceedings of the 3rd International Workshop on Artificial Intelligence and Cognition, Turin, Italy, September 28-29, 2015.*, pages 40–53.
- May, K. O. (1952). A set of independent necessary and sufficient conditions for simple majority decision. *Econometrica*, 20(4):680–684.
- Metcalfe, G., Olivetti, N., and Gabbay, D. M. (2008). *Proof theory for fuzzy logics*, volume 36. Springer Science & Business Media.
- Mongin, P. (2012). The doctrinal paradox, the discursive dilemma, and logical aggregation theory. *Theory and decision*, 73(3):315–355.
- Negri, S., Von Plato, J., and Ranta, A. (2008). *Structural proof theory*. Cambridge University Press.
- Nehring, K. and Puppe, C. (2007). The structure of strategy-proof social choice. Part I: General characterization and possibility results on median spaces. *Journal of Economic Theory*, 135(1):269–305.
- Nehring, K. and Puppe, C. (2008). Consistent judgement aggregation: the truth-functional case. *Social Choice and Welfare*, 31(1):41–57.
- Paoli, F. (2002). *Substructural logics: a primer*, volume 13. Springer Science & Business Media.
- Pauly, M. (2007). Axiomatizing collective judgment sets in a minimal logical language. *Synthese*, 158(2):233–250.

- Perkov, T. (2016). Natural deduction for modal logic of judgment aggregation. *Journal of Logic, Language and Information*, pages 1–20.
- Pigozzi, G. (2006). Belief merging and the discursive dilemma: an argument-based account to paradoxes of judgment aggregation. *Synthese*, 152(2):285–298.
- Porello, D. (2012). The consistency of majority rule. In *Proceedings the 20th European Conference on Artificial Intelligence. ECAI 2012*, pages 921–922.
- Porello, D. (2013). A proof-theoretical view of collective rationality. In *IJCAI 2013, Proceedings of the 23rd International Joint Conference on Artificial Intelligence, Beijing, China, August 3-9, 2013*.
- Porello, D. (2014). Logics for collective reasoning. In *Proceedings of the European Conference on Social Intelligence (ECSI-2014), Barcelona, Spain, November 3-5, 2014*, pages 148–159.
- Porello, D. and Endriss, U. (2010a). Modelling combinatorial auctions in linear logic. In *Proceedings of the 12th International Conference on the Principles of Knowledge Representation and Reasoning (KR-2010)*.
- Porello, D. and Endriss, U. (2010b). Modelling multilateral negotiation in linear logic. In *ECAI 2010 - 19th European Conference on Artificial Intelligence, Lisbon, Portugal, August 16-20, 2010, Proceedings*, pages 381–386.
- Porello, D. and Endriss, U. (2014). Ontology merging as social choice: judgment aggregation under the open world assumption. *J. Log. Comput.*, 24(6):1229–1249.
- Pym, D. J. (2013). *The semantics and proof theory of the logic of bunched implications*, volume 26. Springer Science & Business Media.
- Restall, G. (2002). *An introduction to substructural logics*. Routledge.
- Restall, G. (2006). Relevant and substructural logics. *Handbook of the History of Logic*, 7:289–398.
- Troelstra, A. (1992). *Lectures on Linear Logic*. CSLI Lecture Notes. Center for the Study of Language and Information.
- Troelstra, A. S. and Schwichtenberg, H. (2000). *Basic proof theory (2nd ed.)*. Cambridge University Press, New York, NY, USA.
- Wansing, H. (2007). A note on negation in categorial grammar. *Logic Journal of IGPL*, 15(3):271–286.
- Wen, X. (2017). Judgment aggregation in nonmonotonic logic. *Synthese*. To appear.