



(RESEARCH ARTICLE)



# Modernizing Workflows with Convolutional Neural Networks: Revolutionizing AI Applications

Vasanthi Govindaraj \*

*National General (An Allstate Company) Dallas, Texas, United States.*

World Journal of Advanced Research and Reviews, 2024, 23(03), 3127–3136

Publication history: Received on 19 August 2024; revised on 27 September 2024; accepted on 30 September 2024

Article DOI: <https://doi.org/10.30574/wjarr.2024.23.3.3074>

## Abstract

Modernizing workflows is imperative to address labor-intensive tasks that hinder productivity and efficiency. Convolutional Neural Networks (CNNs), a prominent technique in Artificial Intelligence, offer transformative potential for automating complex processes and streamlining operations. This study explores the application of CNNs in building accurate classification models for diverse datasets, demonstrating their ability to significantly enhance decision-making processes and operational efficiency. By leveraging a dataset of images, an optimized CNN model has been developed, showcasing high accuracy and reliability in classification tasks. The findings underscore the ability of AI-powered approaches to reduce manual efforts, improve productivity, and support sustainable modernization across various domains. This study is relevant to professionals seeking to embed AI solutions into conventional workflows, offering a pathway to enhanced innovation and efficiency.

**Keywords:** Convolutional Neural Networks (CNN); Workflow Modernization; Artificial Intelligence Applications; Deep Learning Techniques; Automation and Productivity; Image Classification Models; AI-Driven Modernization; Sustainable Solutions with AI; Operational Efficiency through AI; Decision-Making Optimization

## 1. Introduction


Integrating AI and machine learning into traditional industries has quickly picked up speed. Significant progress has been made in healthcare, agriculture, and engineering by leveraging advanced technologies. Mainly, Convolutional Neural Network (CNN) methods have been successfully applied to tasks like image classification and pattern recognition, delivering outstanding results in these crucial areas of advancement [3, 9, 7]. The paper examines using the CNN model for plant species identification, a labor-intensive process prone to human errors. The proposed system is expected to reduce the time required for precise plant species identification and holds significant potential for enhancing agricultural productivity.

The increasing importance of more efficient and scalable approaches to crop management is driven by the growing demand for precision agriculture and the world's increasing population. This study addresses the pressing need for sustainability in agriculture by utilizing AI models to automate and optimize the process. Due to its interdisciplinary nature, the research aims to attract a wide-ranging audience, including computer science, healthcare, clinical practice, pharmacy, technology, academia, and industry professionals. In conclusion, this paper shows that traditional processes can be integrated into modern technologies by developing an AI-based solution and expanding its applications across various industries.

\* Corresponding author: VASANTHI GOVINDARAJ \*

## 2. Literature Review

The growing trend of applying Artificial Intelligence techniques in diversified sectors is drastically changing the processing, analysis, and usage of data toward decision-making. In agriculture, for example, AI techniques, especially CNNs, hold immense potential to automate tasks such as plant species identification, which usually involves much manpower (see Figure 1). The review is based on prior research on AI's integration into agriculture and its implications for health, technology, and industrial operations in a multidisciplinary context.



**Figure 1** AI-Driven Prediction Framework for Workflow Optimization and Image Identification

Convolutional neural networks (CNNs) have been effectively used in machine learning for image classification by identifying intricate patterns in large datasets [1, 4, 5]. They have been successfully applied to plant disease identification, leading to advancements in irrigation and crop yield prediction [18]. For example, Zhang et al. (2019) conducted a study where CNN models were trained on an extensive collection of plant images, achieving an accuracy rate of over 90% in species identification. This approach saved time and labor costs compared to traditional manual methods and provided farmers with more efficient and scalable solutions. Zhang et al. (2019) conducted a study wherein CNN models were trained on a substantial collection of plant images, yielding an accuracy rate exceeding 90% in species identification [2, 6]. This approach not only economized time and labor costs compared to traditional manual identification methods but also furnished farmers with more proficient and scalable solutions.

Besides, adopting cloud technologies during CNN model training and deployment has been more prevalent in managing high-volume datasets. Cloud platforms ensure real-time working data for AI-driven models to arrive at immediate decisions [8, 9]. In this way, it scales up the agricultural applications that use AI-cloud computing together to simultaneously process information from multiple sources. According to Davis and White (2020), integrating the cloud enhances the reliability of AI systems by ensuring data redundancy and availability.

Moreover, the use of AI in agriculture continues after plant species identification. Recent developments also reveal the potential of AI in precision farming, such as times of planting, as predicted by AI models, watering schedules, and even forecasting forthcoming diseases of crops. For instance, the work of Garcia and Lee, 2021, has shown how AI can be applied to perform predictive maintenance in agricultural machinery, reducing any chances of failure, increasing operational efficiency, and shortening downtime. Yet, various challenges arise in adopting AI technology in farming, even when the benefits are crystal clear. Transitions from legacy systems to AI-powered infrastructures could be more manageable and resource-intensive. The same would, however, require expertise in AI, considerable investments in cloud infrastructure, and the training of farmers and agricultural workers to overcome the technical limitations of the older agricultural system, as indicated by Kumar and Gupta.

The literature demonstrates that AI will change agriculture, but much interdisciplinary collaboration among researchers, technologists, and agriculturists is called for. These AI-based solutions involve CNN models that offer scalable, efficient, and accurate approaches to many of the field's age-old problems. After all, only partial success can be achieved once these technological and logistical barriers to integrating AI with typical agricultural workflows are overcome.

---

### 3. Methodology

This section describes the step-by-step approach to developing, training, and evaluating the Convolutional Neural Network (CNN) model for plant species identification. The experimental workflow is based on the dataset provided and leverages deep learning techniques to achieve high classification accuracy.

#### 3.1. Data Collection

The dataset used in this study consists of a collection of images of various plant species, accompanied by corresponding labels for each image. The images included diverse species and were captured under varying conditions, such as different lighting environments and plant growth stages, to enhance the robustness of the model's evaluation across a wide range of scenarios [11, 12].

#### 3.2. Data Preprocessing

Preprocessing was necessary to standardize the input data and ensure it was in a suitable format for the CNN model. The following preprocessing steps were applied:

##### 3.2.1. Resizing

Each image was resized to a fixed dimension (e.g., 256x256 pixels) to maintain uniformity across the dataset.

##### 3.2.2. Normalization

The pixel values of the images were scaled to a range of (0, 1) by dividing by 255. This normalization step facilitated faster convergence during training.

##### 3.2.3. Data Augmentation

Techniques such as rotation, zooming, and horizontal flipping were applied to the training images to create additional variations and reduce the risk of overfitting.

#### 3.3. CNN Model Architecture

The model's architecture was designed to process the input images in a sequential framework and classify them into any one of multiple classes. CNN consists of several convolutional layers followed by max pooling, which extracts useful features from the images.

##### 3.3.1. Convolutional Layers

The first convolutional layer convolved 32 filters with a kernel size 3x3, followed by ReLU for activation. Further convolutional layers have been added to extract more complex features, each followed by a max-pooling layer that reduces the spatial dimensions of the feature maps.

##### 3.3.2. Fully Connected Layers

The output from the convolutional layers was flattened and then inputted to the fully connected layers. Dropout was used to prevent overfitting, while SoftMax activation at the last layer gave outputs in terms of probabilities for each plant species class.

##### 3.3.3. Compilation of Model

The model is compiled using the Adam optimizer, with the learning rate set to 0.001 and a loss function of categorical cross-entropy.

### 3.4. Model Training

The model was trained using the preprocessed dataset, and some data was reserved for validation. Early stopping was implemented to halt the training process if the validation accuracy stopped improving, preventing overfitting.

#### 3.4.1. Batch Size

A batch size of 32 was chosen to balance memory efficiency and learning rate.

#### 3.4.2. Epochs

The model was trained for 20 epochs and learned to minimize the classification error.

#### 3.4.3. Validation

The model's performance was monitored using the validation set to ensure generalization to unseen data.

### 3.5. Model Evaluation

After training, the overall model accuracy was checked on the test set. The metrics calculated are as follows:

#### 3.5.1. Accuracy

It is the total percentage of the correctly classified images.

#### 3.5.2. Precision, Recall, and F1-score

These scores have been calculated to show the model's performance in each plant species class.

#### 3.5.3. Confusion Matrix

A confusion matrix has been generated to visualize classification results from the model graphically and identify instances of misclassification.

### 3.6. Integration with Cloud-Based Systems

The resultant trained CNN model was now deployed in a cloud-based platform for real-time plant species identification. This platform allows a user to upload an image of a plant, which is instantly classified based on the model's predictions. The system is scalable and can be accessed remotely by agricultural professionals operating in various locations.

### 3.7. Data Comparative Analysis

Finally, the performance of the CNN model was compared with other machine learning algorithms, such as Support Vector Machines (SVM) and Random Forests. The CNN model showed superior accuracy and feature extraction performance, making it the preferred method for plant species identification [5, 6, 9].

---

## 4. Experimental Analysis

This experimental analysis covers the performance evaluation of the CNN model while identifying the plant species. The CNN model was trained with a given dataset and evaluated on key performance metrics such as accuracy, loss, and generalization across the testing dataset. This section discusses several stages of how the model has been handled through its training phase, enabling it to classify data previously unseen by the model.

### 4.1. Preparing Data and Training

The plant image dataset is divided into training and testing data to train the CNN and assess its generalization capability. The overall dataset constitutes 80% of the training set and the rest of the test data. Normalization and data augmentation were made on the images to enhance the performance in recognizing patterns in diverse conditions, including variations in lighting and angles of view to the plants.

In other words, during training, the model was fed batches of images, updating internal parameters to minimize classification error; Adam optimizer, with the training process stopping after 20 epochs.

## 4.2. Model Evaluation

Using the CNN model trained earlier, evaluations were made on the test set to determine the accuracy and loss. Key evaluation metrics employed included:

### 4.2.1. Training Accuracy

This shows the model's ability to classify plant images correctly during its training process.

### 4.2.2. Validation Accuracy

This will hint at the model's generalization capability- how well it will perform on previously unseen data or a validation set.

### 4.2.3. Training and Validation Loss

This will indicate the error rate for training and validation and how far the predictions were from the accurate labels.

## 4.3. Model Performance

Within 20 epochs, the training accuracy rose steadily from about 30% at the beginning to as high as 90% toward the end of training. That means the model learned increasingly better in each subsequent epoch.

The validation accuracy started at 40%, which means the model could generalize the features quite well from the beginning. Toward the end of training, the validation accuracy stabilized at about 80%, which meant it could recognize new, unseen images quite effectively [3, 7].

The training loss decreased linearly, showing that the model's predictions became increasingly correct during training. The validation loss did roughly the same, decreasing while the model was learning and having minor fluctuations toward the end of the training, possibly due to minor overfitting.

## 4.4. Confusion Matrix

Further analysis of the model's performance involved using a confusion matrix, showing how each plant species was predicted. This is where important information can be gained on whether there are any specific species that the model struggles to differentiate, especially if they possess similar features like shape or texture.

## 4.5. Practical Implications

After that, the CNN model was extended to a cloud-based system where users could instantly upload images of any plant to get a classification. This feature immediately provided utility for farmers, researchers, and experts in agricultural services about the speed and efficiency of plant species identification. Scalability and accessibility across diverse geographical locations are ensured on the cloud platform. Field validation proved that the model worked well in a natural agricultural environment, demonstrating exemplary performance in actual field conditions such as varying light conditions, camera angles, or plant stages.

---

## 5. Results

The plant image dataset is split into training and testing data to train the CNN and evaluate its generalization capability. 80% of the dataset comprises the training set, while the remaining comprises the test data. Normalization and data augmentation have been done on images for improved performance in recognizing patterns under various conditions, including variations in lighting and angles of view for the plants.

Results from the various experiments carried out in this work have been used to demonstrate the effectiveness of CNN in plant species identification based on image data. The key performance indicators tracked were accuracy and loss through the model's training and testing; their trends point to the model's learning behavior and generalization capabilities.

### 5.1. Training and Validation Accuracy

The plant image dataset is divided into training and testing data to train the CNN and assess its generalization capability. The overall dataset constitutes 80% of the training set and the rest of the test data. Normalization and data

augmentation were made on the images to enhance the performance in recognizing patterns in diverse conditions, including variations in lighting and angles of view to the plants.


### 5.1.1. Training Accuracy

For 20 epochs, the CNN model improved consistently in its accuracy. It started with an initial accuracy of about 30%, and then it picked up very well in classifying the species of the plants. At the end of the 20th epoch, the training accuracy peaked at 90%.

### 5.1.2. Accuracy on Validation

It began at 40%, then rose and eventually stabilized at around 80% by the 20th epoch. This suggests good generalization without overfitting, as the performance on the validation set closely mirrors that of the training set without significant divergence.

A variation in training versus validation accuracy is shown here (see Figure 2), which depicts that as both metrics rose during improvement, there would always be a lag in validation accuracy corresponding to training accuracy.



**Figure 2** Training and Validation Accuracy

## 5.2. Training and Validation Loss

### 5.2.1. Training Loss

The training loss decreased significantly throughout the epochs, moving from a starting value of 2.0 to 0.5 at the end of the training process. This decrease indicates that the model improved at making predictions with each epoch since it could be more accurate.

### 5.2.2. Validation Loss

The validation loss also decreased with a similar trend, starting from approximately 1.75 and moving to around 0.8. There were slight fluctuations toward the later epochs; however, the overall trend was indicative that the model was learning well from the data.

The training and validation loss graph (see Figure 3) shows this decrease, although minor oscillations in validation loss in the later stages indicate slight overfitting.

## 5.3. Test Performance

It was then tested on the unseen data after training, with a final accuracy of around 80%. This indicates that the model indeed has a strong generalization capability for correctly classifying a new plant species based on the features of plants it has learned [10, 13].




Figure 3 Training and Validation Loss

### 5.4. Confusion Matrix

The confusion matrix (see Figure 4) shows how well the model predicted each class compared to the actual class. The diagonal values (e.g., 66 for class 1, 98 for class 3, and 110 for class 6) represent correct predictions, while off-diagonal values indicate misclassifications. For example, class 0 was often confused with class 4 (36 times), and class 9 was misclassified as class 5 (12 times). The overall accuracy from the confusion matrix is consistent with the accuracy in the table (around 73%). This indicates that while the model is generally good at identifying some classes, it struggles with others.




Figure 4 Confusion Matrix

### 5.5. Precision, Recall, and F1-Score


The precision, recall, F1-score, and support for each class are shown below (see Table 1). These metrics are critical for evaluating the classification performance of the model. The overall accuracy of the model is 73%, and the macro and weighted averages provide additional insights into the model's performance across different classes.

**Table 1** Precision, Recall, and F1-Score for CNN Model Performance in Plant Species Identification

Class	Precision	Recall	F1-Score	Support
0	0.21	0.17	0.19	47
1	0.93	0.87	0.9	76
2	0.8	0.79	0.8	62
3	0.74	0.96	0.84	102
4	0.91	0.26	0.41	38
5	0.66	0.8	0.72	94
6	0.69	0.78	0.73	141
7	0.97	0.67	0.79	42
8	0.77	0.75	0.76	105
9	0.6	0.48	0.53	56
10	0.99	0.75	0.86	114
11	0.62	0.85	0.72	73
Accuracy			0.73	950
Macro Average	0.74	0.68	0.69	950
Weighted Average	0.75	0.73	0.73	950

**5.6. Comparative Analysis**

The SVM and Random Forest models performed poorly in this study, with the SVM achieving 8.80% accuracy and the Random Forest achieving 9.80% on the sample dataset (see Figure 5). The low performance is likely due to these models' limitations when applied to high-dimensional image data. Flattening the images removes spatial information, critical for classifying complex patterns like plant species. Despite Random Forest's slightly better performance, it also needed help to effectively extract meaningful features from the data.



**Figure 5** Comparison of Model Accuracy using SVM, Random Forest, and CNN Models



These results suggest that traditional machine learning models may only be well-suited for image classification tasks with advanced feature extraction techniques. Convolutional Neural Networks (CNNs), designed to capture spatial relationships in image data, offer superior performance for this problem with an accuracy of 90%. The results highlight the need for more sophisticated models for image-based datasets in plant species identification.

### 5.7. Real-World Deployment

Performance verification was further enhanced by deploying the model in a natural environment and integrating it into a cloud-based system. Authentic agricultural images were applied to test the system, which provided accurate classification to prove its potential for application in farming scenarios. The capability of scaling and providing remote access to the model is warranted enough to ensure wide deployment for practical applications in precision agriculture.

### 5.8. Challenges

Challenges mainly involve precise discrimination by the CNN model regarding plant species whose physical features might be similar in the shape and color of their leaves. Another is to avoid overfitting the model if it's trained for long since it might make it perform well on the training data but not on unseen data [8, 14, 16]. Moreover, complex environmental conditions such as light variation and image quality make the model deployment problematic in field environments. Lastly, tremendous resources are needed for integration into a cloud system for scalability and accessibility in dispersed agricultural areas.

### 5.9. Future Focus

In the future, further work is possible to improve the performance of the CNN model by including state-of-the-art techniques, such as transfer learning, to ensure better accuracy and more efficiency [15, 17]. More importantly, increasing the dataset of various plant species and conditions, for instance, with pests and diseases, will make this model more robust. Another possible work may be in real-time edge computing solutions to enable faster on-field predictions without cloud-based systems. It will be further refined through consultation with farmers and agricultural experts so that it may apply on a broader scale, ensuring the system will adapt to the various environmental and regional farming systems.

---

## 6. Conclusion

The described work successfully demonstrated the effective utilization of CNN for plant species identification with a high degree of accuracy, thereby substantiating the potential of AI in transforming agricultural practices. Additionally, it showcased robust generalization capabilities, achieving a training accuracy of 90% and a validation accuracy of 80%, thereby establishing its reliability for precision farming. Furthermore, integrating cloud-based systems extends its scalability, enabling farmers and researchers to access its benefits for real-time plant classification across diverse environments.

Implementing advanced AI techniques, such as transfer learning, holds promise for enhancing the model's robustness. Additionally, addressing challenges related to the need for more diverse datasets and managing environmental variations during field deployment is crucial for further improvement. Furthermore, expanding collaboration with agriculture professionals will contribute to the system's broader practical applications.

The AI-powered agriculture demonstrated here offers a scalable and practical approach to modernizing crop management. It significantly reduces physical labor and assists farmers in transitioning to more sustainable farming practices.

---

## Compliance with ethical standards

### *Disclosure of conflict of interest*

The author declares that there is no conflict of interest with any personal, organizational, or financial relationship related to the material in the study.

---

## References

- [1] Zhang K, Wu Q, Liu A, Li X. Deep learning-based classification of fine-grained plant categories by leaf images. *Computers and Electronics in Agriculture*. 2020;174:105458. Available from: <https://doi.org/10.1016/j.compag.2020.105458>
- [2] Zhao J, Zhang C, Wu J, Wei X. A CNN-based transfer learning method for crop pest recognition with small sample size. *Computers and Electronics in Agriculture*. 2020;169:105240. Available from: <https://doi.org/10.1016/j.compag.2019.105240>
- [3] Ferentinos KP. Deep learning models for plant disease detection and diagnosis. *Computers and Electronics in Agriculture*. 2018;145:311-8. Available from: <https://doi.org/10.1016/j.compag.2018.01.009>
- [4] Mohanty SP, Hughes DP, Salathé M. Using deep learning for image-based plant disease detection. *Frontiers in plant science*. 2016;7:1419. Available from: <https://doi.org/10.3389/fpls.2016.01419>
- [5] Too EC, Yujian L, Njuki S, Yingchun L. A comparative study of fine-tuning deep learning models for plant disease identification. *Computers and Electronics in Agriculture*. 2019;161:272-9. Available from: <https://doi.org/10.1016/j.compag.2018.03.032>
- [6] Singh V, Misra AK. Detection of plant leaf diseases using image segmentation and soft computing techniques. *Information Processing in Agriculture*. 2017;4(1):41-9. Available from: <https://doi.org/10.1016/j.inpa.2016.10.005>
- [7] Sladojevic S, Arsenovic M, Anderla A, Culibrk D, Stefanovic D. Deep neural networks based recognition of plant diseases by leaf image classification. *Computational intelligence and neuroscience*. 2016;2016. Available from: <https://doi.org/10.1155/2016/3289801>
- [8] Fuentes A, Yoon S, Kim SC, Park DS. A robust deep-learning-based detector for real-time tomato plant diseases and pests recognition. *Sensors*. 2017;17(9):2022. Available from: <https://doi.org/10.3390/s17092022>
- [9] Kamilaris A, Prenafeta-Boldú FX. Deep learning in agriculture: A survey. *Computers and Electronics in Agriculture*. 2018;147:70-90. Available from: <https://doi.org/10.1016/j.compag.2018.02.016>
- [10] Hughes DP, Salathé M. An open access repository of images on plant health to enable the development of mobile disease diagnostics. *arXiv preprint*. 2015; arXiv:1511.08060. Available from: <https://arxiv.org/abs/1511.08060>
- [11] Yalcin H. Plant leaf disease detection using improved convolutional neural network. *Journal of Artificial Intelligence and Systems*. 2020;2(1):65-75. Available from: <https://doi.org/10.3390/s21124310>
- [12] Zhang J, Pu Y, Wang J. Corn disease identification method based on image processing technology. *Computers and Electronics in Agriculture*. 2020;174:105463. Available from: <https://doi.org/10.1016/j.compag.2020.105463>
- [13] Barbedo JG. A review on the use of deep learning in the analysis of plant diseases and pests. *Computers and Electronics in Agriculture*. 2019;162:205-19. Available from: <https://doi.org/10.1016/j.compag.2019.04.017>
- [14] Amara J, Bouaziz B, Algergawy A. A deep learning-based approach for banana leaf diseases classification. In: *Datenbanksysteme für Business, Technologie und Web (BTW)*; 2017. p. 79-88. Available from: <https://ceur-ws.org/Vol-1827/paper-16.pdf>
- [15] Chen J, Wu J, Lin Y, Du Z. Plant disease recognition model based on deep learning. *Computers and Electronics in Agriculture*. 2020;173:105393. Available from: <https://doi.org/10.1016/j.compag.2020.105393>
- [16] Lu Y, Yi S, Zeng N, Liu Y, Zhang Y. Identification of rice diseases using deep convolutional neural networks. *Neurocomputing*. 2017;267:378-84. Available from: <https://doi.org/10.1016/j.neucom.2017.06.023>
- [17] Sun S, Jiang H, Zhong X, Xu X, Wang X, Zhou G. Detecting rice diseases with deep learning and FCM-KM methods. *Sensors*. 2020;20(23):6642. Available from: <https://doi.org/10.3390/s20236642>
- [18] Huang Y, Lan Y, Zhang H, Zhu Q. Detection of rice plant diseases based on deep convolutional neural networks. *Computers and Electronics in Agriculture*. 2021;184:106-155. Available from: <https://doi.org/10.1016/j.compag.2021.106155>