

Animal Species Classification Using Just Neural Network

Donia Munther Agha and Samy S. Abu-Naser

Department of Information Technology,
Faculty of Engineering and Information Technology,
Al-Azhar University, Gaza, Palestine

Abstract: Over 1.5 million living animal species have been described—of which around 1 million are insects—but it has been estimated there are over 7 million animal species in total. Animals range in length from 8.5 micrometres to 33.6 metres. In this paper an Artificial Neural Network (ANN) model, was developed and tested to predict animal species. There are a number of features that influence the classification of animal species. Such as the existence of hair/ feather, if the animal gives birth or spawns, it is airborne, aquatic, predator, toothed, backboned, venomous, has -fins, has-tail, cat-sized, and domestic. A model based on the Multilayer Perceptron Topology was proposed and trained, using data set what was collected from UCI Machine Learning Repository. Evaluation of the proposed model shows that the ANN model is able to correctly predict the animal category with 100% accuracy.

Keywords: Artificial Neural Networks, animal, classification, JNN.

Introduction

Animals are multicellular eukaryotic organisms that form the biological kingdom Animalia. With few exceptions, animals consume organic material, breathe oxygen, are able to move, can reproduce, and grow from a hollow sphere of cells, the blastula, during embryonic development. Over 1.5 million living animal species have been described—of which around 1 million are insects—but it has been estimated there are over 7 million animal species in total. Animals range in length from 8.5 micrometres to 33.6 metres. They have complex interactions with each other and their environments, forming intricate food webs. The kingdom Animalia includes humans but in colloquial use the term *animal* often refers only to non-human animals. The scientific study of animals is known as zoology[1].

Most living animal species are in Bilateria, a clade whose members have a bilaterally symmetric body plan. The Bilateria include the protostomes—in which many groups of invertebrates are found, such as nematodes, arthropods, and molluscs—and the deuterostomes, containing both the echinoderms as well as the chordates, the latter containing the vertebrates. Life forms interpreted as early animals were present in the Ediacaran biota of the late Precambrian. Many modern animal phyla became clearly established in the fossil record as marine species during the Cambrian explosion, which began around 542 million years ago. 6,331 groups of genes common to all living animals have been identified; these may have arisen from a single common ancestor that lived 650 million years ago.[2]

Historically, Aristotle divided animals into those with blood and those without. Carl Linnaeus created the first hierarchical biological classification for animals in 1758 with his *Systema Naturae*, which JeanBaptiste Lamarck expanded into 14 phyla by 1809. In 1874, Ernst Haeckel divided the animal kingdom into the multicellular Metazoa (now synonymous for Animalia) and the Protozoa, single-celled organisms no longer considered animals. In modern times, the biological classification of animals relies on advanced techniques, such as molecular phylogenetics, which are effective at demonstrating the evolutionary relationships between animal taxa[3].

Humans make use of many other animal species, such as for food (including meat, milk, and eggs), for materials (such as leather and wool), and also as pets, and for transports, as working animals. Dogs have been used in hunting, while many terrestrial and aquatic animals were hunted for sports. Non-human animals have appeared in art from the earliest times and are featured in mythology and religion [4].

The purpose of this research is to study the feasibility of classification animal species using neural networks. An animal class is made up of animal that are all alike in important ways. So we need to train a neural network to make it able to predict which species belong to a particular animal.

An Artificial Neural Network (ANN) is a mathematical model that is driven by the functional feature of biological neural networks. A neural network contains an interconnected set of artificial neurons, and it processes information using a connectionist form to computation. As a rule, an ANN is an adaptive system that adjusts its structure based on external or internal data that runs over the network during the learning process. Current neural networks are non-linear numerical data modeling tools. They are usually used to model tricky relationships among inputs and outputs or to uncover patterns in data. ANN has been applied in several applications with significant accomplishment [5]. For example, ANN has been

effectively applied in the area of prediction, and handwritten character recognition [6]. Neurons are often come together into layers. Layers are groups of neurons that perform similar functions. There are three kinds of layers. The input layer is the layer of neurons that take input from the user program. The layer of neurons that send data to the user program is the output layer. Between the input layer and output layer there are hidden layers. Hidden layer neurons are connected only to other neurons and never directly interact with the user program. The input and output layers are not just there as interface points. Every neuron in a neural network has the opportunity to affect processing. Processing can occur at any layer in the neural network. Not every neural network has this many layers. The hidden layer is optional. The input and output layers are required, but it is possible to have a layer that act as both an input and output layer [7-8].

ANN learning can be either supervised or unsupervised. Supervised training is accomplished by giving the neural network a set of sample data along with the expected outputs from each of these samples. Supervised training is the most common form of neural network training. As supervised training proceeds, the neural network is taken through several iterations, or epochs, until the actual output of the neural network matches the expected output, with a reasonably small error. Each epoch is one pass through the training samples. Unsupervised training is similar to supervised training except that no expected outputs are provided. Unsupervised training usually occurs when the neural network is to classify the inputs into several groups[9-11].

The training progresses through many epochs, just as in supervised training. As training progresses, the classification groups are

—discovered by the neural network [12-15]. Training is the process by which these connection weights are assigned. Most training algorithms begin by assigning random numbers to the weight matrix. Then the validity of the neural network is tested. Next, the weights are adjusted based on validation results. This process is repeated until the validation error is within an acceptable limit [41-50]. Validation of the system is done once a neural network has been trained and it must be evaluated to see if it is ready for actual use. This final step is important so that it can be determined if additional training is required. To properly validate a neural network validation data must be set aside that is completely separate from the training data [16-22].

4. METHODOLOGY

A data set refer to Richard Forsyth [23] was used; it contains a number of factors that are considered to have an effect on the classification of an animal. These factors were classified as input variables. The output variable represents the predicted animal classification based on those inputs.

4.1 The Input Variables

This database includes 101 cases. Each case is the name of animal. It was found that each of these animals belonged to one of seven classes.

Table 1: name of Animal and its class that it belongs to

Class#	Count	Set of animals
1	41	aardvark, antelope, bear, boar, buffalo, calf, cavy, cheetah, deer, dolphin, elephant, fruitbat, giraffe, girl, goat, gorilla, hamster, hare, leopard, lion, lynx, mink, mole, mongoose, opossum, oryx, platypus, polecat, pony, porpoise, puma, pussycat, raccoon, reindeer, seal, sealion, squirrel, vampire, vole, wallaby, wolf
2	20	chicken, crow, dove, duck, flamingo, gull, hawk, kiwi, lark, ostrich, parakeet, penguin, pheasant, rhea, skimmer, skua, sparrow, swan, vulture, wren
3	5	pitviper, seasnake, slowworm, tortoise, tuatara

4	13	bass, carp, catfish, chub, dogfish, haddock, herring, pike, piranha, seahorse, sole, stingray, tuna
5	4	frog, frog, newt, toad
6	8	flea, gnat, honeybee, housefly, ladybird, moth, termite, wasp
7	10	clam, crab, crayfish, lobster, octopus, scorpion, seawasp, slug, starfish, worm

This variable, named *type*, represents the output variable. Except the output variable, there were 17 input variables for each animal species. Information of input variables:

Tablez: Input attributes and its types

#	Hair	Boolean;
1	Feathers	Boolean;
2	Eggs	Boolean;
3	Milk	Boolean;
4	Airborne	Boolean;
5	Aquatic	Boolean ;
6	Predator	Boolean;
7	Toothed	Boolean;
8	Backbone	Boolean;
9	Breathes	Boolean;
10	Venomous	Boolean;
11	Fins	Boolean;
12	Legs	Numeric (set of values {0, 2, 4, 5, 6, 8});
13	Tail	Boolean;
14	Domestic	Boolean;
15	Catsize	Boolean;

Each variable is type of Boolean, except variable animal name which is nominal variable and variable legs is a numeric variable (set of values: {0, 2, 4, 6, 8}).

Handling non-numeric data, such as Boolean = {true, false}, is more difficult. However, nominal-valued variables can be represented numerically. Value **true** will be replaced with value 1, and value **false** will be replaced with value 0. We will not use variable animal name in experiment, because this variable is unique for each case.

Once the most appropriate raw input data has been selected, it must be preprocessed; otherwise, the neural network will not produce accurate forecasts.

Transformation and normalization are two widely used preprocessing methods. Transformation involves manipulating raw data inputs to create a single input to a network, while normalization is a transformation performed on a single data input to distribute the data evenly and scale it into an acceptable range for the network. Acceptable range of value, in *JNN tool*, varies in the range between zero and one. In this study we will use normalization, as preprocessing method, to normalized variable legs, because this variable have set of values 0, 2, 4, 6, 8. Set of values of other input variables are zero or one, so we will not apply this method over them. However, we will have to normalize the values of output variable type, because this variable we have set of values between 1 and 7.

In order to train a neural network to predict the class of animal species using this data set, there are procedure that has to be followed.

4.2 Data Normalization

Linear scaling of data is one of the methods of data normalization. Linear scaling requires that a minimum and maximum values associated with the facts for a single data input be found. Let's call these values X_{min} and X_{max} , respectively. The formula for transforming each data value to an input value X is:

$$X_i = (X_i - X_{min}) / (X_{max} - X_{min})$$

Our desired range varies in the interval between zero and one. The original data set indicate that the variable legs is associated with a set of values {0, 2, 4, 6, 8}, so the constant value of X_{min} is 0 and the constant value of X_{max} is 8. This method of normalization will scale input data into the appropriate range 0 to 1.

Variable *type* is the output value and it represents the seven different classes of animals. The output were normalized in the same manner between 0 and 1.

4.4 Building the ANN Model

We have used Just Neural Network (JNN) tool [24] to build a multilayer ANN model. The proposed model consists of 5 Layers: Input Layer with 17 nodes, First Hidden Layer with 3 nodes, Second Hidden Layer with 1 node, the third Hidden Layer with 4 nodes, and Output Layer with one node as can be seen in Figure 1.

We have set the parameters of the proposed model as follows: Learning Rate 0.37 and the Momentum to be 0.46, and Average Error rate to be 0.01 (as shown in Figure 2).

4.5 Evaluating the ANN model

The Animal Species dataset consists of 101 samples with 17 attributes as in Table 1 and Table 2. We imported the CSV file of the Animal Species dataset into the JNN environment (as seen in Figure 3). We divided the imported dataset into two groups (Training and Validation) randomly using the JNN tool. The Training consists of approximately 67% (68 samples) and the validation set consists of 33% of the dataset (33 samples). After making sure that the parameter control was set properly, we started training the ANN model and kept eye on the learning curve, loss error and validation accuracy. We trained the ANN model for 801 cycles. The best accuracy we got was 100% (as seen in Figure 4). We determined the most influential factors in the animal species dataset as in Figure 5. Figure 6 shows the summary of the proposed model.




Figure 1: Proposed model architecture.




Figure 2: Setting Parameters of the proposed model

	ANIMAL NAME	tail	feetno	eyes	hairs	skinno	legatio	predator	toothed	backbone	breathes	ventures	time	legs	tail	ears
#1	antelope	1	4	2	1	0	0.0000	1	1	1	0	0	0	0.4700	0	0
#1	antelope	1	4	2	1	0	0.0000	0	1	1	0	0	0	0.4700	1	0
#2	lion	0	4	2	1	0	1.0000	1	1	1	0	1	1	0.0000	0	0
#3	deer	1	4	2	1	0	0.0000	1	1	1	0	0	0	0.4700	0	0
#4	deer	1	4	2	1	0	0.0000	1	1	1	0	0	0	0.4700	1	0
#5	buffalo	1	4	2	1	0	0.0000	0	1	1	0	0	0	0.4700	1	0
#6	cat	1	4	2	1	0	0.0000	0	1	1	0	0	0	0.4700	1	1
#7	dog	0	4	2	0	0	1.0000	0	1	1	0	0	1	0.0000	1	1
#8	catfish	0	0	1	0	0	1.0000	1	1	1	0	0	1	0.0000	1	0
#9	dog	1	4	2	1	0	0.0000	0	1	1	0	0	0	0.4700	0	1
#10	sheep	1	4	2	1	0	0.0000	1	1	1	0	0	0	0.4700	1	0
#11	chicken	0	2	2	1	0	0.0000	1	1	1	0	0	0	0.3300	1	1
#12	crab	0	0	1	0	0	1.0000	1	1	1	0	0	1	0.0000	1	0
#13	lion	0	4	2	0	0	0.0000	1	1	1	0	0	0	0.0000	0	0
#14	crab	0	0	1	0	0	1.0000	1	1	1	0	0	0	0.4700	0	0
#15	crayfish	0	0	1	0	0	1.0000	1	1	1	0	0	0	1.0000	0	0
#16	crow	0	2	1	0	1	0.0000	1	1	1	0	0	0	0.3300	1	0
#17	deer	1	0	0	1	0	0.0000	0	1	1	0	0	0	0.4700	1	0
#18	dogfish	0	0	1	0	0	1.0000	1	1	1	0	0	1	0.0000	0	0
#19	dogfish	0	0	1	0	0	1.0000	1	1	1	0	0	1	0.0000	0	0
#20	spine	0	2	1	0	1	0.0000	0	0	1	0	0	0	0.3300	1	1
#21	duck	0	2	1	0	1	1.0000	0	0	1	0	0	0	0.3300	1	0
#22	elephant	1	4	2	1	0	0.0000	0	1	1	0	0	0	0.4700	1	0
#23	flamingo	0	2	1	0	1	0.0000	0	0	1	0	0	0	0.3300	1	0
#24	lion	0	4	2	0	0	0.0000	0	0	1	0	0	0	1.0000	0	0
#25	frog	0	4	2	0	0	1.0000	1	1	1	0	0	0	0.4700	0	0
#26	frog	0	4	2	0	0	1.0000	1	1	1	0	0	0	0.4700	0	0
#27	strawberry	1	0	0	1	1	0.0000	0	1	1	0	0	0	0.3300	1	0
#28	giraffe	1	0	0	1	0	0.0000	0	1	1	0	0	0	0.4700	1	0
#29	spiri	1	0	0	1	0	0.0000	1	1	1	0	0	0	0.3300	0	1

Figure 3: Imported Normalized dataset to JNN environment




Figure 4: Training and validation of the proposed model.



Figure 5: Most influential filed in the dataset




Figure 6: Detail of the proposed Model

CONCLUSION

An artificial Neural Network model for predicating animal species was presented. The model used feed forward backpropagation algorithm for training the proposed ANN model using JNN tool. The factors for the model were obtained from dataset which represents animal features of each animal species. The model was tested and the accuracy rate was 100%. This study showed that artificial neural network is capable of predicating animal species accurately.

References

1. Zaid, A. A., et al. (2020). "The Impact of Total Quality Management and Perceived Service Quality on Patient Satisfaction and Behavior Intention in Palestinian Healthcare Organizations." *Technology Reports of Kansai University* 62(03): 221-232.
2. Sultan, Y. S. A., et al. (2018). "The Style of Leadership and Its Role in Determining the Pattern of Administrative Communication in Universities-Islamic University of Gaza as a Model." *International Journal of Academic Management Science Research (IJAMSR)* 2(6): 26-42.
3. Salman, F. M. and S. S. Abu-Naser (2019). "Expert System for Castor Diseases and Diagnosis." *International Journal of Engineering and Information Systems (IJEAIS)* 3(3): 1-10.
4. Saleh, A., et al. (2020). Brain tumor classification using deep learning. 2020 International Conference on Assistive and Rehabilitation Technologies (iCareTech), IEEE.
5. Salama, A. A., et al. (2018). "The Role of Administrative Procedures and Regulations in Enhancing the Performance of The Educational Institutions-The Islamic University in Gaza is a Model." *International Journal of Academic Multidisciplinary Research (IJAMR)* 2(2): 14-27.
6. Nassr, M. S. and S. S. Abu-Naser (2018). "Knowledge Based System for Diagnosing Pineapple Diseases." *International Journal of Academic Pedagogical Research (IJAPR)* 2(7): 12-19.
7. Nasser, I. M., et al. (2019). "Artificial Neural Network for Diagnose Autism Spectrum Disorder." *International Journal of Academic Information Systems Research (IJAIRS)* 3(2): 27-32.
8. Nasser, I. M. and S. S. Abu-Naser (2019). "Predicting Tumor Category Using Artificial Neural Networks." *International Journal of Academic Health and Medical Research (IJAHMR)* 3(2): 1-7.
9. Musleh, M. M., et al. (2019). "Predicting Liver Patients using Artificial Neural Network." *International Journal of Academic Information Systems Research (IJAIRS)* 3(10): 1-11.
10. Musleh, M. M. and S. S. Abu-Naser (2018). "Rule Based System for Diagnosing and Treating Potatoes Problems." *International Journal of Academic Engineering Research (IAER)* 2(8): 1-9.
11. Mettleq, A. S. A., et al. (2020). "Mango Classification Using Deep Learning." *International Journal of Academic Engineering Research (IAER)* 3(12): 22-29.
12. Mettleq, A. S. A. and S. S. Abu-Naser (2019). "A Rule Based System for the Diagnosis of Coffee Diseases." *International Journal of Academic Information Systems Research (IJAIRS)* 3(3): 1-8.
13. Masri, N., et al. (2019). "Survey of Rule-Based Systems." *International Journal of Academic Information Systems Research (IJAIRS)* 3(7): 1-23.
14. Madi, S. A., et al. (2018). "The Organizational Structure and its Impact on the Pattern of Leadership in Palestinian Universities." *International Journal of Academic Management Science Research (IJAMSR)* 2(6): 1-26.
15. Madi, S. A., et al. (2018). "The dominant pattern of leadership and its Relation to the Extent of Participation of Administrative Staff in Decision-Making in Palestinian Universities." *International Journal of Academic Management Science Research (IJAMSR)* 2(7): 20-43.
16. Kashkash, K., et al. (2005). "Expert system methodologies and applications-a decade review from 1995 to 2004." *Journal of Artificial Intelligence* 1(2): 9-26.
17. Hilles, M. M. and S. S. Abu-Naser (2017). "Knowledge-based Intelligent Tutoring System for Teaching Mongo Database." *EUROPEAN ACADEMIC RESEARCH* 6(10): 8783-8794.
18. Elzamsly, A., et al. (2015). "Classification of Software Risks with Discriminant Analysis Techniques in Software planning Development Process." *International Journal of Advanced Science and Technology* 81: 35-48.
19. Elsharif, A. A. and S. S. Abu-Naser (2019). "An Expert System for Diagnosing Sugarcane Diseases." *International Journal of Academic Engineering Research (IAER)* 3(3): 19-27.
20. Elqassas, R. and S. S. Abu-Naser (2018). "Expert System for the Diagnosis of Mango Diseases." *International Journal of Academic Engineering Research (IAER)* 2(8): 10-18.
21. El-Mashharawi, H. Q., et al. (2020). "Grape Type Classification Using Deep Learning." *International Journal of Academic Engineering Research (IAER)* 3(12): 41-45.
22. El Talla, S. A., et al. (2018). "The Nature of the Organizational Structure in the Palestinian Governmental Universities-Al-Aqsa University as a Model." *International Journal of Academic Multidisciplinary Research (IJAMR)* 2(5): 15-31.
23. El Talla, S. A., et al. (2018). "Organizational Structure and its Relation to the Prevailing Pattern of Communication in Palestinian Universities." *International Journal of Engineering and Information Systems (IJEAIS)* 2(5): 22-43.
24. Dheir, I. and S. S. Abu-Naser (2019). "Knowledge Based System for Diagnosing Guava Problems." *International Journal of Academic Information Systems Research (IJAIRS)* 3(3): 9-15.
25. Dahouk, A. W. and S. S. Abu-Naser (2018). "A Proposed Knowledge Based System for Desktop PC Troubleshooting." *International Journal of Academic Pedagogical Research (IJAPR)* 2(6): 1-8.
26. Barhoum, A. M. and S. S. Abu-Naser (2018). "Black Pepper Expert System." *International Journal of Academic Information Systems Research (IJAIRS)* 2(8): 9-16.
27. Ashqar, B. A. M. and S. S. Abu-Naser (2019). "Identifying Images of Invasive Hydrangea Using Pre-Trained Deep Convolutional Neural Networks." *International Journal of Academic Engineering Research (IAER)* 3(3): 28-36.
28. Anderson, J., et al. (2005). "Adaptation of Problem Presentation and Feedback in an Intelligent Mathematics Tutor." *Information Technology Journal* 5(5): 167-207.
29. AlZamily, J. Y. and S. S. Abu-Naser (2018). "A Cognitive System for Diagnosing Musa Acuminata Disorders." *International Journal of Academic Information Systems Research (IJAIRS)* 2(8): 1-8.
30. Al-Shawwa, M. and S. S. Abu-Naser (2019). "Knowledge Based System for Apple Problems Using CLIPS." *International Journal of Academic Engineering Research (IAER)* 3(3): 1-11.
31. Alshawwa, I. A., et al. (2020). "Analyzing Types of Cherry Using Deep Learning." *International Journal of Academic Engineering Research (IAER)* 4(1): 1-5.
32. Al-Nakhal, M. A. and S. S. Abu Naser (2017). "Adaptive Intelligent Tutoring System for learning Computer Theory." *EUROPEAN ACADEMIC RESEARCH* 6(10): 8770-8782.
33. Almurshidi, S. H. and S. S. Abu Naser (2017). "Design and Development of Diabetes Intelligent Tutoring System." *EUROPEAN ACADEMIC RESEARCH* 6(9): 8117-8128.
34. Almasri, A., et al. (2019). "Intelligent Tutoring Systems Survey for the Period 2000-2018." *International Journal of Academic Engineering Research (IAER)* 3(5): 21-37.
35. Almasri, A., et al. (2018). "The Organizational Structure and its Role in Applying the Information Technology Used In the Palestinian Universities-Comparative Study between Al-Azhar and the Islamic Universities." *International Journal of Academic and Applied Research (IJAAAR)* 2(6): 1-22.
36. Al-Habil, W. I., et al. (2017). "The Impact of the Quality of Banking Services on Improving the Marketing Performance of Banks in Gaza Governorates from the Point of View of Their Employees." *International Journal of Engineering and Information Systems (IJEAIS)* 1(7): 197-217.
37. Alhabbash, M. I., et al. (2016). "An Intelligent Tutoring System for Teaching Grammar English Tenses." *EUROPEAN ACADEMIC RESEARCH* 6(9): 7743-7757.
38. AlFerjany, A. A. M., et al. (2018). "The Relationship between Correcting Deviations in Measuring Performance and Achieving the Objectives of Control-The Islamic University as a Model." *International Journal of Engineering and Information Systems (IJEAIS)* 2(1): 74-89.
39. Al-Bastami, B. G. and S. S. Abu Naser (2017). "Design and Development of an Intelligent Tutoring System for C# Language." *EUROPEAN ACADEMIC RESEARCH* 6(10): 8795.
40. Alajrami, M. A. and S. S. Abu-Naser (2018). "Onion Rule Based System for Disorders Diagnosis and Treatment." *International Journal of Academic Pedagogical Research (IJAPR)* 2(8): 1-9.
41. Al Shobaki, M., et al. (2018). "Performance Reality of Administrative Staff in Palestinian Universities." *International Journal of Academic Information Systems Research (IJAIRS)* 2(4): 1-17.
42. Al Shobaki, M. J., et al. (2018). "The Level of Organizational Climate Prevailing In Palestinian Universities from the Perspective of Administrative Staff." *International Journal of Academic Management Science Research (IJAMSR)* 2(5): 33-58.
43. Al Shobaki, M. J., et al. (2017). "Learning Organizations and Their Role in Achieving Organizational Excellence in the Palestinian Universities." *International Journal of Digital Publication Technology* 1(2): 40-85.
44. Al Shobaki, M. J., et al. (2017). "Impact of Electronic Human Resources Management on the Development of Electronic Educational Services in the Universities." *International Journal of Engineering and Information Systems* 1(1): 1-19.
45. Al Shobaki, M. J., et al. (2016). "The impact of top management support for strategic planning on crisis management: Case study on UNRWA-Gaza Strip." *International Journal of Academic Research and Development* 1(10): 20-25.
46. Al Shobaki, M. J. and S. S. Abu Naser (2016). "The reality of modern methods applied in process of performance assessments of employees in the municipalities in Gaza Strip." *International Journal of Advanced Scientific Research* 1(7): 14-23.
47. Al Shobaki, M. J. and S. S. Abu Naser (2016). "Performance development and its relationship to demographic variables among users of computerized management information systems in Gaza electricity Distribution Company." *International Journal of Humanities and Social Science Research* 2(10): 21-30.
48. Al Shobaki, M. J. and S. S. Abu Naser (2016). "Decision support systems and its role in developing the universities strategic management: Islamic university in Gaza as a case study." *International Journal of Advanced Research and Development* 1(10): 33-47.
49. Ahmed, A. A., et al. (2018). "The Impact of Information Technology Used on the Nature of Administrators Work at Al-Azhar University in Gaza." *International Journal of Academic Information Systems Research (IJAIRS)* 2(6): 1-20.
50. Abu-Saqer, M. M., et al. (2020). "Type of Grapefruit Classification Using Deep Learning." *International Journal of Academic Information Systems Research (IJAIRS)* 4(1): 1-5.
51. Abu-Saqer, M. M. and S. S. Abu-Naser (2019). "Developing an Expert System for Papaya Plant Disease Diagnosis." *International Journal of Academic Engineering Research (IAER)* 3(4): 14-21.
52. Abu-Nasser, B. S. and S. S. Abu Naser (2018). "Rule-Based System for Watermelon Diseases and Treatment." *International Journal of Academic Information Systems Research (IJAIRS)* 2(7): 1-7.
53. Abu-Naser, S. S., et al. (2011). "An intelligent tutoring system for learning java objects." *International Journal of Artificial Intelligence & Applications (IJAAIA)* 2(2): 86-77.
54. Abu-Naser, S. S. and M. J. Al Shobaki (2016). "Computerized Management Information Systems Resources and their Relationship to the Development of Performance in the Electricity Distribution Company in Gaza." *EUROPEAN ACADEMIC RESEARCH* 6(8): 6969-7002.
55. Abu-Naser, S. S. and M. A. Al-Nakhal (2016). "A Ruled Based System for Ear Problem Diagnosis and Treatment." *World Wide Journal of Multidisciplinary Research and Development* 2(4): 25-31.
56. Abu-Naser, S. S. (2016). "ITSB: An Intelligent Tutoring System Authoring Tool." *Journal of Scientific and Engineering Research* 3(5): 63-71.
57. Abu-Naser, S. S. (2009). "Evaluating the effectiveness of the CPP-Tutor, an Intelligent Tutoring System for students learning to program in C++." *Journal of Applied Sciences Research* 5(1): 109-114.
58. Abu-Naser, S. S. (2008). "JEE-Tutor: An Intelligent Tutoring System for Java Expression Evaluation." *Information Technology Journal* 7(3): 528-532.
59. AbuEloun, N. N. and S. S. Abu-Naser (2017). "Mathematics intelligent tutoring system." *International Journal of Advanced Scientific Research* 2(1): 11-16.
60. Abu Naser, S. S., et al. (2017). "Trends of Palestinian Higher Educational Institutions in Gaza Strip as Learning Organizations." *International Journal of Digital Publication Technology* 1(1): 1-42.
61. Abu Naser, S. S., et al. (2016). "Measuring knowledge management maturity at HEI to enhance performance-an empirical study at Al-Azhar University in Palestine." *International Journal of Commerce and Management Research* 2(5): 55-62.
62. Abu Naser, S. S. and M. J. Al Shobaki (2016). The Impact of Management Requirements and Operations of Computerized Management Information Systems to Improve Performance (Practical Study on the employees of the company of Gaza Electricity Distribution). First Scientific Conference for Community Development.
63. Abu Naser, S. S. (2008). "Developing an intelligent tutoring system for students learning to program in C++." *Information Technology Journal* 7(7): 1055-1060.
64. Abu Naser, S. S. (2006). "Intelligent tutoring system for teaching database to sophomore students in Gaza and its effect on their performance." *Information Technology Journal* 5(5): 916-922.
65. Abu Naser, S. S. (1999). "Big O Notation for Measuring Expert Systems complexity." *Islamic University Journal Gaza* 7(1): 57-70.
66. Abu Naser, S. S. (1993). A methodology for expert systems testing and debugging, North Dakota State University, USA.
67. Abu Nada, A. M., et al. (2020). "Arabic Text Summarization Using AraBERT Model Using Extractive Text Summarization Approach." *International Journal of Academic Information Systems Research (IJAIRS)* 4(8): 6-9.
68. Abu Nada, A. M., et al. (2020). "Age and Gender Prediction and Validation Through Single User Images Using CNN." *International Journal of Academic Engineering Research (IAER)* 4(8): 21-24.
69. Abu Amuna, Y. M., et al. (2017). "Understanding Critical Variables for Customer Relationship Management in Higher Education Institution from Employees Perspective." *International Journal of Information Technology and Electrical Engineering* 6(1): 10-16.
70. Abu Amuna, Y. M., et al. (2017). "Strategic Environmental Scanning: an Approach for Crises Management." *International Journal of Information Technology and Electrical Engineering* 6(3): 28-34