World Wide Journal of Multidisciplinary Research and Development

WWJMRD 2015; 2(9): 38-48 www.wwjmrd.com Impact Factor MJIF: 4.25 e-ISSN: 2454-6615

Alaa N. Akkila

Faculty of Engineering & Information Technology, Al-Azhar University. Gaza, Palestine

Samy S. Abu Naser

Faculty of Engineering & Information Technology, Al-Azhar University. Gaza, Palestine

Proposed Expert System for Calculating Inheritance in Islam

Alaa N. Akkila, Samy S. Abu Naser

Abstract

The truth of every human being is the end his life with death, and this leads to leaving assets and funds for those after him and can lead to hate between the heirs, it has made a point of Islamic law on all aspects of life, including the subject of the inheritance of the deceased.

The main problem is how to get the knowledge of the basics of inheritance. This paper reviews work done in the use of expert system software to calculate inheritance in Islam. A proposed expert system was designed and developed using CLIPS language to calculate the inheritance in Islam.

Keywords: Rule-based, Expert system, Inheritance, Islamic law

Introduction

The rules of inheritance in Islam are the discipline of obligations of inheritance. The verses in the Quran upon which the rules of inheritance are founded 11th and 12th verses of Surat El-Nisaa of the Quran El-Kareem. They are rendered as follows:-

"Allah instructs you concerning your children: for the male, what is equal to the share of two females. But if there are [only] daughters, two or more, for them is two thirds of one's estate. And if there is only one, for her is half. And for one's parents, to each one of them is a sixth of his estate if he left children. But if he had no children and the parents [alone] inherit from him, then for his mother is one third. And if he had brothers [or sisters], for his mother is a sixth, after any bequest he [may have] made or debt. Your parents or your children - you know not which of them are nearest to you in benefit. [These shares are] an obligation [imposed] by Allah. Indeed, Allah is ever Knowing and Wise.

And for you is half of what your wives leave if they have no child. But if they have a child, for you is one fourth of what they leave, after any bequest they [may have] made or debt. And for the wives is one fourth if you leave no child. But if you leave a child, then for them is an eighth of what you leave, after any bequest you [may have] made or debt. And if a man or woman leaves neither ascendants nor descendants but has a brother or a sister, then for each one of them is a sixth. But if they are more than two, they share a third, after any bequest which was made or debt, as long as there is no detriment [caused]. [This is] an ordinance from Allah, and Allah is Knowing and Forbearing."

The abovementioned basic rules of inheritance are thorough in the next paragraphs.

The belongings of a deceased Moslem is applicable, in the first place, to the expense of his funeral; secondly to the free of his debts; and thirdly, to the expense of legacies as far as one-third of the residue. The remaining two-thirds with so much of the one-third as is not absorbed by legacies are the patrimony of the heirs. A Moslem is, as a result, disabled from disposing of more than one-third of his property by will.

The pure remainder of the state descends to the heirs; and amongst these the first are individuals for whom the regulation has provided definite precise shares or shares and who are thereafter denominated the sharers.

In utmost situations, there should be a remainder after the shares has been fulfilled; and this forwarded to another category of individuals who, under that situation, are named residuaries or 'asaba in Arabic

It can rarely happen that the deceased should have no individual connected with him/her who would fall under these two classes; but to guard against this possible contingency, the law had provided another class of persons who, by reason of their remote position with respect to the inheritance, have been denominated "distant kindred".

Correspondence:

Samy S. Abu Naser
Faculty of Engineering &
Information Technology, AlAzhar University. Gaza,
Palestine

Inheritance law in Islam has very complicated calculations; most of previous works describe only the theory and frame work, but no application running. Sharia courts are on the top of interest Institutions in Inheritance law.

The purpose of the proposed expert system is to help the concerned people in calculating inheritance.

Literature Review

Expert Systems

With the development of life and massive development of computer technology, the human has become dependent on computers applications heavily in most fields especially that rely on the accounts and required a great speed and the data is very complex for human mind to deal with it.

A. Expert Systems definition

'Legal expert systems' are programs which give advice on the application of the law to a user's particular legal problem [1].

B. Is there any difference between Expert systems and traditional programming?

Of course, Yes. Expert systems are not programmed to follow procedures, as is the case in traditional

programming, but is designed to solve complex problems through the conclusion of knowledge, like a human expert.

C. Domains of Expert systems

Expert systems are used to solve a large number of problems such as decision-making and financial planning, diagnosing diseases[17-35] and in matters of Islamic law such as the appreciation of Zakat [2] and retribution, and these things were all required from human experiences [3]. There is a very good survey paper of expert system (ES) development from 1995 to 2004, support 166 paper on 78 academic journals. [4]

D. Components of an Expert System

- Knowledge base: the representation of expert knowledge, often in IF THEN rules;
- Working storage: hold Specific data to solve the problem;
- Inference engine: derives recommendations from the knowledge base and problem-specific data in working storage;
- User interface: dialog between the user and the system
 [5].




Fig 1: The figure shows the Main Components of an Expert System (Designed by the authors)

Knowledge Acquisition

The used strategies to solicit the knowledge about the laws of Inheritance are through interviews with human expert in the field, questionnaire and case studies.

Inheritance in Islam

A. After Death

The human presence on this earth is for a limited time and must be ended by death, male and female, old and young alike.

Upon the death of an individual estate be divided among his heirs after paying his/her debts and obligations.

B. Beyond the Grave

The human psyche always wants to exercise control even beyond the grave. We try to counsel those who grow up around us, to leave a good memory on us after our death [6,7].

DR Unruh, "Death and Personal History: Strategies of Identity Preservation" 30 Social Problems [8].

There is no more obvious than the commandment law. Knowing that we cannot take our wealth with us, but a lot of us hope at least to control how the use of this legacy after our death [9].

C. Some ways of inheritance' division

To divide the inheritance process there are more than one way, according to religion, according to the customs and traditions and man-made laws [10]. Some of these laws bequeath only males without females, including female inheritance without a male, which is also what combines the two methods.

Expert Systems in Islamic field

A good work has done, "Design of an Expert System to Calculate Inheritance Shares Based on Islamic Law"[11], Expert System for Islamic Punishment [5], but both describe only a frame work and no software was done.

Limitation of the Research

According to Islamic law, Inheritance reaches an heir via two routes, fard or tā'sib [6].

A. FARD (Prescription)

The prescribed shares are the specific allocations determined in the Qur'an or Sunnah. They are one-half ($\frac{1}{2}$), one-third ($\frac{1}{3}$), one-fourth ($\frac{1}{4}$), one-sixth ($\frac{1}{6}$), one-eighth ($\frac{1}{8}$), and twothirds ($\frac{2}{3}$). They hold for various individuals based on the fulfillment of certain conditions.

B. Tā'sib

Tā'sib is an Arabic word which comes from the verb 'usbah, which means "clan; paternal relations; agnates". An individual inheriting through tā'sib is called 'āsib. Thus, tā'sib arises from kinship relationships. There are three forms of tā'sib[6]:

- Independent tā'sib
- Tā'sib by association
- Tā'sib by joining with others

C. Current Paper Limitation

In this paper, we covered most of the familiar FARD of Islamic law of inheritance.

Materials and Methods

The proposed expert system calculated the Islamic inheritance according to Islamic Sharia. The proposed expert system was designed and developed using CLIPS language [12-16].

The expert system currently contains 43 rules. The proposed expert system asks the user to enter input data related to the family of the deceased such how many sons he/she has whether he/she has parents or not, in each question frame. At the end of the dialogue, the proposed expert system provides the proper share of each person from the Islam inheritance. Figure 2 to Figure 6 shows a snap shot the expert system session.

```
The alaa akkila inheretence Expert System for most FARD part
The alaa akkila inheretence Expert System for most FARD part
                                                             Is deceased male (yes/no)? y
Is deceased male (yes/no)? y
                                                             single (ves/no)? v
single (yes/no)? y
                                                             Is father alive (yes/no)? n
Is father alive (yes/no)? n
                                                             Is Paternal Grand Father alive (yes/no)? y
Is Paternal Grand Father alive (yes/no)? y
                                                             Paternal-Grand-Father gets all
Paternal-Grand-Father gets all
                                                             Is mother alive (yes/no)? y
Is mother alive (ves/no)? v
                                                             mother gets 1/3
mother gets 1/3
                                                             Paternal-Grand-Father gets the
Paternal-Grand-Father gets
CLIPS>
                                                             CLTPS>
```

Figure 2: A sample session of the expert system

```
The alaa akkila inheretence Expert System for most FARD part
                                                                  The alaa akkila inheretence Expert System for most FARD part
Is deceased male (yes/no)? y
single (yes/no)? n
Is father alive (yes/no)? n
Is Paternal Grand Father alive (yes/no)? n
Is mother alive (yes/no)? y
                                                                  Is deceased male (yes/no)? y
                                                                  single (yes/no)? y
How many daughters ?2
                                                                  Is father alive (yes/no)? n
How many sons 1
How many wives ? 1
                                                                  Is Paternal Grand Father alive (yes/no)? n
               1/6
mother
        gets
                                                                  Is mother alive (yes/no)? y
all
    wives get
                   1/8
                                                                  mother gets 1/3
           gets twice of
each son
                                daughter
                                                                  CLIPS>
CLIPS>
```

Figure 3: A sample session of the expert system

```
The alaa akkila inheretence Expert System for most FARD part
The alaa akkila inheretence Expert System for most FARD part
                                                                       Is deceased male (yes/no)? n
Is deceased male (yes/no)? n
single (yes/no)? n
                                                                       single (yes/no)? n
Is father alive (yes/no)? n
                                                                       Is father alive (yes/no)? y
Is Paternal Grand Father alive (yes/no)? n
                                                                       Is mother alive (yes/no)? n
                                                                       Is Maternal Grand Mother alive (yes/no)? n
Is Paternal Grand Mother alive (yes/no)? n
Is mother alive (yes/no)? n
Is Maternal Grand Mother alive (yes/no)? n
Is Paternal Grand Mother alive (yes/no)? n
                                                                       Is husband alive (yes/no)? n
Is husband alive (yes/no)? y
                                                                       How many daughters ?0
How many daughters ?0
                                                                       How many sons 0
How many sons 0
                                                                       How many grand daughters (from son only)?0
Husand gets
                                                                       father gets all 1/1
How many grand daughters (from son only)?0
                                                                       CLIPS>
```

Figure 4: A sample session of the expert system

```
The alaa akkila inheretence Expert System for most FARD part
                                                                                  The alaa akkila inheretence Expert System for most FARD part
Is deceased male (yes/no)? y
single (yes/no)? n
Is father alive (yes/no)? n
Is Paternal Grand Father alive (yes/no)? y
Is mother alive (yes/no)? y
                                                                                  Is deceased male (yes/no)? n
                                                                                  single (yes/no)? n
                                                                                  Is father alive (yes/no)? n
                                                                                  Is Paternal Grand Father
                                                                                                                 alive (yes/no)? y
How many daughters ?1
How many sons 1
How many wives ? 2
mother gets 1/6
                                                                                  Is mother alive (yes/no)? y
                                                                                  How many daughters ?2
                                                                                  How many sons 5
                                                                                            gets
                                                                                  mother
all
      wives get
                        1/8
                                                                                  Paternal-Grand-Father gets
                                                                                                                          daughter
                                                                                  each
                                                                                         son gets twice of
each
               gets
                        twice
                                  of
                                          daughter
CLIPS
                                                                                  CLIPS> |
```

Figure 5: A sample session of the expert system

```
The alaa akkila inheretence Expert System for most FARD part
                                                                                        The alaa akkila inheretence Expert System for most FARD part
Is deceased male (yes/no)? y single (yes/no)? n
                                                                                        Is deceased male (yes/no)? n
single (yes/no)? n

Is father alive (yes/no)? n

Is Paternal Grand Father al

Is mother alive (yes/no)? y

How many daughters ?3

How many sons 0

How many wives ? 1

mother gers 1/5
                                                                                         single (yes/no)? n
                                   alive (yes/no)? n
                                                                                        Is father alive (yes/no)? n
                                                                                        Is Paternal Grand Father
                                                                                                                          alive (yes/no)? y
                                                                                        Is mother alive (yes/no)? y
                                                                                         How many daughters ?3
mother
            gets
                                                                                        How many sons 2
                get
                                                                                        Paternal-Grand-Father gets
all-Daughters get 2/3
                          twice
                                                                                         CLIPS> |
CLIPS>
```

Figure 6: A sample session of the expert system

Conclusion

In this paper, an expert system was designed and developed for aiding People in calculating their inheritance according to Islamic Shariaa. This calculation is done faster than the traditional calculation using a paper and pencil. This expert system does not require rigorous training to be used; it has a straightforward and user friendly interface. It was developed using CLIPS expert system language. The result of the preliminary testing of the expert system was promising.

Future Work

This expert system is considered to be a base of future ones; more rules of Inheritance are planned to be added to the expert system and to make it more accessible to users from anywhere at any time.

Source code of the expert System

```
Inheritance Expert System
    This expert system calculate mirath
;;;
    CLIPS Version 6.0 Example
;;;
    To execute, merely load, reset and run.
..*********
;;* DEFFUNCTIONS *
..*********
(deffunction ask-question (?question $?allowed-values)
 (printout t ?question)
 (bind ?answer (read))
 (if (lexemep ?answer)
    then (bind ?answer (lowcase ?answer)))
 (while (not (member ?answer ?allowed-values)) do
   (printout t ?question)
```

```
(bind ?answer (read))
   (if (lexemp ?answer)
      then (bind ?answer (lowcase ?answer))))
 ?answer)
(deffunction ask-no (?question ?a1 ?a2)
 (printout t ?question)
 (bind ?answer (read))
 (while (or (<?answer ?a1) (>?answer ?a2)) do
   (printout t ?question)
   (bind ?answer (read))
?answer)
(deffunction yes-or-no-p (?question)
 (bind ?response (ask-question ?question yes no y n))
 (if (or (eq ?response yes) (eq ?response y))
    then TRUE
    else FALSE))
;;;* QUERY RULES *
...***********
; counter of heirs
(defrule question-no-1-0 ""
 (not (no???))
    (assert (no 0 0 0)) )
; deceased male or female
(defrule question-no-1-1 ""
 (not (deceased-male ?))
 =>
 (if (yes-or-no-p "Is deceased male (yes/no)? ")
    (assert (deceased-male male))
   (assert (deceased-male female))
```

```
(not(mother?))
; single or not
(defrule question-no-1-2 ""
  (not (ms single?))
                                                                      (if (yes-or-no-p "Is mother alive (yes/no)?")
  (if (yes-or-no-p "single (yes/no)? ")
                                                                         (assert (mother yes 0))
                                                                     else
    (assert (ms single yes))
                                                                        (assert (mother no))))
                                                                    ;if there is mother add 1 to heirs counter
 else
                                                                    (defrule question-no-12-5 ""
    (assert (ms single no)))
                                                                      (mother yes 0)
; if single no offsprings
                                                                    ; (no ?c)
(defrule question-no-1-3 ""
                                                                      ?p <- (no ?c ?m ?f)
  (ms single yes)
                                                                      ?b <- (mother yes 0)
    (assert (offspring no)) )
                                                                       (retract ?p)
; father alive yes or no
                                                                       (assert (no (+ 1 ?c) ?m ?f))
(defrule question-no-1-4 ""
                                                                       (retract ?b)
                                                                       (assert (mother yes)) )
  (not(father ?))
                                                                    ; Maternal Grand Mother alive yes or no
                                                                    (defrule question-no-9-2 ""
  (if (yes-or-no-p "Is father alive (yes/no)?")
                                                                      (mother no)
    (assert (father yes 0))
                                                                      (not(Maternal-Grand-Mother ?))
    (assert (father no))) )
                                                                      (if (yes-or-no-p "Is Maternal Grand Mother
(defrule question-no-1-3 ""
                                                                    (yes/no)? ")
  (ms single yes)
                                                                        then
                                                                        (assert (Maternal-Grand-Mother yes 0))
    (assert (offspring no)) )
; Paternal Grand Father alive yes or no
                                                                        (assert (Maternal-Grand-Mother no))) )
(defrule question-no-6-1 ""
                                                                    ; if there is Maternal-Grand-Mother add 1 to heirs counter
                                                                    (defrule question-no-9-5 ""
  (father no)
                                                                      (Maternal-Grand-Mother yes 0)
  (not(Paternal-Grand-Father ?))
                                                                    ; (no ?c)
  (if (yes-or-no-p "Is Paternal Grand Father alive (yes/no)?
                                                                      ?p <- (no ?c ?m ?f)
                                                                      ?b <- (Maternal-Grand-Mother yes 0)
                                                                      =>
    (assert (Paternal-Grand-Father yes 0))
                                                                       (retract ?p)
                                                                       (assert (no (+ 1 ?c) ?m ?f))
    (assert (Paternal-Grand-Father no))) )
                                                                       (retract ?b)
; if there is father add 1 to heirs counter
                                                                       (assert (Maternal-Grand-Mother yes)) )
(defrule question-no-1-5 ""
                                                                    ; Paternal Grand Mother alive yes or no
  (father yes 0)
                                                                    (defrule question-no-12-3 ""
; (no ?c)
                                                                      (mother no)
  ?p <- (no ?c ?m ?f)
                                                                      (not(Paternal-Grand-Mother?))
  ?b <- (father yes 0)
                                                                      (if (yes-or-no-p "Is Paternal Grand Mother
                                                                                                                            alive
  =>
   (retract ?p)
                                                                    (yes/no)? ")
   (assert (no (+ 1 ?c) ?m ?f))
                                                                        then
                                                                        (assert (Paternal-Grand-Mother yes 0))
   (retract ?b)
   (assert (father yes)) )
                                                                        (assert (Paternal-Grand-Mother no))) )
; if there is Paternal-Grand-Father add 1 to heirs counter
                                                                    ; if there is Paternal-Grand-Mother add 1 to heirs counter
(defrule question-no-5-5 ""
                                                                    (defrule question-no-9-7 ""
  (Paternal-Grand-Father yes 0)
                                                                      (Paternal-Grand-Mother yes 0)
; (no ?c)
                                                                      ?p <- (no ?c ?m ?f)
  ?p <- (no ?c ?m ?f)
                                                                      ?b <- (Paternal-Grand-Mother yes 0)
  ?b <- (Paternal-Grand-Father yes 0)
                                                                      =>
                                                                       (retract ?p)
                                                                       (assert (no (+ 1 ?c) ?m ?f))
   (retract ?p)
   (assert (no (+ 1 ?c) ?m ?f))
                                                                       (retract ?b)
   (retract ?b)
                                                                       (assert (Paternal-Grand-Mother yes)) )
   (assert (Paternal-Grand-Father yes))
                                                                    ;if deceased female, is husband alive
;mother alive yes or no
                                                                    (defrule question-no-11-1 ""
(defrule question-no-2-1 ""
                                                                      (not (ms single yes))
```

(deceased-male female)	(retract ?b)
(not(husband?))	(assert (daughters ?w))
(father ?)	(if (> ?w 0)
(mother?)	then
(Maternal-Grand-Mother ?)	(retract ?p)
(Paternal-Grand-Mother ?)	(assert (no (+ 1 ?c) ?m (+ 1 ?f)))))
=>	(defrule question-sons ""
(if (yes-or-no-p "Is husband alive (yes/no)? ")	(not (ms single yes))
then	=>
(assert (husband yes 0))	(bind ?response
else	(ask-no "How many sons " 0 20))
(assert (husband no))))	(assert (sons ?response 0)))
;if there is husband add 1 to heirs counter	;if there is sons add 1 to heirs counter
(defrule question-no-2-5 ""	(defrule question-no-2-8 ""
(husband yes 0)	(daughters ?)
?p <- (no ?c ?m ?f)	(sons ? 0)
?b <- (husband yes 0)	?p <- (no ?c ?m ?f)
=>	?b <- (sons ?w 0)
(retract ?p)	=>
(assert (no (+ 1 ?c) ?m ?f))	(retract ?b)
(retract ?b)	(assert (sons ?w))
(assert (husband yes)))	(if (> ?w 0)
;if deceased male, How many wives	then
(defrule question-no-10 ""	(retract ?p)
(ms single no)	(assert (no (+ 1 ?c) (+ 1 ?m) ?f))))
(deceased-male male)	(defrule question-offspring ""
(father ?)	(daughters ?d)
(mother ?)	(sons ?s)
(offspring ?)	=>
; (Maternal-Grand-Mother ?)	(if (and(eq?d0) (eq?s0))
; (Paternal-Grand-Mother ?)	then
(not (wives ?))	(assert (offspring no))
=>	else
(bind ?response	(assert (offspring yes)))))
(ask-no "How many wives? "04))	;How many grand-daughters
(assert (wives ?response 0)))	(defrule question-grand-daughters ""
;if there is wives add 1 to heirs counter	(offspring no)
(defrule question-no-2-6 ""	(daughters 0)
(wives ? 0)	(sons 0)
?p <- (no ?c ?m ?f)	(not (ms single yes))
?b <- (wives ?w 0)	=>
=>	(bind ?response
(retract ?b)	(ask-no "How many grand daughters (from son
(assert (wives ?w))	only)?" 0 20))
(if (>?w 0)	(assert (grand-daughters ?response 0)))
then	;if there is grand-daughters add 1 to heirs counter
(retract ?p)	(defrule question-no-6-11 ""
(assert (no (+ 1 ?c) ?m ?f)))	(grand-daughters? 0)
;How many daughters	?p <- (no ?c ?m ?f)
(defrule question-daughters ""	?b <- (grand-daughters ?w 0)
(not (ms single yes))	(father ?)
=>	(mother?)
(bind ?response	=>
(ask-no "How many daughters?" 0 20))	(retract ?b)
(assert (daughters ?response 0)))	(assert (grand-daughters ?w))
;if there is daughters add 1 to heirs counter	(if (>?w 0)
(defrule question-no-2-7 ""	then
(daughters?0)	(retract ?p)
?p <- (no ?c ?m ?f)	(assert (no (+ 1 ?c) ?m (+ 1 ?f))))
?b <- (daughters ?w 0)	; calculate
(father?)	; for Husband Final
(mother?)	(defrule husband-f1 ""
; (Maternal-Grand-Mother ?)	(husband yes)
=>	(offspring ?o)
	~ 43 ~

```
(mother?)
  =>
(if (eq?o no)
                                                                  (no ?c ?m ?f)
    then
                                                                  (offspring no)
         (printout t Husand " gets " 1/2)
         (printout t crlf crlf)
                                                                    (if (eq?c1)
                                                                      then
         (printout t Husand " gets " 1/4)
                                                                           (printout t father " gets " " all " " 1/1)
         (printout t crlf crlf)))
                                                                           (printout t crlf crlf) ))
                                                                  (defrule Paternal-Grand-Father-f ""
; for Wives Final
(defrule wives-f1 ""
                                                                  (father no)
 (deceased-male male)
                                                                  (offspring yes)
                                                                  (Paternal-Grand-Father yes)
  (father?)
  (mother?)
  (wives?)
                                                                    (printout t Paternal-Grand-Father " gets " 1/6)
(not(wives 0))
                                                                     (printout t crlf crlf) )
                                                                  (defrule Paternal-Grand-Father-f7 ""
(offspring ?o)
 =>
                                                                  (father no)
(if (eq ?o no)
                                                                  (offspring no)
                                                                  (Paternal-Grand-Father yes)
   then
         (printout t all " " wives " " get " " 1/4)
                                                                  (no ?c ?m ?f)
         (printout t crlf crlf)
                                                                    (if (eq?c1)
    else
         (printout t all " " wives " " get " " 1/8)
                                                                      then
         (printout t crlf crlf)))
                                                                        (printout t Paternal-Grand-Father " gets " all)
; for daughter Final
                                                                        (printout t crlf crlf)
(defrule daughter-f ""
(sons 0)
                                                                           (printout t Paternal-Grand-Father " gets " "
                                                                  the " rest)
(daughters ?d)
(offspring yes)
                                                                       (printout t crlf crlf) ))
                                                                  (defrule Paternal-Grand-Mother-f ""
 =>
(if (eq?d1)
                                                                  (father no)
                                                                  (mother no)
    then
         (printout t Daughter " gets " 1/2)
                                                                  (Maternal-Grand-Mother no)
         (printout t crlf crlf)
                                                                  (Paternal-Grand-Mother yes)
                                                                  (offspring?)
         (printout t all-Daughters " get " 2/3)
         (printout t crlf crlf)))
                                                                        (printout t Paternal-Grand-Mother " gets " "
; for Father Final
                                                                  1/6)
(defrule father-f ""
                                                                        (printout t crlf crlf))
                                                                  (defrule Paternal-Grand-Mother-f5 ""
(father yes)
(no ?c ?m ?f)
                                                                  (father no)
                                                                  (mother no)
(offspring yes)
                                                                  (Maternal-Grand-Mother yes)
 (if (> ?m 0)
                                                                  (Paternal-Grand-Mother yes)
                                                                  (offspring?)
         (printout t father " " gets " " 1/6)
                                                                        (printout t Paternal-Grand-Mother " gets " "
         (printout t crlf crlf)
else
                                                                  1/12)
         (printout t father " gets " the rest ")
                                                                        (printout t crlf crlf))
         (printout t crlf crlf) ))
                                                                  (defrule Maternal-Grand-Mother-f2 ""
(defrule mother-f1 ""
                                                                  (father no)
                                                                  (mother no)
(mother yes)
(no ?c ?m ?f)
                                                                  (Maternal-Grand-Mother yes)
(offspring ?p)
                                                                  (Paternal-Grand-Mother ?p)
                                                                  (offspring?)
  (if (eq?p yes)
                                                                    (if (eq?p yes)
    then
         (printout t mother " gets " 1/6)
                                                                      then
         (printout t crlf crlf)
                                                                           (printout t Maternal-Grand-Mother " gets " "
                                                                  1/12)
         (printout t mother " gets " 1/3)
                                                                           (printout t crlf crlf)
         (printout t crlf crlf) ))
                                                                  else
(defrule father-f1 ""
                                                                           (printout t Maternal-Grand-Mother " " gets " "
(father yes)
                                                                  1/6)
```

```
(printout t crlf crlf)))))
(defrule grand-daughter-f2 ""
(son no)
(daughter no)
(grand-daughter ?g)
(grand-daughter yes)
 =>
 (if (eq ?g 1)
   then
       (printout t grand-daughter " gets " 1/2)
    (printout t crlf crlf)
else
       (printout t grand-daughter " gets " 2/3)
    (printout t crlf crlf) ))
(defrule sons-daughter-f4 ""
(offspring yes)
(not(son 0))
(not(daughter 0))
(ms single no)
    (printout t each " "son " "gets " "twice " "of
  " daughter)
    (printout t crlf crlf))
;;;* STARTUP ALAA AKKILA RULES *
(defrule system-banner ""
 (declare (salience 10))
 (printout t crlf crlf)
 crlf crlf crlf crlf )
 (printout t "The Aaa Akkila inheritance Expert System for
most FARD part ")
 (printout t crlf crlf))
 (printout t crlf crlf))
```

References

- LEGAL EXPERT SYSTEMS ROBOT LAWYERS? An introduction to knowledge-based applications to law. Graham Greenleaf, Senior Lecturer in Law, University of New South Wales, Sydney, Australia, Presented at the Australian Legal Convention, Darling Harbour, Sydney, August 1989.
- Zakat Expert System , Afaf Al Riyami, Asma Al Harthy , Khadija Al Amri and Kamla Ali Al Busaidi, p 31, Proceedings of the 15th European Conference on Knowledge Management, Polytechnic Institute of Santarém, Portugal, 4-5 September 2014, Volume 1, Edited by Carla Vivas and Pedro Sequeira, A conference managed by ACPI, UK
- 3. R.C. Chakraborty, Expert Systems, 2010, Retrieved from http://www.myreaders.info/html/artificial_intelligence.html.
- Expert system methodologies and applications—a decade review from 1995 to 2004 Expert Systems with Applications 28 (2005) 93–103 Department of Management Sciences and Decision Making, Tamkang University, No. 151, Yingjuan Rd, Danshuei Jen, Taipei 251, Taiwan, ROC
- Expert System for Islamic Punishment (ESIP), Yasser
 Nada, Sultan Aljahdali College of Computers and

- Information Technology, Taif University, KSA.
- 6. Burkhard Schafer, ZOMBAIS: LEGAL EXPERT SYSTEMS AS REPRESENTATIVES "BEYOND THE GRAVE" Volume 7, Issue 2, August 2010 http://www.law.ed.ac.uk/ahrc/script-ed/vol7-2/schafer.asp.
- 7. R Butler, "Looking Forward to What? The Life Review, Legacy and Excessive Identity versus Change" (1970) 14 American Behavioural Scientist 121-128.
- 8. DR Unruh, "Death and Personal History: Strategies of Identity Preservation" (1983) 30 Social Problems 340-351
- See e.g. J Rosenfeld, "Old Age, New Beneficiaries: Kinship, Friendship and (Dis) inheritance" (1980) 64 Sociology and Social Research 86-95.
- N. Zaini, L. Hayatullah, M. K. Zuliza, M. A. Samuri, H. M. Amir, E. Y. Salmy, & M. R. Muwazir, The Challenge Faced by Shariah Law in Respect of Distribution of Inheritance in Multi-Ethnic Communities: Case Study in Beaufort, Sabah, Malaysia. International Business, Management, 2012, 6: 228-232. DOI: 10.3923/ibm.2012.228.232
- Jimoh, R. G., 2Adebayo, I. R., 1A. O. Ameen & 1Ahmad, H. O., Design of an Expert System to Calculate Inheritance Shares Based on Islamic Law, African Journal of Computing & ICT, Vol 7. No. 2 -June, 2014.
- 12. Naser S.S.A., and N.A. Alaa, 2008. A Proposed Expert System for Skin Diseases Diagnosis. Journal of Applied Sciences Research 4 (12), 1682-1693.
- 13. Abu Naser S.S, Baraka M., and Baraka A. A Proposed Expert System For Guiding Freshman Students In Selecting A Major In Al-Azhar University, Gaza, Journal of Theoretical and Applied Information Technology. 2008;4(9):889-893. Available: http://www.jatit.org/volumes/researchpapers/Vol4No9/15Vol4No9.pdf
- 14. Abu Naser S.S, Kashkash K., and Fayyad M. Developing an Expert System for Plant Disease Diagnosis, Journal of Theoretical and Applied Information Technology. 2008; 1(2):78-85. Available: http://scialert.net/abstract/?doi=jai.2008.78.85
- Naser S.S.A., Hilles M.M.,2016. An expert system for shoulder problems using CLIPS, World Wide Journal of Multidisciplinary Research and Development 2 (5), 1-8
- 16. Naser, S.S.A. and Ola, A.Z.A., 2008. AN EXPERT SYSTEM FOR DIAGNOSING EYE DISEASES USING CLIPS. Journal of Theoretical & Applied Information Technology, 4(10). Available: http://www.jatit.org/volumes/research-papers/Vol4No10/5Vol4No10.pdf
- 17. Naser, S.S.A., SL5 OBJECT: SIMPLER LEVEL 5 OBJECT EXPERT SYSTEM LANGUAGE. International Journal of Soft Computing, Mathematics and Control (IJSCMC), 2015, 4(4), pp.25-37.
- Naser, S S.A. and ALmursheidi, S.H.., 2016. A Knowledge Based System for Neck Pain Diagnosis. World Wide Journal of Multidisciplinary Research and Development (WWJMRD), 2(4), pp.12-18.
- 19. Abu-Naser, S.S., El-Hissi, H., Abu-Rass, M. and El-Khozondar, N., 2010. An expert system for endocrine

- diagnosis and treatments using JESS. Journal of Artificial Intelligence, 3(4), pp.239-251.
- 20. Naser, S.A., Al-Dahdooh, R., Mushtaha, A. and El-Naffar, M., 2010. Knowledge Management in ESMDA: Expert System for Medical Diagnostic Assistance. AIML Journal. 10(1). pp.31-40.
- 21. Naser, S.S.A. and Alhabbash, M.I., MALE INFERTILITY EXPERT SYSTEM DIAGNOSES AND TREATMENT. American Journal of Innovative Research and Applied Sciences. 2016; 2(4).
- 22. Naser S.S.A. and Mahdi, A.O., A PROPOSED EXPERT SYSTEM FOR FOOT DISEASES DIAGNOSIS. American Journal of Innovative Research and Applied Sciences. 2016; 2(4):155-168.
- 23. Naser, S.S.A. and AlDahdooh, R.M., 2016. Lower Back Pain Expert System Diagnosis And Treatment. Journal of Multidisciplinary Engineering Science Studies (JMESS), 2(4). pp. 441-446
- 24. Naser, S.S.A. and Hamed, M.A., An Expert System for Mouth Problems in Infants and Children. Journal of Multidisciplinary Engineering Science Studies (JMESS). 2(4). Pp.468-476.
- 25. Abu Naser S.S, and Abu Hasanein H. Ear Diseases Diagnosis Expert System Using SL5 Object. World Wide Journal of Multidisciplinary Research and Development (WWJMRD). 2016; 2(4):41-47. http://wwjmrd.com/vol%202/issue%204/pdf/18.1.pdf
- 26. Azaab, S., Abu Naser, S. and Sulisel, O., 2000. A proposed expert system for selecting exploratory factor analysis procedures. Journal of the college of education, 4(2), pp.9-26.
- 27. Abu Naser S.S, and El Haddad I. An Expert System for Genital Problems in Infants, World Wide Journal of Multidisciplinary Research and Development (WWJMRD). 2016; 2(5).
- 28. Abu Naser S.S, and Bastami B. A Proposed Rule Based System for Breasts Cancer Diagnosis. World Wide Journal of Multidisciplinary Research and Development (WWJMRD). 2016; 2(5). pp. 27-33.
- 29. Abu Naser S.S, and Mohammed Zakaria Shaath. 2016. Expert system urination problems diagnosis, World Wide Journal of Multidisciplinary Research and Development. 2(5). pp.9-19.
- 30. Naser S.A. and Aead A.M.,2013. Variable Floor for Swimming Pool Using an Expert System Preparation of Papers for International Journal of. International Journal of Modern Engineering Research (IJMER). 3(6). pp-3751-3755
- 31. Naser, S.S.A. and Al-Nakhal, M.A., A Ruled Based System for Ear Problem Diagnosis and Treatment. World Wide Journal of Multidisciplinary Research and Development,2(4). pp.25-31.
- 32. Naser S.S.A. and Al-Hanjori M. M., 2016. An expert system for men genital problems diagnosis and treatment. International Journal of Medicine Research, 1(2).pp.83-86.
- 33. Abu Naser S.S. and Alawar M.W., 2016. An expert system for feeding problems in infants and children. International Journal of Medicine Research. 1(2).pp.79-82.
- 34. Abu Naser S.S. and El-Najjar A. A., 2016. An expert system for nausea and vomiting problems in infants and children, International Journal of Medicine Research. 1(2).pp.114-117.

35. Samy S. Abu Naser, and Mohran H. Al-Bayed, Detecting Health Problems Related to Addiction of Video Game Playing Using an Expert System. WWJMRD. 2016; 2(9) 7-12.