The following manuscript is a preprint of a chapter in the forthcoming book: *Uncertainty in Climate Change Research: An Integrated Approach.* Edited by Linda O. Mearns, Chris. E. Forest, Hayley Fowler, Robert Lempert, and Robert Wilby. Springer.

ACKNOWLEDGEMENTS

The authors thank Linda Mearns, Marina Baldissera Pacchetti, Vivek Srikrishnan, Ted Shepherd, and Rob Wilby for comments on a draft of this chapter. C.H. acknowledges the support of the Penn State Center for Climate Risk Management (CLIMA).

How uncertainty interacts with ethical values in climate change research

Casey Helgeson^{1,3}, Wendy Parker², and Nancy Tuana³

Much climate change research aims to inform decision making in one way or another. A common vision of how science and ethics work together in this decision making has science spelling out the (probable) consequences of different policy options, while ethical judgments determine which option's consequences are most desirable. For example, climate projections and impact studies may suggest the likely consequences of different mitigation pathways, but ethical judgments are required to evaluate how good or bad those consequences are and how preferrable one possible future is over another.

While correct as far as it goes, this standard picture can encourage an overly sharp distinction between scientific activities and ethical deliberation. Far from entering only at the policy-making stage, ethical judgments often shape scientific research itself. This is most obvious in the choice of research questions. The choice of what to study ultimately affects what knowledge can be brought to bear in real-world decisions, including consequences for which (and whose) decisions can be made with the benefit of scientific insight. Such considerations are routinely referenced when motivating funding proposals and research articles. Of course, more purely scientific motivations such as fundamental discovery and filling gaps in knowledge are also critical in choosing research questions. In this way, a researcher's choice of what to investigate illustrates a central concept of this chapter: *coupled ethical-epistemic* choices (Tuana 2018).

A little terminology is needed to unpack this jargon. We use the word *values* as a general term for the reasons or perspectives from which one evaluates something as good or bad. Applying this notion of values very broadly, any goal judged worthy of pursuit will be done so on the basis of values. Sometimes these will be *ethical values* such as concern for justice, human welfare, or

¹ Earth and Environmental Systems Institute, The Pennsylvania State University, casey@psu.edu

² Department of Philosophy, Virginia Tech

³ Department of Philosophy, The Pennsylvania State University

environmental protection. (The overlapping concept of *social values* includes things valued by communities or individuals—like greenspaces or social services—even if these may not be recognizably ethical in nature. Here we use "ethical values" broadly to also include these social values.) In contrast, scientific findings can be valued for how they advance understanding, and scientific methods or models can be valued for their accuracy, reliability, or generality. These aspects of research are valued because they are thought to promote (or constitute) a central aim of science: gaining knowledge. Such values are often called *epistemic values*.

Many decisions made in the course of scientific research are coupled ethical-epistemic choices in the sense that their consequences can be judged both from the perspective of epistemic values (i.e., what are the contributions to scientific knowledge) as well from the perspective of ethical values (i.e., what are the upshots for policy, society, and the environment). Coupled ethical-epistemic choices can be found at any spot along the continuum of research-design choices from the broad end of choosing and refining research questions to narrower decisions regarding approaches to answering those questions, specific methods, and interpretation of results.

Scientific training tends to focus on epistemic values—especially when it comes to the narrower, finer-grained research choices. In this chapter, we draw attention to the ethical values that are often linked to the same choices. Our aim is to encourage more deliberate and more reflective engagement with the ethical components of these choices. The topic of this volume is uncertainty in climate change research, and decisions about how to address sources of uncertainty in research provide a particularly rich arena for interaction between epistemic and ethical values. We present a series of examples of such interaction followed by a short list of recommendations on how to approach coupled ethical-epistemic choices in research.

ATTRIBUTION METHODS AND PUBLIC COMMUNICATION

Our first example concerns extreme event attribution (National Academies of Sciences, Engineering, and Medicine 2016). Increasingly, climate scientists are investigating the extent to which particular extreme weather events, such as floods, droughts and heat waves, can be linked to anthropogenic climate change. Depending on the choice of method, different pictures can emerge regarding what can and cannot be attributed to climate change, with implications for public communication and litigation for damages.

The standard "risk-based" approach has been adapted from epidemiology (Allen 2003; Haustein et al. 2016; Stott et al. 2016). Researchers attempt to quantify the change in likelihood of a weather event like the one observed, given rising greenhouse gas concentrations. This is done via climate modeling studies that compare the frequency of such event types across simulations driven by different greenhouse gas concentrations. In one set of simulations, historical (i.e., increasing) greenhouse gas concentrations are used; in the other, concentrations are held (counterfactually) at pre-industrial levels.

For a variety of reasons, studies following the risk-based approach can be inconclusive. These reasons include the difficulties and uncertainties in simulating the atmospheric circulation driving some types of extreme events (Shepherd 2014), use of null-hypothesis significance testing to interpret simulation results, and use of "no change in likelihood" as a null hypothesis (Shepherd 2014; Lloyd and Oreskes 2018). Failure to reject such a null hypothesis means that the possibility of no change in likelihood cannot be excluded at the chosen significance level, given available evidence. But careful and cautious statements such as this are sometimes misinterpreted in public discourse as saying something stronger and more conclusive, namely that there is no connection between anthropogenic climate change and the weather event in question.

Uncertainties about circulation notwithstanding, broad thermodynamic changes in the climate system such as rising sea surface temperature and increased moisture content are well understood as anthropogenic. Moreover, it is very plausible that these thermodynamic changes can make weather events, when they do occur, more intense than they would otherwise be. Critics thus worry that the (often inconclusive) risk-based approach to attribution will miss some valuable opportunities to communicate to the public, via salient events such as extreme floods, that climate change is already having negative impacts (Trenberth 2011; Trenberth et al. 2015). This line of thought has led to a second approach to attribution, sometimes referred to as the "storyline" approach. (Though note that the storyline concept is also used more broadly for communication, uncertainty characterization, and risk management beyond the context of attribution science (Shepherd et al. 2018; Sillmann et al. 2021).)

In general terms, the storyline approach to event attribution offers descriptive narratives of specific past events, with emphasis on understanding the driving factors that were involved in those events and that may shape future events as well (Shepherd et al. 2018). Such an approach would typically ask: how did "known" thermodynamic changes in climate make a difference to the intensity of this particular weather event? To address this question, the first step is to simulate the extreme event as it occurred. The second step is to re-simulate the event removing the human-caused thermodynamic changes, e.g., making the nearby sea surface temperature cooler by a specified amount in the simulations. These studies very often do find a link between anthropogenic climate change and an extreme event of interest—specifically, an increase in intensity. For example, the conclusion might be that rising greenhouse gas concentrations, via their effects on sea surface temperature, increased a flood-causing storm's precipitation by at least 30% (see e.g., Meredith et al. 2015; Hoerling et al. 2013).

The risk-based and storyline approaches ask different questions (Lloyd and Oreskes 2018). One asks whether increasing greenhouse gas concentrations have, all things considered, changed the probability of a given event type. The other brackets anthropogenic circulation changes and asks whether the thermodynamic consequences of increasing concentrations affected the intensity of a specific event, holding fixed the actual circulation that led up to the event. When applied to the same case, the two methods can give different answers (e.g., "no" and "yes" respectively) with no logical contradiction.

Given limited time and resources, which approach should attribution researchers prioritize? The considerations that have been aired in discussions contrasting the two approaches include not only aspects subject to epistemic values (different kinds of insights; different degrees of uncertainty in results) but also consequences judged by ethical values. The latter include purported differences in: messaging to the public regarding "links" from climate change to extreme weather; potential for misinterpretation of results; relevance of results for climate risk management; long-term effects on public trust in science; and potential for reputational damage to individual scientists (Otto et al. 2016; Lloyd and Oreskes 2018).

Each approach to attribution thus comes with a bundle of features and consequences, some of which are important for epistemic reasons and some of which are important for ethical reasons. The ethical and epistemic merits of an approach can be judged separately, yet they are bound together in the same scientific choice. In this way, attribution methods illustrate the concept of coupled ethical-epistemic choices in research.

PARAMETER CHOICES AND THE CONSEQUENCES OF ERROR

A second example concerns the way in which method choices can affect the balance of *inductive risk*: the risk of erring in one's scientific conclusions (Douglas 2000). The errors at issue could be Type I ("false positives") versus Type II ("false negatives") or could concern overestimating versus underestimating a quantity of interest. A classic example is the choice of significance level used in null-hypothesis significance testing. This significance level (often fixed conventionally at .05) affects the balance between the relative risks of Type I and Type II errors. More broadly, choices between alternative datasets, modeling assumptions, or statistical algorithms can have analogous consequences for the risk of different types of error in the findings of a study (see e.g., Fujiwara et al. 2017; Flato et al. 2013).

As an example, consider the assignment of numerical values to uncertain parameters in a climate or impacts model (i.e., model calibration). When model output is compared to observations across a suite of performance metrics, some parameter assignments result in better model performance on some important metrics, while other assignments result in better performance on others (Mauritsen et al. 2012). A number of different model versions might fit the observations reasonably well and yet differ substantially in their projections. With different projections come different inductive risk profiles: for a given quantity of interest (e.g., precipitation extremes, heat stress, or crop loss), higher projections come with greater risk of overestimating that quantity while lower projections risk underestimation to a greater degree.

One approach to managing inductive risk is to make one's method choices while giving some consideration to the potential consequences of erring in one way versus another. Would overestimating future precipitation extremes or crop losses be *worse* than underestimating them? If so, this could be factored in as the researcher chooses among the scientifically reasonable approaches to addressing the research question. Indeed, it has been argued that

doing so helps the researcher fulfill her obligations as a moral agent, which include taking due care to avoid errors with particularly bad consequences (Douglas 2000, 2009). Of course, the question of which consequences are particularly bad is informed by ethical values, not epistemic ones. In this way, consideration of the risks of error can generate coupled ethical-epistemic choices. (Approaches to transparently incorporating ethical values in the model-calibration example include risk-based calibration (e.g., Pappenberger et al. 2007) and careful definition of loss functions (Jaynes 2003) when comparing model performance with observations.)

When facing research design choices, instead of choosing a single approach, sometimes several options can be tried, producing a range of results. Ensemble modeling studies, for instance, involve multiple simulations that incorporate different options for modeling equations, parameter assignments, or initial conditions. But ensemble studies can still involve uncertain method choices, such as specifying the boundaries of the "plausible" ranges for the parameters (or model structures) to be sampled. For these choices too, there may be a range of scientifically reasonable options with different associated risks of error. Indeed, it seems likely that almost every modeling study in the climate-change context will involve uncertain method choices with potentially different risks of error.

This does not mean, however, that ethical values ought to influence method choices in every modeling study, even if one is persuaded by the reasoning above. The inductive risk implications of some choices will be unforeseeable in practice (Undorf et al. in press; Betz 2017). And there might be overriding reasons for making choices on other grounds. For example, researchers might stick with "default" parameter assignments for the sake of more meaningful model intercomparisons, tractability, or to avoid upsetting an existing "balance of approximations" among model components. The case for ethical values influencing method choices seems most compelling when modeling is done in support of particular decision-making tasks, and where some method options have clear inductive risk implications that align better with the aims and values of stakeholders or clients. Such situations may arise, for instance, in the context of climate services (Adams et al. 2015; Parker and Lusk 2019). In any case, whenever such precautionary thinking does lead to ethical values shaping method choices, this should be communicated clearly and transparently (Adams et al. 2015; Baldissera Pacchetti et al. 2022).

Ultimately, even if one remains unpersuaded that ethical judgments about potential errors ought to influence method choices, there is a crucial insight here that should not be overlooked: method choices that are not directly influenced by ethical values can nevertheless affect the balance of inductive risk in ways that serve the needs and interests of some stakeholders better than others. That is, even method choices that are not value-*influenced* can in an important sense fail to be value-*neutral*.

MODEL COMPLEXITY AND HIGH-IMPACT EVENTS

High-impact, low-probability events provide another example of interaction between ethical values and the treatment of uncertainties in research. By definition, high-impact events are those that are particularly dangerous or concerning—a judgment based on ethical values. Because they are of such concern, learning about the likelihood of high-impact events can be particularly important for understanding climate change impacts and assessing risk management strategies. (In the terms of specific decision-support frameworks, the probability of extreme, high-impact outcomes can, for example, have an outsize impact on expected damage calculations (Weitzman 2009) and can shape the range of possibilities across which satisficing strategies are sought in robustness-based frameworks (Quinn et al. 2020).)

The highest-impact events also tend to be low-probability occurrences, which can complicate uncertainty assessment (Keller et al. 2021). For example, where uncertainty in projections is characterized through an ensemble of simulations, use of computationally expensive models can limit ensemble size and impede estimation of the small probabilities associated with high-impact outcomes (Lee et al. 2020; Sriver et al. 2012; Wong and Keller 2017). A state-of-the-art Earth System Model may be the richest and most complete encapsulation of knowledge relevant to, e.g., sea-level rise by century's end. Yet the large number of model runs needed for ensemble-based uncertainty quantification of extreme sea-level rise may be feasible only using faster, more idealized models (Bakker et al. 2016; Helgeson et al. 2021; Wong et al. 2017). In this way, some of the scientific or epistemic merits of models can, in practice, trade off against the *relevance* of the questions that can be addressed using those models, where relevance is a question of ethical values.

DISAGGREGATION AND DISTRIBUTIVE JUSTICE

So far, we have discussed examples that specifically concern the treatment of uncertainties. Here we relax this focus somewhat in order to provide an indication of the broader character of coupled ethical-epistemic research choices in climate change research (which need not always link directly to the treatment of uncertainties).

There is a particularly rich and explicit role for ethical values when it comes to designing and assessing climate risk management strategies. To be relevant for decision makers and stakeholders, such analyses should characterize potential futures in terms that allow those actors to apply their own values to the decision problem (Helgeson et al. 2022). What are these values? Climate change impacts people in many ways, and people care about those impacts from many different perspectives (Tschakert et al. 2017; O'Brien and Wolf 2010). To give just one example, an interview-based study with community members in the city of New Orleans found that stakeholder views on coastal flood risk encompassed values such as concern for personal safety, property damage, broader economic impacts, sense of place, perception of safety, non-human welfare, distributive justice, intergenerational justice, and having a say in risk management decisions (Bessette et al. 2017). Each of these concerns provides a perspective from which projected outcomes and impacts can be evaluated (except for the last one, which is about *process* rather than outcomes).

Consider one specific concern mentioned above: distributive justice. In the context of local flood risk management, distributive justice addresses the fairness of how flood risk, or related costs and benefits, are distributed across communities and populations. Analysis of adaptation strategies (such as levees, evacuation planning, or funding programs for home elevation) that estimates costs and benefits only in the aggregate—e.g., for a whole city or region—will be blind to differences in the way that alternative strategies distribute risk across smaller units such as neighborhoods or households. For stakeholders who care about distributive justice, a distribution-blind analysis will fail to provide relevant decision support because those stakeholders will be unable to apply their values to the evaluation of the adaptation strategies (Jafino et al. 2021; Vezér et al. 2018). (For related illustrations, see Khosrowi (2019); Parker and Winsberg (2018).)

Estimating the effectiveness of adaptation measures with attention to distributive justice may require a more complex or disaggregated modeling framework that resolves neighborhoods or even households (Jafino et al. 2021). For example, Vezer et al. (2018) contrasts two specific models used for coastal flood risk analysis in the state of Louisiana, including the city of New Orleans. Both models take flood hazards and adaptation measures as inputs and project the success of those measures as outputs. But one model (Groves et al. 2014) includes detailed and disaggregated spatial information while the other (Jonkman et al. 2009) works with a simplified and highly aggregate representation of the study system. The models also differ in their usability, adaptability, and transparency (Vezér et al. 2018). At the same time, model choice is, as always, subject to a range of *epistemic* considerations concerning the accuracy and trustworthiness of a model's representations and projections. Like previous examples, here a single choice in the design of a study can have consequences both for the epistemic or purely scientific side of a study (including but not limited to the treatment of uncertainties) and also for the treatment of ethical values in the analysis.

CONCLUSION

We have presented a series of examples illustrating how choices made during the conduct of research can carry implicit value judgments or create side effects and consequences with ethical import. These consequences include what (and whose) questions receive scientific attention, how mitigation and adaptation strategies are evaluated, which impacts are prioritized, how science is communicated, and what kinds of errors are avoided. We have focussed on examples in which the research choices in question also shape how uncertainties are addressed: alternative attribution methods can subtly recast the research question and shift the burden of proof; model complexity can enable or constrain the characterization of ethically important uncertainties, and model calibration plays a key role in determining which uncertainties and which types of futures are characterized and how.

Many research choices are like these examples. On the one hand, they have consequences that might be judged from the perspective of ethical values, and on the other hand, they have

consequences—regarding, e.g., the depth of insight or reliability of findings—that can be judged by scientific standards that express epistemic values. In other words, many research choices (perhaps even most) are *coupled ethical–epistemic choices* (see (Beck and Krueger 2016) and (Deitrick et al. 2021) for further illustrations). Scientific training naturally focuses on the epistemic side. Here we have highlighted the ethical side and the coupling of the two sides.

Once this coupling is recognized, many further questions arise, such as: whose or which values should be considered? How should we balance epistemic and ethical considerations when they are in tension? What are the best approaches for representing the tradeoffs between value considerations? How should the connections between epistemic and ethical considerations be discussed in scientific publications? For views on some of these questions, readers can consult (Adams et al. 2015; Elliott 2017; Hicks 2014; Baldissera Pacchetti et al. 2022). Here, we close with some brief recommendations on first steps toward engaging with coupled ethical-epistemic choices (see (Pulkkinen et al. 2022) for related, complementary recommendations).

- Develop an eye for the ethical side of research choices. Make a habit of thinking through how your findings might be used and by whom. Ask questions like: Whose information needs does my research design serve? What value system does my policy-evaluation framework assume? Whose vulnerabilities does my approach to hazard mapping prioritize? Who might be disadvantaged by my research findings? What kinds of errors have I been most/least careful to avoid?
- Discuss ethical values explicitly in research outputs. Answers to questions like those listed under suggestion (1) can help readers to contextualize your findings and assess whether they are useful for a given purpose. Be transparent about your explicit and implicit working assumptions. Briefly explain how your research design balances relevant ethical and epistemic values. Note any tradeoffs between value considerations. Declare any motivating ethical priorities and, especially if the rationale for these priorities is not obvious, defend them.
- Engage with end users and/or boundary organizations. While there are many reasons to engage with decision makers, stakeholders, and boundary organizations, one important reason is to facilitate the alignment of research with stakeholder values and priorities (Adams et al. 2015; Helgeson et al. 2022).

REFERENCES

Adams, P., E. Eitland, B. Hewitson, C. Vaughan, R. Wilby, and S. Zebiak, 2015: Toward an ethical framework for climate services: A white paper of the climate services partnership working group on climate services ethics. Climate Services Partnership, 12 pp. https://hdl.handle.net/10568/68833.

- Allen, M., 2003: Liability for climate change. *Nature*, **421**, 891–892, https://doi.org/10.1038/421891a.
- Bakker, A. M. R., P. J. Applegate, and K. Keller, 2016: A simple, physically motivated model of sea-level contributions from the Greenland ice sheet in response to temperature changes. *Environmental Modelling & Software*, **83**, 27–35, https://doi.org/10.1016/j.envsoft.2016.05.003.
- Baldissera Pacchetti, M., J. Schacher, S. Dessai, M. Bruno Soares, R. Lawlor, and J. Daron, 2022: Toward a UK climate service code of ethics. *Bulletin of the American Meteorological Society*, **103**, E25–E32, https://doi.org/10.1175/BAMS-D-21-0137.1.
- Beck, M., and T. Krueger, 2016: The epistemic, ethical, and political dimensions of uncertainty in integrated assessment modeling. *Wiley Interdisciplinary Reviews. Climate Change*, 7, 627–645, https://doi.org/10.1002/wcc.415.
- Bessette, D. L., L. A. Mayer, B. Cwik, M. Vezér, K. Keller, R. J. Lempert, and N. Tuana, 2017: Building a values-informed mental model for New Orleans climate risk management. *Risk Analysis*, **37**, 1993–2004, https://doi.org/10.1111/risa.12743.
- Betz, G., 2017: Why the argument from inductive risk doesn't justify incorporating non-epistemic values in scientific reasoning. *Current Controversies in Values and Science*, K.C. Elliott and D. Steel, Eds., Routledge, 94–110.
- Deitrick, A. R., S. A. Torhan, and C. A. Grady, 2021: Investigating the influence of ethical and epistemic values on decisions in the watershed modeling process. *Water Resour. Res.*, **57**, e2021WR030481, https://doi.org/10.1029/2021wr030481.
- Douglas, H., 2000: Inductive Risk and Values in Science. *Philosophy of Science*, **67**, 559–579, https://doi.org/10.1086/392855.
- -----, 2009: Science, Policy, and the Value-Free Ideal. University of Pittsburgh Press, 256 pp.
- Elliott, K. C., 2017: A Tapestry of Values: An Introduction to Values in Science. Oxford University Press, 208 pp.
- Flato, G., and Coauthors, 2013: Evaluation of Climate Models. *Climate Change 2013: The Physical Science Basis. Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*, T.F. Stocker et al., Eds., Cambridge University Press.
- Fujiwara, M., and Coauthors, 2017: Introduction to the SPARC Reanalysis Intercomparison Project (S-RIP) and overview of the reanalysis systems. *Atmos. Chem. Phys.*, **17**, 1417–1452, https://doi.org/10.5194/acp-17-1417-2017.
- Groves, D. G., J. R. Fischbach, D. Knopman, D. R. Johnson, and K. Giglio, 2014: *Strengthening Coastal Planning: How Coastal Regions Could Benefit from Louisiana's Planning and Analysis Framework*. Rand Corporation,.

Haustein, K., and Coauthors, 2016: Real-time extreme weather event attribution with forecast

seasonal SSTs. *Environmental Research Letters*, **11**, 064006, https://doi.org/10.1088/1748-9326/11/6/064006.

- Helgeson, C., V. Srikrishnan, K. Keller, and N. Tuana, 2021: Why simpler computer simulation models can be epistemically better for informing decisions. *Philosophy of Science*, 88, 213–233, https://doi.org/10.1086/711501.
- —, K. Keller, R. E. Nicholas, V. Srikrishnan, C. Cooper, E. A. H. Smithwick, and N. Tuana, 2022: Integrating values to improve the relevance and inclusiveness of climate-risk research. *submitted manuscript*, https://doi.org/10.31235/osf.io/c4k7d.
- Hicks, D. J., 2014: A new direction for science and values. *Synthese*, **191**, 3271–3295, https://doi.org/10.1007/s11229-014-0447-9.
- Hoerling, M., and Coauthors, 2013: Anatomy of an Extreme Event. *Journal of Climate*, **26**, 2811–2832, https://doi.org/10.1175/jcli-d-12-00270.1.
- Jafino, B. A., J. H. Kwakkel, and B. Taebi, 2021: Enabling assessment of distributive justice through models for climate change planning: A review of recent advances and a research agenda. *Wiley Interdisciplinary Reviews. Climate Change*, **12**, https://doi.org/10.1002/wcc.721.
- Jaynes, E. T., 2003: Probability theory: The logic of science. Cambridge University Press,.
- Jonkman, S. N., M. Kok, M. van Ledden, and J. K. Vrijling, 2009: Risk-based design of flood defence systems: A preliminary analysis of the optimal protection level for the New Orleans metropolitan area. *Journal of Flood Risk Management*, **2**, 170–181, https://doi.org/10.1111/j.1753-318x.2009.01036.x.
- Keller, K., C. Helgeson, and V. Srikrishnan, 2021: Climate risk management. *Annual Review of Earth and Planetary Sciences*, **49**, https://doi.org/10.1146/annurev-earth-080320-055847.
- Khosrowi, D., 2019: Trade-offs between epistemic and moral values in evidence-based policy. *Economics & Philosophy*, **35**, 49–78, https://doi.org/10.1017/S0266267118000159.
- Lee, B. S., M. Haran, R. W. Fuller, D. Pollard, and K. Keller, 2020: A fast particle-based approach for calibrating a 3-D model of the Antarctic ice sheet. *Ann. Appl. Stat.*, **14**, 605–634, https://doi.org/10.1214/19-aoas1305.
- Lloyd, E. A., and N. Oreskes, 2018: Climate change attribution: When is it appropriate to accept new methods? *Earth's Future*, **6**, 311–325, https://doi.org/10.1002/2017EF000665.
- Mauritsen, T., and Coauthors, 2012: Tuning the climate of a global model. *Journal of Advances in Modeling Earth Systems*, **4**, https://doi.org/10.1029/2012ms000154.
- Meredith, E. P., V. A. Semenov, D. Maraun, W. Park, and A. V. Chernokulsky, 2015: Crucial role of Black Sea warming in amplifying the 2012 Krymsk precipitation extreme. *Nature Geoscience*, 8, 615–619, https://doi.org/10.1038/ngeo2483.
- National Academies of Sciences, Engineering, and Medicine, 2016: *Attribution of Extreme Weather Events in the Context of Climate Change*. Washington, DC: The National

Academies Press, 186 pp.

- O'Brien, K. L., and J. Wolf, 2010: A values-based approach to vulnerability and adaptation to climate change: A values-based approach. *Wiley Interdisciplinary Reviews. Climate Change*, **1**, 232–242, https://doi.org/10.1002/wcc.30.
- Otto, F. E. L., G. J. van Oldenborgh, J. Eden, P. A. Stott, D. J. Karoly, and M. R. Allen, 2016: The attribution question. *Nature Climate Change*, **6**, 813–816, https://doi.org/10.1038/nclimate3089.
- Pappenberger, F., K. Beven, K. Frodsham, R. Romanowicz, and P. Matgen, 2007: Grasping the unavoidable subjectivity in calibration of flood inundation models: A vulnerability weighted approach. *Journal of Hydrology*, **333**, 275–287, https://doi.org/10.1016/j.jhydrol.2006.08.017.
- Parker, W. S., and E. Winsberg, 2018: Values and evidence: How models make a difference. *Eur. J. Philos. Sci.*, **8**, 125–142, https://doi.org/10.1007/s13194-017-0180-6.
- —, and G. Lusk, 2019: Incorporating user values into climate services. Bulletin of the American Meteorological Society, **100**, 1643–1650, https://doi.org/10.1175/BAMS-D-17-0325.1.
- Pulkkinen, K., and Coauthors, 2022: The value of values in climate science. *Nature Climate Change*, **12**, 4–6, https://doi.org/10.1038/s41558-021-01238-9.
- Quinn, J. D., A. Hadjimichael, P. M. Reed, and S. Steinschneider, 2020: Can exploratory modeling of water scarcity vulnerabilities and robustness be scenario neutral? *Earth's Future*, **8**, 104,699, https://doi.org/10.1029/2020EF001650.
- Shepherd, T. G., 2014: Atmospheric circulation as a source of uncertainty in climate change projections. *Nature Geoscience*, **7**, 703–708, https://doi.org/10.1038/ngeo2253.
- —, and Coauthors, 2018: Storylines: An alternative approach to representing uncertainty in physical aspects of climate change. *Climatic Change*, **151**, 555–571, https://doi.org/10.1007/s10584-018-2317-9.
- Sillmann, J., T. G. Shepherd, B. van den Hurk, W. Hazeleger, O. Martius, J. Slingo, and J. Zscheischler, 2021: Event-based storylines to address climate risk. *Earth's Future*, **9**, https://doi.org/10.1029/2020ef001783.
- Sriver, R. L., N. M. Urban, R. Olson, and K. Keller, 2012: Toward a physically plausible upper bound of sea-level rise projections. *Climatic Change*, **115**, 893–902, https://doi.org/10.1007/s10584-012-0610-6.
- Stott, P. A., and Coauthors, 2016: Attribution of extreme weather and climate-related events. *Wiley Interdisciplinary Reviews Climate Change*, **7**, 23–41, https://doi.org/10.1002/wcc.380.
- Trenberth, K. E., 2011: Attribution of climate variations and trends to human influences and natural variability. *Wiley Interdisciplinary Reviews. Climate Change*, **2**, 925–930, https://doi.org/10.1002/wcc.142.

-----, J. T. Fasullo, and T. G. Shepherd, 2015: Attribution of climate extreme events. *Nature Climate Change*, **5**, 725–730, https://doi.org/10.1038/nclimate2657.

- Tschakert, P., and Coauthors, 2017: Climate change and loss, as if people mattered: Values, places, and experiences. *Wiley Interdisciplinary Reviews. Climate Change*, **8**, e476, https://doi.org/10.1002/wcc.476.
- Tuana, N., 2018: Understanding Coupled Ethical-Epistemic Issues Relevant to Climate Modeling and Decision Support Science. *Scientific Integrity and Ethics in the Geosciences*, L.C. Gundersen, Ed., American Geophysical Union and John Wiley & Sons, 155–173.
- Undorf, S., K. Pulkkinen, P. Wikman-Svahn, and F. A.-M. Bender, in press: How do value-judgments enter model-based assessments of climate sensitivity? *Climatic Change*, https://doi.org/10.1007/s10584-022-03435-7.
- Vezér, M., A. Bakker, K. Keller, and N. Tuana, 2018: Epistemic and ethical trade-offs in decision analytical modelling. *Climatic Change*, **147**, 1–10, https://doi.org/10.1007/s10584-017-2123-9.
- Weitzman, M. L., 2009: On modeling and interpreting the economics of catastrophic climate change. *The Review of Economics and Statistics*, **91**, 1–19, https://doi.org/10.1162/rest.91.1.1.
- Wong, T. E., and K. Keller, 2017: Deep uncertainty surrounding coastal flood risk projections: A case study for New Orleans. *Earth's Future*, **5**, 1015–1026, https://doi.org/10.1002/2017EF000607.
- —, A. M. R. Bakker, K. Ruckert, P. Applegate, A. B. A. Slangen, and K. Keller, 2017: BRICK v0.2, a simple, accessible, and transparent model framework for climate and regional sea-level projections. *Geoscientific Model Development*, **10**, 2741–2760, https://doi.org/10.5194/gmd-10-2741-2017.