A Review on Resource Provisioning Algorithms Optimization Techniques in Cloud Computing

M.R. Sumalatha¹, M. Anbarasi²

¹Department of Computer Science and Engineering, AITS ²Department of Information Technology, PEC

ABSTRACT: Cloud computing is the provision of IT resources (IaaS) on-demand using a pay as you go model over the internet. It is a broad and deep platform that helps customers builds sophisticated, scalable applications. To get the full benefits, research on a wide range of topics is needed. While resource over provisioning can cost users more than necessary, resource under provisioning hurts the application performance. The cost effectiveness of cloud computing highly depends on how well the customer can optimize the cost of renting resources (VMs) from cloud providers. The issue of resource provisioning optimization from cloud-consumer potential is a complicated optimization issue, which includes much uncertainty parameters. There is a much research avenue available for solving this problem as it is in the real-world. Here, in this paper we provide details about various optimization techniques for resource provisioning.

Keywords: IaaS, Optimization techniques Resource provisioning Uncertinity, Virtual machines

1. INTRODUCTION

Cloud Computing is a broad and deep platform that helps customers build sophisticated scalable applications. Cloud provisioning is the allocation of a cloud provider's resources to a customer [1]. When a cloud provider accepts a request from a customer, it must create the appropriate number of virtual machines (VMs) [2] and allocate resources to support them. In this context, the term provisioning simply means "to provide".

The Provisioning has been done in several different ways. a) Advance Provisioning: The customer requests the provider for services and the provider prepares the appropriate resources [2] in advance. The customer is charged a flat fee or is billed on a monthly basis. b) Dynamic Provisioning: The provider allocates more resources when they are needed and removes them [3] when they are not needed. The customer is billed on a pay-per-use basis.

Provisioning allows optimal allocation of resources to consumers in a finite time to achieve desired quality of service. Here, the problem is either the user gets over-provisioning or under-provisioning. Formally, provisioning problem involves uncertainty parameters while choosing resources subject to some constraints to optimize some objective function. The aim is to develop an optimized method that reduces over provisioning and under provisioning problems. It has remained a topic of research in various fields for decades, may it be supply of electricity or water to consumers [4].

In recent years, distributed computing paradigm [5] has gained much attention due to high scalability, reliability, and flexibility. Thus stochastic based techniques deal with these problems by

providing near optimal solutions within the reasonable amount of time. In this paper, we present a review of various optimization techniques based on various parameters.

2. RESOURCE PROVISIONING PRICING MODELS

Reserved instances are cheapest resources. Price is based on the period of subscription (static). Customer must reserve the resources in advance. Customer might overpay for the resources reserved if he/she doesn't use them extensively and he might under pay for the resources reserved for long time [6].

On-demand instances are the highest priced resources. Price is set by the service provider and remains constant. Consumer has to pay per use. Customer is aware of the exact price to be paid. Resources are reserved for the customer for the paid period of time [7]. Service provider might reserve the resources for longer than the customer's utilized. Service provider cannot raise the price when demand is high; when demand is low, the user pays higher than the market price.

Spot Instances [8] allow you to specify the maximum hourly price that you are willing to pay to run a particular instance type, usually lower than the On-Demand rate. These are suitable for both customers and the service provider because the price is set according to the level of supply and demand. Less scalability of high demand in the market than fixed pricing, the spot instances are the unused on-demand instances.

The Spot Price fluctuates based on supply and demand for instances, but customers will never pay more than the maximum price they have specified. If the Spot Price moves higher than a customer's maximum price, the customer's instance will be shut down by the cloud provider [9]. Figure 1 shows three pricing models.



Figure 1. Pricing models

3. OPTIMIZATION TECHNIQUES

In Computer Science and operation research, Optimization is referred to as the selection of best element from a set of alternatives with regard to some criteria. Two types of entities involved in cloud are cloud service provider and cloud consumer. Cloud service providers provision their resources on rental basis to cloud consumers and cloud consumers submit their requests for provisioning the resources. They both have their own motivations when they become part of cloud environment. Consumers are concerned with the performance of their applications, whereas providers are more interested in efficient utilization of their resources. Thus these Optimization Techniques [10] can be classified into two types: Static techniques and Dynamic techniques. Following are some of the optimization criteria followed while provisioning resources in cloud environment as shown in Figure 2.




Figure 2. Optimization techniques

3.1. Static provisioning

Cloud service provider allocates resources to consumer in advance. That is cloud consumer has to decide how much capacity of resources he/she wants statically means before using them. The deterministic approach, integer programming, lineare programming and deadline provisioning algorithm show how resources are allocated statically for deadline based workflows. Here we consider only the expected values for all the parameters. In static provisioning we may get over provisioning or under provisioning problem.

3.2. Dynamic provisioning

Cloud service provider allocates resources to consumer as needed and when required and they have to pay per use. This is also called as pay as you go model. Here, genetic algorithm, stochastic approach, approximate dynamic programming, benders decomposition and average approximation are used for provisioning resources dynamically.

3.2.1. Genetic algorithm

Genetic algorithms are commonly used to generate high-quality solutions tooptimization and search problems by relying on bio-inspired operators such as mutation, crossover and selection. Genetic algorithms do not scale well with complexity, operating on dynamic data sets is difficult.

3.2.2. Stochastic approach

In this section, the stochastic programming with multistage recourse is presented as the core formulation. First, the original form of stochastic integer programming formulation is derived. Then, the formulation is transformed into the deterministic equivalent formulation (DEF) which can be solved by traditional optimization solver software.

3.2.3. Approximate dynamic programming

Approximate Dynamic Programming (ADP) is a powerful technique to solve large scale discrete time multistage stochastic control processes, i.e., complex Markov Decision Processes (MDPs). These processes consists of a state space S, and at each time step t, the system is in a particular state St \in S from which we can take a decision xt from the feasible set Xt . This decision results in rewards or costs, typically given by Ct(St , xt), and brings us to a new state St+1 with probability P(St+1|St , xt), i.e., the next state is conditionally independent of all previous states and actions. Therefore, the decision not only determines the direct costs, but also the environment within which future decisions take place, and hence influences the future costs. The goal is to find a policy. A policy $\pi \in \Pi$ can be seen as a decision function $X\pi$ (St) that returns a decision xt \in Xt for all states St \in S, with Π being the set of potential decision functions or policies. The problem of finding the best policy can be written as (1).

$$\min \pi \in \Pi \to \{ (X T t = 0 \gamma Ct(St, X\pi t (St))) \}$$
 (1)

where γ is a discount factor, and T denotes the planning horizon, which could be infinite.

3.2.4. Benders decomposition

The goal of this algorithm is to break down the optimization problem into multiple smaller problems which can be solved independently and parallel. The Benders decomposition algorithm can decompose integer programming problems with complicating variables into two major problems: master problem and sub problem.

3.2.5. Sample average approximation

It may not be efficient to get the solution of the algorithm if the number of scenarios is more by solving the stochastic programming formulation defined in directly if all scenarios in the problem are considered. The sample-average approximation (SAA) approach is used to address this complex problem. This approach is applied on a set of scenarios.

4. COMPARISON OF RESOURCE PROVISIONING TECHNIQUES

In [11], proposed an algorithm called optimal cloud resource provisioning algorithm (OCRP) to overcome resource under provisioning and over provisioning. Authors applied various optimization techniques to minimize the user's cost. This approach includes an algorithm called optimal cloud resource provisioning algorithm (OCRP) to overcome resource under provisioning and over provisioning. Authors applied various optimization techniques to minimize the user's cost with more scenarios. Minimizing both

under -provisioning and over provisioning problems under the demand and price uncertainty in cloud computing environments is our motivation to explore a resource provisioning strategy for cloud consumers. The following Table 1 shows proposed optimization techniques and their merits and demerits.

Table 1. Comparison of Various Optimized Provisioning Techniques based on Uncertainty, QoS, Time, Cost,

Heterogeneity and SLA violations
Optimization Technique Parameter Problem Proposed Challenges Inputs Merits Applied Particle Swarm It Takes More Cost [12] Resource Workflows Well suited for &QoS provisioning and Optimization (PSO) & Meta work-flows with Cost to meet the scheduling on IaaS Coud Heuristic Optimization. smaller size deadlines of larger workflows. Integer Programming Bandwidt,C Maximize Revenue Implement on [13] Resource provisioning for adaptive PU cycles cloud environment applications in Grid [14] Autonomic Resource Match Making Technique Provides OoS User More Energy Provisioning requests consumption [15] Dynamic Resource CPU Allocation Algorithm CPU Reduce the Need an Provisioning for Data processing time implementation on Cycles Streaming Applications and budget real scenario Optimization of Resource OCRP Algorithm with More Scenarios Resource Minimize the cost Provisioning Cost Stochastic Optimization & avoid over requests &under provisioning [16]Optimization Combinatorial auction Network, QoS& Maximize Not suitable for all Approach for Resource Data-base profit approach users Allocation for IoT [17] Joint Optimization of Stochastic Optimization, Bandwidth Reduce over and Need to consider Resource Provisioning Sensitivity Analysis & Virtual Under provisioning network delay and Machines VM migration. [18] Joint Virtual Machine Deterministic formulation Bandwidth Minimize user's Applicable for and Bandwidth Allocation & Virtual provision cost only Network in Software Defined Machines intensive Network (SDN) applications Resource provisioning Particle Swarm Workflows Well suited for It Takes More and scheduling on IaaS Optimization (PSO) & Meta work-flows with Cost to meet the Coud[19] Heuristic Optimization. smaller size deadlines of larger workflows. Heuristics [19] Adaptive Resource Static Algorithm based on Workflows Low cost for Not suitable for & Time complete Heuristics execution of each Provisioning task. workflow structure [20]SLA-Based Resource Customer driven heuristic Customer Less cot & reduce Applicable only Provisioning for Hosted algorithms profile and SLA violations for SaaS Software-as-a-Service response providers. Applications time [21] Dynamic Provisioning Map Reduce model, Reduces total Applicable only User in Hybrid Cloud using Deadline Priority execution time for hybrid clouds. requests. Aneka Platform Provisioning algorithm [22]Application of min-min or max-min File size of Minimize make Dependencies Selective Algorithm for algorithm user span among tasks can be modeled Effective Resource requests Provisioning [23] An Efficient Efficient resource Use Reduces the Applicable for Architecture and allocation(ERA) Algorithm Requests response time only reserved Algorithm for Resource instances for Provisioning in Fog resources Computing [24] Towards stochastic scheduling Introduced various Need Sou implementation on Understanding solutions to resolve Uncertainty in Resource uncertainty real Scenarios rces of

CONCLUSION AND FUTURE WORK

Provisioning

The ultimate goal of cloud computing is to satisfy both cloud consumer and cloud service provider. Broad research is needed to find best optimal provisioning technique. This paper presents various optimized provisioning variants with their merits and challenges while considering different parameters and different algorithms. The efficient dynamic optimization provisioning is one of the primary challenges in cloud environment, because a tradeoff between professional SLA [25] and QoS constraint like max resource

uncertainty

utilization, cost etc. In future, we will propose a method for Dynamic optimized resource provisioning. It has dynamic nature so that the cost of provisioning resources may be reduced without SLA violations.

REFERENCES

- [1] www.buyya.com/MasteringClouds/ToC-Preface-TMH.pdf.
- [2] Taskeen Zaidi, "Rampratap Rampratap.Virtual Machine Allocation Policy in Cloud Computing Environment using CloudSim," *International Journal of Electrical and Computer Engineering (IJECE)*, Vol. 8, No. 1, pp. 344~354, February 2018, ISSN: 2088-8708, DOI: 10.11591/ijece.v8i1.pp344-354.
- [3] Frederic Nzanywayingoma, Yang Yang. "A Literature Survey on Resource Management Techniques, Issues and Challenges in Cloud Computing," *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, Vol. 15 No 4, pp. 1918-1928, 2017. DOI: http://dx.doi.org/10.12928/telkomnika.v15i4.6574.
- [4] Moreno Marzolla, Stefano Ferretti, Gabriele D'Angelo. "Dynamic Resource Provisioning For Cloud-Based Gaming Infrastructures," Volume 10 Issue 1, Article No. 4 in ACM Digital library, October 2012.
- [5] https://www.ijcai.org/Proceedings/15/Papers/038.pdf
- [6] Patel, A., & Tiwari, P. (2018). Cloud Computing Security, Privacy Improvements Using Virtualized High Trust Zone. International Journal of Modern Trends in Engineering and Science, 3(12).
- [7] Song, Jiayi and Guérin, Roch A. "Pricing and Bidding Strategies for Cloud Computing Spot Instances." Report Number: 2017.
- [8] Agmon Ben-Yehuda, Ben-Yehuda, M, Schuster, A, and Tsafrir, D, T. F. "Deconstructing Amazon EC2 Spot Instance Pricing." ACM Trans. Econ. Comp. V, N, Article A., 2012.
- [9] Bhavani B H, H S Guruprasad. "Resource Provisioning Techniques in Cloud Computing Environment: A Survey." International Journal of Research in Computer and Communication Technology, Vol 3, Issue 3, March-2014.
- [10] Chaisiri, S.; Bu-Sung Lee; Niyato, D. "Optimization of Resource Provisioning Cost in Cloud Computing. Services computing," *IEEE Transactions on Service Computing*, Vol. 5, No. 2, pp. 164-177, April-June 2012 doi: 10.1109/TSC.2011.7
- [11] Tadapaneni, N. R. (2016). Overview and Opportunities of Edge Computing. Social Science Research Network.
- [12] A. Filali, A. S. Hafid. "Adaptive Resources Provisioning for Grid Applications and Services," *IEEE Communications Society subject matter experts for publication in the ICC 2008 proceedings.*
- [13] Pooyan Jamshidi, Aakash Ahmad and Claus Pahl. "Autonomic Resource Provisioning for Cloud-Based Software." *IEEE Communications Society subject matter experts for publication in the ICC 2008 proceedings, SEAMS'14*,

 June 2–3, 2014. Hyderabad, India. Copyright 2014 ACM 978-1-4503-2864-7/14/06.
- [14] Smita Vijayakumar, Qian Zhu, Gagan Agrawal. "Dynamic Resource Provisioning for Data Streaming Applications in a Cloud Environment," 2nd IEEE International Conference on Cloud Computing Technology and Science.
- [15] Yeongho Choi, Yujin Lim. "Optimization Approach for Resource Allocation on Cloud Computing for IoT," International Journal of Distributed Sensor Networks Volume: 12 issue: 3.
- [16] Tadapaneni, N. R. (2018). Cloud Computing: Opportunities And Challenges. International Journal of Technical Research and Applications.
- [17] Jonathan Chase and Dusit Niyato. "Joint Virtual Machine and Bandwidth Allocation in Software Defined Network (SDN) and Cloud Computing Environments," *IEEE ICC 2014 Next-Generation Networking Symposium*.
- [18] Waheed Iqbala, Matthew N. Daileya, David Carrerab, Paul Janecek. "Adaptive Resource Provisioning for Read Intensive Multi-tier Applications in the Cloud," Future Generation Computer Systems.
- [19] K. Kalyana Chakravarthi, Vaidehi Vijayakumar. "Workflow Scheduling Techniques and Algorithms in IaaS Cloud: A Survey," *International Journal of Electrical and Computer Engineering (IJECE)*, Vol. 8, No. 2, April 2018.
- [20] Linlin Wu, Saurabh Kumar Garg, Steve Versteeg, and Rajkumar Buyya. "SLA-Based Resource Provisioning for Hosted Software-as-a-Service Applications in Cloud Computing Environments," *IEEE transactions on services* computing, vol. 7, no. 3, july-september 2014
- [21] http://www.manjrasoft.com/download/2.0/AnekaDynamicProvisioning.pdf
- [22] Tadapaneni, N. R. (2019). Role of Fog Computing in the Internet of Things. International Journal of Scientific Research and Engineering Trends.
- [23] Mayanka Katya and Atul Mishra. "Application of Selective Algorithm for Effective Resource Provisioning In Cloud Computing Environment," *International Journal on Cloud Computing: Services and Architecture (IJCCSA)*, Vol. 4, No. 1, February 2014.
- [24] http://www.cloudbus.org/students/MariaThesis2016.pdf
- [25] Swati Agarwal, Shashank Yadav, Arun Kumar Yadav. "An Efficient Architecture and Algorithm for Resource Provisioning in Fog Computing," *I.J. Information Engineering and Electronic Business*, 2016, 1, 48-61.
- [26] Jonathan Chase and Dusit Niyato. "Joint Optimization of Resource Provisioning in Cloud Computing," DOI 10.1109/TSC.2015.2476812, IEEE Transactions on Services Computing,
- [27] A. Tchernykh, et al., "Towards Understanding Uncertainty In Cloud Computing With Risks Of Confidentiality, Integrity, And Availability," *J. Comput. Sci.*, 2016, http://dx.doi.org/10.1016/j.jocs.2016.11.011
- [28] K.Sumalatha, M.N Sinduri, C.BhanuPrakash. "A Novel Method Of Directly Auditing Integrity On Encrypted Data," *International Research Journal of Engineering and Technology (IRJET)*, Volume: 03 Issue: 01 | Jan-2016
- [29] Abraham, W. K., Saravanan, S., & Smith, K. (2019, June). Security and Privacy Challenges in Fog Computing. In International Conference on Fog Computing.
- [30] X. S. Li, et al., "Analysis and Simplification of Three-Dimensional Space Vector PWM for Three-Phase Four-Leg Inverters," IEEE Transactions on Industrial Electronics, vol. 58, pp. 450-464, Feb 2011